

Natural Heritage Evaluation Report and Oak Ridges Moraine Conformity Evaluation

FINAL REPORT – UPDATE 2

September 3, 2024

File: 160622415

Prepared for:

S. Larkin Developments Inc. 5435 Old Brock Road Pickering, ON L1Y 1A1

Prepared by:

Stantec Consulting Ltd. 200-835 Paramount Drive Stoney Creek, ON L8J 0B4

Sign-off Sheet

Senior Ecologist

This document entitled Natural Heritage Evaluation Report and Oak Ridges Moraine Conformity Evaluation was prepared by Stantec Consulting Ltd. ("Stantec") for the account of S. Larkin Developments Inc. (the "Client"). Any reliance on this document by any third party is strictly prohibited. The material in it reflects Stantec's professional judgment in light of the scope, schedule and other limitations stated in the document and in the contract between Stantec and the Client. The opinions in the document are based on conditions and information existing at the time the document was published and do not take into account any subsequent changes. In preparing the document, Stantec did not verify information supplied to it by others. Any use which a third party makes of this document is the responsibility of such third party. Such third party agrees that Stantec shall not be responsible for costs or damages of any kind, if any, suffered by it or any other third party as a result of decisions made or actions taken based on this document.

Prepared by	
	(signature)
Janice Ball, B.Sc.	
Terrestrial Ecologist	
Reviewed by	
,	(signature)
Sean Spisani, B.Sc., ERGC	

Table of Contents

EXE	CUTIVE SUMMARY	I
1.0	INTRODUCTION	1.1
1.1	NATURAL HERITAGE EVALUATION	1.1
1.2	HYDROLOGICAL EVALUATION	1.2
2.0	PLANNING AND PROTECTION POLICIES	2.4
2.1	OAK RIDGES MORAINE CONSERVATION PLAN (ORMCP)	2.4
2.2	THE ENDANGERED SPECIES ACT, 2007	
2.3	TORONTO AND REGION THE LIVING CITY POLICIES	
3.0	METHODOLOGY	3.22
3.1	BACKGROUND DATA REVIEW	
3.2	SITE INVESTIGATIONS	
·	3.2.1 Vegetation Communities and Flora	
	3.2.2 Wildlife and Wildlife Habitat	
4.0	EXISTING CONDITIONS	4.27
4.1	BACKGROUND DATA REVIEW	
	4.1.1 Designated Natural Heritage Features	4.27
	4.1.2 Species at Risk	
	4.1.3 Species of Conservation Concern	
4.2	SITE INVESTIGATIONS	
	4.2.1 Vegetation Communities and Flora	
	4.2.2 Wildlife and Wildlife Habitat	4.31
5.0	ORMCP CONFORMITY EVALUATION	
5.1	ORMCP PLANNING CONTEXT	
	5.1.1 Land Use	
	5.1.2 Key Natural Heritage Features	
	5.1.3 Key Hydrologic Features	
	5.1.4 Wellhead Protection and Areas of High Aquifer Vulnerability	
	5.1.5 Hydrological Evaluation	
5.2	SUMMARY OF NATURAL HERITAGE CONSTRAINTS	5.39
6.0	POTENTIAL IMPACTS AND MITIGATION MEASURES	
6.1	POTENTIAL IMPACTS	
	6.1.1 Candidate Significant Wildlife Habitat	
	6.1.2 Hydrological Impacts (MAMM1-3 Wetland)	
6.2	RECOMMENDED MITIGATION STRATEGY	
	6.2.1 Avoidance	
	6.2.2 General Construction Mitigation	
	6.2.3 Restoration	
6.3	NET EFFECTS	6.7 6.7
	(N)	f 1 /

6.4	REQUIF 6.4.1	REMENTS UNDER THE ENDANGERED SPECIES ACT, 2007 Bobolink	
7.0	CLOSIN	NG	7.1
8.0	REFER	ENCES	8.1
LIST C	F TABL	ES	
Table ²	1:	Field Investigations	3.23
Table 2	2:	Survey Details for Bat Exit Surveys	
Table 3	3:	Ecological Land Classification (ELC) Vegetation Types	
Table 4	4:	Bat Exit Survey Results	
Table 5	5:	Summary of Key Natural Heritage Features	5.37
Table 6	6:	Summary of Key Hydrologic Features	5.38
Table 7	7:	Summary of Features and Associated Study Requirements and	
		Protection Zones	5.40
Table 8	8:	Evaluation of the Magnitude of Hydrologic Change – Step 2 (TRCA	
		2017)	6.3
Table 9	9:	Wetland Sensitivity Analysis of the MAMM1-3 Wetland (TRCA 2017)	6.4
LIST C	F APPE	NDICES	
		FIGURES	
Figure		Location Map	
Figure		Key Natural Heritage Features	
Figure		Ecological Land Classification	
Figure		Field Investigation and Monitoring Locations	
Figure	5:	Minimum Vegetation Protection Zones and Proposed Development	

APPENDIX B VASCULAR PLANT SPECIES LIST

APPENDIX C WILDLIFE SPECIES LIST

Executive Summary

Stantec Consulting Ltd. (Stantec) was retained by S. Larkin Developments to undertake the necessary natural environment investigations to support a Zoning By-law Amendment (ZBA), site redevelopment and construction of additional buildings at 5435, 5455, and 5475 Old Brock Road, Pickering, Ontario. The City of Pickering requested a concept site plan to address building expansion on the subject property as part of the ZBA, and the submission of a Natural Heritage Evaluation (NHE). This report satisfies the requirement for an NHE.

Under the ORMCP, the purpose of a NHE is: "to provide guidance for assessing the impact of development and site alteration in Key Natural Heritage Features and demonstrating how the requirements of Section 23 of the Oak Ridges Moraine Conservation Plan can be met" (MNR, 2004). Our work plan was based on a review of the existing information available for this area and was designed to address the objectives of Section 23 outlined in the ORMCP and technical papers.

Under the *Greenbelt Plan*, "The requirements made under the ORMCP (*Ontario Regulation 140/02*), made under the *Oak Ridges Moraine Conservation Act*, 2001, continue to apply and the Protected Countryside policies do not apply with the exception of section 3.3." Therefore, this NHE also satisfies the requirements of the Greenbelt Plan.

Based on the information obtained through the various agencies, records review and site investigations, the following key natural heritage features (KNHFs) were identified in or within 120 m of the subject property:

- Glen Major Wetland Complex Provincially Significant Wetland
- A small unevaluated wetland area (meadow marsh)
- Significant Woodlands

Future development on the subject property must identify and assess any potential impacts on these natural heritage features and associated ecological functions to demonstrate compliance with polices outlined in the ORMCP as described in the scope of this report. This report demonstrates how the proposed development will have no adverse effects on the KNHFs or related ecological functions; identifies planning, design and construction activities that will maintain and/or improve the health and diversity of the KNHFs; and provides mitigation to support the maintenance and restoration of natural self-sustaining vegetation within the vegetation protection zone.



i

Introduction September 3, 2024

1.0 INTRODUCTION

Stantec Consulting Ltd. (Stantec) was retained by S. Larkin Developments Inc. to complete a Natural Heritage Evaluation Report (NHE) as required under the Oak Ridges Moraine Conservation Plan 2017 (ORMCP) for a Zoning By-law Amendment (ZBA) and development project. The proposed development is located at 5435, 5455, and 5475 Old Brock Road in the City of Pickering (the "subject property", Figure 1¹). The purpose of the proposed development is to build new infrastructure that will provide services to the community, including a new gas station, industrial buildings, and associated parking. The City of Pickering (2010) requires a site plan application to address building expansion on the subject property, including the submission of an NHE.

1.1 NATURAL HERITAGE EVALUATION

This Natural Heritage Evaluation addresses the requirements of the ORMCP (Section 2.1), specifically Sections 20, 21, 22, 23, 26, 28, 29 and the Part III Table describing the minimum area of influence and minimum vegetation protection zones. Under Section 22 (3) of the ORMCP, an application for a proposed development that is within the minimum area of influence (which is generally 120 m) of a key natural heritage feature shall require a Natural Heritage Evaluation. This applies to the subject property.

Under the ORMCP, the purpose of a Natural Heritage Evaluation is "to provide guidance for assessing the impact of development and site alteration in Key Natural Heritage Features and demonstrating how the requirements of Section 23 of the Oak Ridges Moraine Conservation Plan can be met" (MNR, 2004).

The ORMCP identifies Key Natural Heritage Features as follows:

- Wetlands
- Habitat of endangered, rare, and threatened species
- Fish habitat
- Areas of natural and scientific interest (life science)
- Significant valleylands
- Significant woodlands
- Significant wildlife habitat (including habitat of special concern species)
- Sand barrens, savannas and tallgrass prairies

Key natural features that occur or potentially occur in the Study Area have been identified during the background review and site investigations completed as part of this NHE and are summarized in Section 5.1.2.

¹ Figures referenced throughout this report are provided in Appendix A.



1.1

Introduction September 3, 2024

In accordance with Section 23(1) of the ORMCP, the following specific objectives are addressed in this NHE:

- a) demonstrate that the proposed development will have no adverse effects on the key natural features or on related ecological functions
- b) identify planning, design and construction practices that will maintain and, where possible, improve or restore the health, diversity and size of the key natural heritage features
- c) determine whether the specified dimensions of a minimum vegetation protection zone are sufficient and, if it is not sufficient, specify the dimensions for the required minimum vegetation protection zone and provide for the maintenance and, where possible, improvement or restoration of natural selfsustaining vegetation within the vegetation protection zone

Under the *Greenbelt Plan*, "The requirements made under the ORMCP (*Ontario Regulation 140/02*), made under the *Oak Ridges Moraine Conservation Act*, 2001, continue to apply and the Protected Countryside policies do not apply with the exception of section 3.3." Therefore, this NHE also satisfies the requirements of the Greenbelt Plan.

The limits of the subject property for the proposed development are shown on Figure 1. Natural area designations on and adjacent to the subject property are shown on Figure 2, including the Glen Major Wetland Complex Provincially Significant Wetland (PSW). Adjacent features were considered as part of the study to determine any potential environmental impacts within 120 m of the proposed development (the "adjacent lands"), as required under the ORMCP.

1.2 HYDROLOGICAL EVALUATION

Under the ORMCP, the purpose of a Hydrological Evaluation (HE) is to provide "guidance to assist municipalities, landowners, developers and their consultants in planning, developing and implementing the provisions of Section 26 of the ORMCP" (MOE, 2005). A separate Functional Servicing and Stormwater Management Report (FSR) was prepared to assess the current and proposed hydrological condition (Stantec, 2024). The FSR will be referenced in this report to summarize the findings with respect to key hydrological features.

In accordance with Section 26(4) of the ORMCP, the following specific objectives should be addressed in a HE:

- a) demonstrate that the development or site alteration will have no adverse effects on the key hydrologic feature or on related hydrological functions;
- identify planning, design and construction practices that will maintain and, where possible, improve or restore the health, diversity and size of the key hydrologic features and with key natural heritage features;



Introduction September 3, 2024

- c) determine whether the minimum vegetation protection zone whose dimensions are specified in the Table to this Part is sufficient, and if it is not sufficient, specify the dimensions for the required minimum vegetation protection zone and provide for the maintenance and, where possible, improvement or restoration of natural self-sustaining vegetation within it; and
- d) in the case of an application relating to land in a Natural Core Area, Natural Linkage Area, or Countryside Area, demonstrate how connectivity within and between key natural heritage features and key hydrologic features will be maintained and, where possible, improved or restored before, during and after construction.



Planning and Protection Policies September 3, 2024

2.0 PLANNING AND PROTECTION POLICIES

2.1 OAK RIDGES MORAINE CONSERVATION PLAN (ORMCP)

The subject property is located within a Rural Settlement area, which is part of the Countryside Areas. As per the ORMCP: "Country Side Areas are areas of rural land use such as agriculture, recreation, residential development, Rural Settlements, mineral aggregate operations, parks and open space. Rural Settlements, which form part of Countryside Areas and are existing hamlets or similar existing small communities, generally long-established and identified in official plans" (Part II, Land Use Designations).

Section 13 (4) states that "with respect to land in a Rural Settlement, the following uses are permitted, subject to Parts III and IV, in addition to the uses listed in subsection 3:

- 1. Residential development in accordance with paragraphs 3 and 4 subsection 15(1).
- 2. Small-scale commercial, industrial, and institutional uses as described in section 40, but not subject to clauses (1) (a), (1) (c) or (2) (a) of that section."

Section 19 (2) of the ORMCP identifies provisions that apply with respect to land in Rural Settlement, and reads as follows:

"Sections 20 to 26, subsections 27 (1) and (2), sections 28 and 29, subsections 30 (1) to (12) and the Table to this Part apply with respect to land in the Natural Core Areas, Natural Linkage Areas and Countryside Areas."

Section 31 (3) of the ORMCP identifies provisions that apply with respect to land in Rural Settlement, and reads as follows:

"The following provisions for the Part apply to land in the Countryside Areas:

- 1. Sections 32 to 34
- 2. Subsections 35 (1), (4), (5) and (6).
- 3. Sections 36 to 40.
- 4. Subsections 41 (1), (4), (5) and (6)
- 5. Sections 42 to 47."



Planning and Protection Policies September 3, 2024

The provisions relating to key natural heritage features and key hydrologic features that are of specific relevance to the subject property are reproduced verbatim below.

"Supporting Connectivity

20. Every application for development or site alteration shall identify planning, design and construction practices that ensure that no buildings or other site alterations impede any hydrological functions or the movement of plants and animals among key natural heritage features, key hydrologic features, and adjacent land within Natural Core Areas and Natural Linkage Areas.

Minimum Area of Influence and Minimum Vegetation Protection Zone

- 21. (1) For the purposes of this Part,
 - (a) the minimum area of influence that relates to a key natural heritage feature or key hydrologic feature described in Column 2 of the Table to this Part is the area referred to in the corresponding item in Column 3 of the Table; and
 - (b) the minimum vegetation protection zone that relates to a key natural heritage feature or key hydrologic feature described in Column 2 of the Table is the area determined in accordance with the corresponding item in Column 4 of the Table.
 - (2) If land falls within more than one key natural heritage feature or key hydrologic feature described in Column 2 of the Table, the minimum area of influence described in Column 3 that is the largest and the vegetation protection zone described in Column 4 that is the largest shall apply with respect to each feature for the purposes of this Plan.
 - (3) With respect to land that is in a Settlement Area on April 22, 2002, any provision referred to in subsection (4) prevails, to the extent of any conflict, over clause (1) (b) and subsection (2).
 - (4) Subsection (3) applies with respect to a provision of the applicable official plan or zoning by-laws, as the case may be, that is adopted on the basis of,
 - (a) environmental studies; or
 - (b) infrastructure planning including, without limitation, environmental assessments, infrastructure servicing studies and master environmental servicing studies.



Planning and Protection Policies September 3, 2024

Key Natural Heritage Features (KNHF)

- 22. (1) The following are key natural heritage features:
 - 1. Wetlands.
 - 2. Habitat of endangered, rare and threatened species.
 - Fish habitat.
 - 4. Areas of natural and scientific interest (life science).
 - 5. Significant valleylands.
 - 6. Significant woodlands.
 - 7. Significant wildlife habitat (including habitat of special concern species).
 - 8. Sand barrens, savannas, and tallgrass prairies.
 - (2) All development and site alteration with respect to land within a key natural heritage feature or the related minimum vegetation protection zone is prohibited, except the following:
 - 1. Forest, fish, and wildlife management.
 - Conservation and flood or erosion control projects, but only if they have been demonstrated to be necessary in the public interest after all alternatives have been considered.
 - 3. Development of infrastructure in accordance with the requirements set out in section 41.
 - 4. Low-intensity recreational uses as described in section 37.
 - 5. Any development and site alteration in Countryside Areas or Settlement Areas that is within the habitat of an endangered or threatened species, but only if,
 - it is not prohibited under the Endangered Species Act,
 2007 and it complies with any requirements or
 restrictions under that Act, and
 - ii. it is not within any other key natural heritage feature or the related minimum vegetation protection zone.



Planning and Protection Policies September 3, 2024

- 6. Agricultural uses other than uses associated with on-farm buildings and structures, but only with respect to land in the minimum vegetation protection zone related to a key natural heritage feature and not in the key natural heritage feature itself.
- (3) An application for development or site alteration with respect to land within the minimum area of influence that relates to a key natural heritage feature, but outside the key natural heritage feature itself and the related minimum vegetation protection zone, shall be accompanied by a natural heritage evaluation under Section 23.
- (4) Despite subsection (3), a natural heritage evaluation is not required in the case of an application relating to the construction of a new building or structure in the minimum area of influence of a key natural heritage feature if the proposed building or structure is for agricultural uses, agriculture-related uses or on-farm diversified uses and is located a minimum of 30 metres from the key natural heritage feature.
- (5) Any agricultural uses, agriculture-related uses or on-farm diversified uses that are carried out in the minimum area of influence that relates to a key natural heritage feature shall be carried out in accordance with best management practices to protect or restore key natural heritage features and related ecological functions.

Natural Heritage Evaluation

- 23. (1) A natural heritage evaluation shall,
 - (a) demonstrate that the development or site alteration applied for will have no adverse effects on the key natural heritage feature or on the related ecological functions:
 - (b) identify planning, design and construction practices that will maintain and, where possible, improve or restore the health, diversity and size of the key natural heritage feature and its connectivity with other key natural heritage features and with key hydrologic features;
 - (c) in the case of an application relating to land in a Natural Core Area, Natural Linkage Area or Countryside Area, demonstrate how connectivity within and between key natural heritage features and key hydrologic features will be maintained and, where possible, improved or restored before, during and after construction;



Planning and Protection Policies September 3, 2024

- (d) if the Table to this Part specifies the dimensions of a minimum vegetation protection zone, determine whether it is sufficient, and if it is not sufficient, specify the dimensions of the required vegetation protection zone and provide for the maintenance and, where possible, improvement or restoration of natural selfsustaining vegetation within it;
- (e) if the Table to this Part does not specify the dimensions of a minimum vegetation protection zone, determine whether one is required, and if one is required, specify the dimensions of the required vegetation protection zone, and provide for the maintenance and, where possible, improvement or restoration of natural self-sustaining vegetation within it; and
- (f) in the case of a key natural heritage feature that is fish habitat, ensure compliance with the requirements of the Department of Fisheries and Oceans (Canada).
- (2) In the case of item 4 of the Table to this Part, the basis on which the determination and specification mentioned in clause (1) (e) is done shall include, without limitation, an analysis of land use, soil type, slope class, and vegetation type, using criteria established by the Government of Ontario, as amended from time to time.

Key Hydrologic Features (KHF)

- 26. (1) The following are key hydrologic features:
 - 1. Permanent and intermittent streams.
 - Wetlands.
 - Kettle lakes.
 - 4. Seepage areas and springs.
 - (2) All development and site alteration with respect to land within a key hydrologic feature or the related minimum vegetation protection zone is prohibited, except the following:
 - 1. Forest, fish, and wildlife management.
 - Conservation and flood or erosion control projects, but only if they are determined to be necessary in the public interest after all alternatives have been considered.



Planning and Protection Policies September 3, 2024

- 3. Development of infrastructure in accordance with the requirements set out in section 41.
- 4. Low-intensity recreational uses as described in section 37.
- Agricultural uses other than uses associated with on-farm buildings and structures, but only with respect to land in the minimum vegetation protection zone related to a key hydrologic feature and not in the key hydrologic feature itself.
- (3) An application for development or site alteration with respect to land within the minimum area of influence that relates to a key hydrologic feature, but outside the key hydrologic feature itself and the related minimum vegetation protection zone, shall be accompanied by a hydrological evaluation under subsection (4).
- (4) A hydrological evaluation shall,
 - (a) demonstrate that the development or site alteration will have no adverse effects on the key hydrologic feature or on the related hydrological functions;
 - (b) identify planning, design and construction practices that will maintain, and where possible improve or restore, the health, diversity and size of the key hydrologic features and with key natural heritage features;
 - (c) determine whether the minimum vegetation protection zone whose dimensions are specified in the Table to this Part is sufficient, and if it is not sufficient, specify the dimensions of the required minimum vegetation protection zone and provide for the maintenance and, where possible, improvement or restoration of natural, self-sustaining vegetation within it, and
 - (d) in the case of an application relating to land in a Natural Core Area, Natural Linkage Area, or Countryside Area, demonstrate how connectivity within and between key natural heritage features and key hydrologic features will be maintained and, where possible, improved or restored before, during and after construction.



Planning and Protection Policies September 3, 2024

- (4.1) Despite subsection (3), a hydrological evaluation is not required in the case of an application relating to the construction of a new building or structure in the minimum area of influence of a key hydrologic feature if the proposed building or structure is for agricultural uses, agriculture-related uses or on-farm diversified uses and is located a minimum of 30 metres from the key hydrologic feature.
- (4.2) Any agricultural uses, agriculture-related uses or on-farm diversified uses that are carried out in the minimum area of influence that relates to a key hydrologic feature shall be carried out in accordance with best management practices to protect or restore key hydrologic features and related ecological functions.
- (5) In the case of items 11 and 12 of the Table to this Part, the basis on which the determination and specification mentioned in clause (4) (c) is done shall include, without limitation, an analysis of land use, soil type and slope class, using criteria established by the Government of Ontario, as amended from time to time.

Subwatersheds

- 27. (1) Except with respect to land in Settlement Areas, all development and site alteration with respect to land in a subwatershed are prohibited if they would cause the total percentage of the area of the subwatershed that has impervious surfaces to exceed,
 - (a) 10 per cent; or
 - (b) any lower percentage specified in the applicable watershed plan or subwatershed plan.
 - (2) Except with respect to land in Settlement Areas, in considering applications for development or site alteration with respect to land in a subwatershed the approval authority shall take into account the desirability of ensuring that at least 30 per cent of the area of the subwatershed has self-sustaining vegetation.
 - (3) With respect to land in Settlement Areas, in considering applications for development or site alteration with respect to land in a subwatershed the approval authority shall consider the importance of,
 - (a) ensuring that natural vegetation is maintained, and where possible improved or restored; and



Planning and Protection Policies September 3, 2024

(b) keeping to a minimum impervious surfaces and their impact on water quality and quantity.

Wellhead Protection Areas

- 28. (1) Despite anything else in this Plan except subsection 6 (1) and subsection (3) of this section, the following uses are prohibited with respect to land in wellhead protection areas established under section 42:
 - 1. Storage, except by an individual for personal or family use, of,
 - i. petroleum fuels,
 - ii. petroleum solvents and chlorinated solvents,
 - iii. pesticides, herbicides, and fungicides,
 - iv. construction equipment,
 - v. inorganic fertilizers,
 - vi. road salt, and
 - vii. contaminants listed in Schedule 3 (Severely Toxic Contaminants) to Regulation 347 of the Revised Regulations of Ontario, 1990.
 - 2. Generation and storage of hazardous waste or liquid industrial waste.
 - 3. Waste disposal sites and facilities, organic soil conditioning sites, and snow storage and disposal facilities.
 - (2) Despite anything else in this Plan except subsection 6 (1) and subsection (3) of this section, the following uses are prohibited with respect to land in the zero to two year time of travel zone within every wellhead protection area established under section 42:
 - 1. Storage of animal manure, except by an individual for personal or family use.
 - 2. Animal agriculture, except by an individual for personal or family use.
 - 3. Storage of agricultural equipment, except by an individual for personal or family use.



Planning and Protection Policies September 3, 2024

- (3) Subsections (1) and (2) do not apply to,
 - (a) an area in respect of which wellhead protection policies established under clause 42 (1) (b) have been incorporated into the relevant official plan; and
 - (b) any agricultural land if the owner or operator of the agricultural operation complies with all the standards established under the Nutrient Management Act, 2002 and any applicable requirement under the Clean Water Act, 2006.
- (4) Every person who carries on a use listed in subsection (1) or (2), as owner or operator, shall prepare and maintain a site management and contingency plan that is aimed at reducing or eliminating the creation of materials referred to in subsection (1) or (2), as the case may be, and their release into the environment.

Areas of High Aquifer Vulnerability

- 29. (1) Despite anything else in this Plan except subsection 6 (1) and subsection (1.1) of this section, the uses listed in subsection (5) are prohibited with respect to land in areas of high aquifer vulnerability, as shown on the map entitled "Reference Map for Ontario Regulation 140/02 (Oak Ridges Moraine Conservation Plan) made under the Oak Ridges Moraine Conservation Act, 2001" dated March, 2002, on file in the offices of the Ministry of Municipal Affairs at Toronto.
 - (1.1) Subsection (1) does not apply to agricultural land in areas of high aquifer vulnerability if the owner or operator of the agricultural operation is carrying out operations that are regulated under the Nutrient Management Act, 2002 and complies with all the standards established under that Act.
 - (2) Copies of the map referred to in subsection (1) are available on a website maintained by the Government of Ontario.
 - (3) The boundaries of the areas of high aquifer vulnerability may be further defined in official plans, in a manner that is consistent with the map referred to in subsection (1), but with greater precision than the map can show.
 - (4) The further definition of boundaries described in subsection (3) does not require an amendment to this Plan.
 - (5) Subsection (1) applies to the following uses:



Planning and Protection Policies September 3, 2024

- Generation and storage of hazardous waste or liquid industrial waste.
- 2. Waste disposal sites and facilities, organic soil conditioning sites, and snow storage and disposal facilities.
- 3. Underground and above-ground storage tanks that are not equipped with an approved secondary containment device.
- Storage of a contaminant listed in Schedule 3 (Severely Toxic Contaminants) to Regulation 347 of the Revised Regulations of Ontario, 1990.

Landform Conservation Areas

- 30. (1) The following, shown on maps entitled "Landform Conservation Areas of the Oak Ridges Moraine", numbered 1, 2, 3 and 4, dated March 2002 and on file in the offices of the Ministry of Municipal Affairs at Toronto:
 - 1. Landform conservation areas (Category 1).
 - 2. Landform conservation areas (Category 2).
 - (2) Copies of the map referred to in subsection (1) are available on a website maintained by the Government of Ontario.
 - (3) When official plans and zoning by-laws are amended in accordance with sections 9 and 10 of the Act to bring them into conformity with this Plan, the boundaries of the landform conservation areas may be further defined, in a manner that is consistent with the maps referred to in subsection (1), but with greater precision than the maps can show.
 - (4) The further definition of boundaries described in subsection (3) does not require an amendment to this Plan.
 - (5) An application for development or site alteration with respect to land in a landform conservation area (Category 1) shall identify planning, design and construction practices that will keep disturbance to landform character to a minimum, including,
 - (a) maintaining significant landform features such as steep slopes, kames, kettles, ravines and ridges in their natural undisturbed form;
 - (b) limiting the portion of the net developable area of the site that is disturbed to not more than 25 per cent of the total area of the site; and



Planning and Protection Policies September 3, 2024

- (c) limiting the portion of the net developable area of the site that has impervious surfaces to not more than 15 per cent of the total area of the site.
- (6) An application for development or site alteration with respect to land in a landform conservation area (Category 2) shall identify planning, design and construction practices that will keep disturbance to landform character to a minimum, including,
 - (a) maintaining significant landform features such as steep slopes, kames, kettles, ravines and ridges in their natural undisturbed form;
 - (b) limiting the portion of the net developable area of the site that is disturbed to not more than 50 per cent of the total area of the site; and
 - (c) limiting the portion of the net developable area of the site that has impervious surfaces to not more than 20 per cent of the total area of the site.
- (7) Subsections (5) and (6) do not apply in respect of mineral aggregate operations.
- (8) An application for major development with respect to land in a landform conservation area of either category shall be accompanied by a landform conservation plan that shows, on one or more maps,
 - (a) elevation contours in sufficient detail to show the basic topographic character of the site, with an interval of not more than two metres;
 - (b) analysis of the site by slope type (for example, moderate or steep);
 - (c) significant landform features such as kames, kettles, ravines, and ridges; and
 - (d) all water bodies including intermittent streams and ponds.
- (9) The landform conservation plan shall also include a development strategy that identifies appropriate planning, design, and construction practices to minimize disruption to landform character, including,
 - (a) retention of significant landform features in an open, undisturbed form:



Planning and Protection Policies September 3, 2024

- (b) road alignment and building placement to minimize grading requirements;
- (c) concentration of development on portions of the site that are not significant;
- (d) use of innovative building design to minimize grading requirements; and
- (e) use of selective grading techniques.
- (10) An application for development or site alteration that does not constitute major development, with respect to land in a landform conservation area of either category, shall be accompanied by a site plan that,
 - (a) identifies the areas within which all building, grading, and related construction will occur;
 - (b) demonstrates that buildings and structures will be located within the areas referred to in clause (a) so as to minimize the amount of site alteration required; and
 - (c) provides for the protection of areas of natural and scientific interest (earth science) in accordance with subsection (12).
- (11) Subsection (10) does not apply in respect of mineral aggregate operations.
- (12) An application for development or site alteration with respect to land in an area of natural and scientific interest (earth science) or the related minimum area of influence shall be accompanied by an earth science heritage evaluation that,
 - identifies planning, design and construction practices that will
 ensure protection of the geological or geomorphological
 attributes for which the area of natural and scientific interest was
 identified; and
 - (b) determines whether a minimum vegetation protection zone is required, and if so, specifies the dimensions of that zone and provides for the maintenance and, where possible, improvement or restoration of natural self-sustaining vegetation within it.



Planning and Protection Policies September 3, 2024

> (13) With respect to land in Settlement Areas, in considering applications for development or site alteration within landform conservation areas (Category 1 and 2) the approval authority shall consider the importance of adopting planning, design and construction practices that will keep disturbance to landform character to a minimum, so as to satisfy the requirements of subsections (5) to (11) if possible.

Excess Soil and Fill

- 36. (1) Official plan policies and development proposals shall incorporate best practices for the management of excess soil generated and fill received during any development or site alteration, including infrastructure development, to ensure that,
 - (a) excess soil is reused on-site or locally to the maximum extent possible;
 - (b) where feasible, excess soil reuse planning is undertaken concurrently with development planning and design; and
 - (c) the quality of fill received and the placement of fill at the site will not cause an adverse effect with regard to the current or proposed use of the property, the natural environment or cultural heritage resources and is compatible with adjacent land uses.

Small-Scale Commercial, Industrial, and Institutional Uses

- 40. (1) Small-scale commercial, industrial, and institutional uses,
 - (a) are supportive of, complementary to or essential to uses that are permitted in Countryside Areas under sections 13, 14 and 17;
 - (b) do not require large-scale modification of terrain, vegetation or both or large-scale buildings and structures; and
 - (c) include, but are not limited to,
 - (i) commercial sales or services related to the management or use of resources located in the surrounding area,
 - (ii) portable mineral aggregate crushing plants, portable asphalt plants and composting plants, and
 - (iii) schools, places of worship, community halls, retirement homes, and cemeteries, intended mainly to serve nearby Rural Settlements within the Plan Area.



Planning and Protection Policies September 3, 2024

- (2) An application for a small-scale commercial, industrial, or institutional use with respect to land in a Countryside Area shall not be approved unless the applicant demonstrates that,
 - (a) it is not feasible to locate the use in a Settlement Area; and
 - (b) the buildings and structures will be planned, designed, and constructed so as not to adversely affect,
 - (i) the rural character of the Countryside Areas, and
 - (ii) the ecological integrity of the Plan Area.
- (3) An application for a small-scale commercial, industrial, or institutional use with respect to land in a Countryside Area shall not be approved if it is to be located within a prime agricultural area.
- (4) Subsection (3) does not apply to portable asphalt plants and portable concrete plants required to complete public authority contracts.
- (5) An application to establish or expand a small-scale commercial, industrial, or institutional use shall demonstrate that the new or expanded use will have no adverse impacts on surrounding agricultural operations and lands or that such impacts will be minimized and mitigated to the extent possible.

As per Section 13 (4) of the ORMP, with respect to land in Rural Settlement areas, Small-scale commercial, industrial, and institutional uses as described in section 40, are permitted (subject to Parts III (Protecting Ecological and Hydrological Integrity) and IV (Specific Land Use Policies)), but are not subject to clauses (1) (a), (1) (c) or (2) (a) of that section (as described above).

Official Plan Provisions, Wellhead Protection Areas, Areas of High Aquifer Vulnerability

- 42. (1) Every official plan shall contain policies that,
 - (a) establish wellhead protection areas, in accordance with subsection (2), around all existing and new wells for municipal water services;
 - (b) with respect to each wellhead protection area,
 - (i) prohibit or restrict the uses listed in subsections 28 (1) and (2), and



Planning and Protection Policies September 3, 2024

- (ii) prohibit or restrict other uses that could adversely affect the quality or quantity of groundwater reaching a well; and
- (c) encourage restrictions on haulage routes for transportation of chemicals and volatile materials in wellhead protection areas and in areas of high aquifer vulnerability under section 29.
- (2) A wellhead protection area shall identify zones of contribution corresponding to,
 - (a) zero to two years of time of travel;
 - (b) two to ten years of time of travel; and
 - (c) 10 to 25 years of time of travel.
- (3) Every regional municipality shall comply with clause (1) (a) on or before April 22, 2003.
- (4) Every municipality other than a regional municipality shall comply with clause
 - (a) on or before October 22, 2003.
- (5) Every municipality shall comply with clause (1) (b) on or before April 23, 2007.

Sewage and Water Services

- 43. (1) An application for major development shall be accompanied by a sewage and water system plan that demonstrates,
 - (a) that the ecological integrity of hydrological features and key natural heritage features will be maintained;
 - (b) that the quantity and quality of groundwater and surface water will be maintained:
 - (c) that stream baseflows will be maintained;
 - (d) that the project will comply with the applicable watershed plan and water budget and conservation plan; and
 - (e) that the water use projected for the development will be sustainable.



Planning and Protection Policies September 3, 2024

(2) Water and sewer service trenches shall be planned, designed, and constructed so as to keep disruption of the natural groundwater flow to a minimum.

Stormwater Management Plans

- 46. (1) The objectives of a stormwater management plan are to,
 - (a) maintain groundwater quantity and flow and stream baseflow;
 - (b) protect water quality;
 - (c) protect aquatic species and their habitat;
 - (d) prevent increases in stream channel erosion; and
 - (e) prevent any increase in flood risk.
 - (2) A stormwater management plan shall provide for an integrated treatment train approach that uses a planned sequence of methods of controlling stormwater and keeping its impact to a minimum by techniques including, without limitation,
 - (a) lot level controls such as devices and designs that direct roof discharge to rear yard ponding areas;
 - (b) conveyance controls such as grassed swales; and
 - (c) end-of-pipe controls such as wet ponds at the final discharge stage.
 - (3) A stormwater management plan shall be prepared in accordance with the applicable watershed plan under section 24, if one exists."

Rapid Infiltration basins and columns

- 47. (1) Despite anything else in this Plan, new rapid infiltration basins and new rapid infiltration columns are prohibited.
 - (2) In subsection (1),

"rapid infiltration basin" means a basin or system of basins at or below surface grade that is constructed in porous soil and punctures through a relatively impermeable layer to gain access to a more permeable sand or gravel layer, so as to rapidly infiltrate the ground, at a single point or area of concentration, surface runoff collected from impervious surfaces;



Planning and Protection Policies September 3, 2024

> "rapid infiltration column" means a column or system of columns at or below surface grade that is constructed in porous soil and punctures through a relatively impermeable layer to gain access to a more permeable sand or gravel layer, so as to rapidly infiltrate the ground, at a single point or area of concentration, surface runoff collected from impervious surfaces.

2.2 THE ENDANGERED SPECIES ACT, 2007

This report is also prepared to identify site specific requirements of the ESA (Section 6.3).

The provincial *Endangered Species Act, 2007* (ESA) received Royal Assent on May 17, 2007. With some minor exceptions, the Act came into force on June 30, 2008. The purposes of this Act are:

- To identify species at risk based on the best available scientific information, including information obtained from community knowledge and aboriginal traditional knowledge.
- To protect species that are at risk and their habitats, and to promote the recovery of species that are at risk.
- To promote stewardship activities to assist in the protection and recovery of species that are at risk.

The legislation is the first in Canada to combine mandatory habitat protection with a science-based approach to listing species for protection. Species thought to be at risk are assessed by the Committee on the Status of Species at Risk in Ontario (COSSARO). COSSARO is an independent body that reviews species based on the best available science, including community knowledge and Aboriginal Traditional Knowledge.

Once species are classified "at risk", they are added to the Species at Risk in Ontario (SARO) list in one of four categories (extirpated, endangered, threatened and special concern). Extirpated, endangered, and threatened species on this list receive legal protection under the ESA. In addition to protection of species (Section 9), protection of species' habitat (Section 10) is written into the ESA. A permit may be issued for activities that interact with a protected species or habitat if the activity will result in an overall benefit to the species within a reasonable time (Section 17.2.c.).

Relevant regulations under ESA are identified as follows:

- O. Reg. 230/08 lists species that are afforded protection under the ESA (2007).
- O. Reg. 176/13 (amending 242/08) contains several exemptions that remove the requirement for the ESA permitting for certain activities. Instead of permitting, the Regulation introduces a new compliance process for some species, which involves registering activities with the Ministry of Natural Resources and Forestry (MNRF) on an online registry. The registration process is proponent driven, and it is the proponent's responsibility to ensure the activity is eligible for one of the exemptions and that all requirements are met.



Planning and Protection Policies September 3, 2024

2.3 TORONTO AND REGION THE LIVING CITY POLICIES

The development setbacks recommended in the Living City Policies are either consistent with or less conservative than the minimum vegetation protection zones described in the ORMCP (MMAH, 2017); therefore, this report will evaluate conformity with ORMCP minimum vegetation protection zones (Section 5).

The Living Cities Policies (TRCA, 2014) contains the "principals, goals, objectives and policies approved by the TRCA Board for the administration of TRCA's legislated and delegated roles and responsibilities in the planning and development approvals process."

Section 7.3.1.2 of the Living City Policies protects natural features development and site alteration, including "valley and stream corridors, wetlands, fish habitat, woodlands, wildlife habitat, habitat of endangered and threatened species, species of concern, Areas of Natural and Scientific Interest, key natural heritage features as per Provincial plans, [and] Environmentally Significant Areas." Valley and stream corridors are defined as "the greater of the long-term stable top of slope/bank, toe of slope, Regulatory flood plain, meander belt and any contiguous natural features plus an applicable buffer."

Section 7.3.1.4 of the Living City Policies provides direction for delineating natural features and buffers, including a 10 m buffer on valley and stream corridors and wetlands, and a 30 m buffer on Provincially Significant Wetlands (PSWs).

Section 8.2 of the Living City Policies provides requirements for development within areas that are regulated under O. Reg. 166/06, including valley and stream corridors, hazardous lands, watercourses, wetlands, and areas where development could interfere with the hydrologic function of wetlands.

Section 8.4.8 of the Living City Policies provides development setbacks to regulated areas, including 10 m from valley and stream corridors and wetlands, and 30 m from PSWs, and wetlands on the Oak Ridges Moraine; however, Section 8.4.9 of the Living City Policies states that "in recognition of the redevelopment and intensification trends within existing urbanized areas…development may be set back distances other that those listed in Section 8.4.8" provided conditions 8.4.9 a-b are met.



Methodology September 3, 2024

3.0 METHODOLOGY

3.1 BACKGROUND DATA REVIEW

A review of background information pertaining to the subject property and immediate adjacent lands was completed. Materials reviewed included:

- Ontario Natural Heritage Information Centre database (NHIC) (MNRF, 2024a)
- Land Information Ontario Online database (MNRF, 2024b)
- Orthoimagery (First Base Solutions, 2019)
- Oak Ridges Moraine Guidance Documents (MOE, February 2004)
- Oak Ridges Moraine Technical Papers (MNR, 2004)
- Oak Ridges Moraine Conservation Plan (May, 2017)
- City of Pickering Official Plan, Edition 9, and Schedules (2022)
- Township of Uxbridge Official Plan and Schedules (2014)
- Durham Regional Official Plan and Schedules (2020)
- The Living City Policies (Toronto and Region Conservation Authority, 2014)

In addition to information available through the MNRF online database, the following resources were accessed to identify species that have been recorded in the vicinity of the subject property:

- Ontario Amphibian and Reptile Atlas (Ontario Nature, 2019)
- Ontario Breeding Bird Atlas (Cadman et. al., 2007)
- Atlas of the Mammals of Ontario (Dobbyn, 1994)
- Ontario Butterfly Atlas (Toronto Entomologist's Association, 2022)
- iNaturalist (iNaturalist, 2024)
- eBird (eBird, 2024)
- Department of Fisheries and Oceans Species at Risk Mapping (DFO, 2024)

3.2 SITE INVESTIGATIONS

To supplement the existing background information, site specific field investigations were conducted in 2016 to confirm and refine the boundaries, characteristics and significance of the natural features that may be affected by the proposed development (Table 1).



Methodology September 3, 2024

Table 1: Field Investigations

Purpose of Field Investigation	Date	Field Personnel
Wildlife Surveys		
Breeding bird	May 31, 2016	A. Taylor
	June 13, 2016	R. Wood
	June 28, 2016	D. Cameron
Bat Exit Surveys	June 12, 2024	E. Padvaiskas/ M. Razzouk/ M. Chung
	June 27, 2024	E. Padvaiskas/ M. Razzouk/ M. Chung
Vegetation Surveys	•	
Summer vegetation, Ecological Lands Classification, and Significant Wildlife Habitat	July 28, 2016	M. Straus
Fall vegetation, including assessment of bat roost trees	October 14, 2016	S. Spisani

3.2.1 Vegetation Communities and Flora

Vegetation community characterization and vascular plant surveys were completed in the summer and fall of 2016. The subject property was systematically covered on foot to ensure a complete inventory of plant species and vegetation communities potentially impacted by the proposed development. Access was not available to adjacent lands, and they were observed from the road right-of-way.

Vegetation surveys included Ecological Land Classification (ELC) of vegetation communities and a floristic survey of the subject property and adjacent lands. Vegetation communities were delineated on aerial photographs and checked in the field; community characterizations were then based on the ELC system (Lee *et al.*, 1998). Botanical nomenclature largely follows Brouillet *et al.* (2010+). English colloquial names generally follow Newmaster *et al.* (1998).

Natural heritage information collected from the subject property was evaluated to confirm potential significance. Provincial significance of vegetation communities was based on the draft rankings assigned by the Natural Heritage Information Centre (Bakowsky, 1996). The provincial status of all plant species is based on Newmaster *et al.* (1998), with updates from the database of the Natural Heritage Information Centre (NHIC, 2014). Identification of potentially sensitive plant species is based on assignment of a coefficient of conservatism value (CC) to each native species in southern Ontario (Oldham *et al.*, 1995). The value of CC, ranging from 0 (low) to 10 (high), is based on a species' tolerance of disturbance and fidelity to a specific natural habitat. Species with a CC value of 9 or 10 generally exhibit a high degree of fidelity to a narrow range of habitat parameters.

Results of vegetation surveys are discussed in Section 4.2.1 and shown on Figure 3.



Methodology September 3, 2024

3.2.2 Wildlife and Wildlife Habitat

Observations of wildlife were noted during all site investigations and added to all pertinent species list, including both direct (visual, audible) and indirect (scat, brose, tracks) observations. A complete list of wildlife species identified during the various surveys is provided in APPENDIX C.

3.2.2.1 Breeding Birds

Two breeding bird surveys were conducted within the subject property and adjacent lands in 2016, including one early season (June 13), and one late season (June 28) survey using methods in accordance with the Forest Bird Monitoring Program (Cadman, 1998).

Breeding bird surveys were conducted by traversing the subject property on foot, recording all species of birds that were heard or seen. A conservative approach to determining breeding status was taken; all birds seen or heard in appropriate habitat during the breeding season were assumed to be breeding. Observations were separated into four different areas delineated primarily by vegetation type which included an area of existing development (farm buildings, Area 1), a grassy hill (Area 2), open (predominantly meadow, marsh, and row crops, Area 3), and a forested area (Area 4) adjacent to west side of the property (Figure 4).

Area 2 (Figure 4) was identified as potential habitat for provincially threatened Bobolink and Eastern Meadowlark. Point count surveys were conducted at one location in Area 2 (Figure 4) on May 31, June 13, and June 28, for a total of three (3) point count surveys.

Field work was undertaken early in the morning and under favourable weather conditions on May 31, 2016, at 09:10, on June 13, 2016, between 07:35 and 09:10 hrs, and on June 28, 2016 between 06:00 and 07:15 hrs. Weather conditions on the May 31st survey had an approximate temperature of 22°C, with a wind of 1 (Beaufort scale) and a 20% cloud cover. The June 13th survey had approximate temperatures of 12°C, with a wind of 2 (Beaufort scale) and 30% cloud cover. The June 28th survey had approximate temperatures of 15°C, with no wind and 10% cloud cover. There was no precipitation during any of the surveys.

3.2.2.2 Bat Exit Survey (Anthropogenic Structures)

Anthropogenic structures (i.e., buildings) with suitable exit/entry points have the potential to provide habitat for roosting bats, including endangered bats (Little Brown Myotis [Myotis lucifugus], Northern Myotis [Myotis septentrionalis], Small-footed Myotis [Myotis leibii], Tri-colored Bat [Perimyotis subflavus]).

Stantec conducted a search for exit/entry points on the buildings on the subject properties (BMS1, BMS2 (a and b), and BMS3 (a and b) Figure 4) to determine their suitability for roosting bats. Building assessments were conducted following guidance from *Bats and Buildings: Bats and the Built Environment Series* (Bat Conservation Trust 2020). Bat exit surveys followed the methodology published by the Ministry of Natural Resources and Forestry (MNRF) Guelph District Office titled *Use of Buildings and Isolated Trees by Species at Risk Bats Survey Methodology* (October 2014). Two (2) bat exit surveys



Methodology September 3, 2024

were completed during the appropriate survey timing window (June 1 to July 31) for each building that met the criteria for potential bat roost structures. Surveys were conducted under appropriate weather conditions (i.e., temperatures ≥15°C, no rain, and low wind). The number of surveyors for each building was determined via assessment of the sight lines to achieve adequate coverage of exit/entry points observed during the building assessments.

Each surveyor monitored their assigned exit/entry points for signs of bat activity, recording calls using an EchoMeter Touch 2 acoustic monitoring device from 30 minutes before sunset until 60 minutes after sunset. Weather conditions and survey timing for the exit surveys are provided in Table 2.

Data from the EchoMeter Touch 2 devices were analyzed using Kaleidoscope Pro software by Wildlife Acoustics. This software automatically screens out noise files and suggests species identifications for each bat call based on a recorded spectrogram of the call. For calls identified by Kaleidoscope Pro as non-endangered bats, the automatic IDs were generally accepted. However, for calls identified as endangered bats, each call was reviewed by a qualified biologist who visually examined the spectrograms to confirm that the frequency range and shape matched the species ID provided by the software. Additionally, because recorded frequencies of 40 kHz could indicate endangered bats, calls identified by the software as 'No ID' with a frequency of 35 kHz or above were manually reviewed to assess the potential for endangered bats.

Table 2: Survey Details for Bat Exit Surveys

	Time Weather				Weather			
Survey Station	Site Visit Number	Date Assessed	(24 hrs)	Temp (Cº)	Wind (Beaufort Scale)	Cloud Cover (%)	Precipitation (mm)	Surveyors
DMC4	1	June 12, 2024	20:30- 22:00	18	2	60%	None	E.
BMS1	2	June 27,2024	20:33- 22:03	20	4	15%	None	Padvaiskas
BMS2a	1	June 12, 2024	20:30- 22:00	18	2	60%	None	M. Razzouk
BMS2b	2	June 27,2024	20:33- 22:03	20	4	15%	None	Wi. Ruzzouk
BMS3a	1	June 12, 2024	20:30- 22:00	18	2	60%	None	M. Chung
BMS3b	2	June 27, 2024	20:33- 22:03	20	4	15%	None	M. Chung

3.2.2.3 Wildlife Habitat

The MNR's Significant Wildlife Habitat Technical Guide (MNR, 2000) and SWH Ecoregion 6E Criterion Schedule (MNRF, 2015) defines Significant Wildlife Habitat in four categories: (1) seasonal concentrations of wildlife such as deer wintering areas, (2) rare vegetation communities or specialized habitat for wildlife such as vernal pools or snake hibernacula, (3) habitat for species of conservation



Methodology September 3, 2024

concern, and (4) wildlife movement corridors. Field documentation of wildlife habitat occurred during the summer ELC and botanical field visit. The SWH Ecoregion 6E Criterion Schedule (MNRF, 2015) was applied to identify candidate and confirmed Significant Wildlife Habitat using ELC, habitat and wildlife observations. See 3.4.3 of this study for results.

In addition to application of SWH Ecoregion 6E Criterion Schedules, trees on the subject property were assessed to identify suitable roost trees for bats using *Bats and Bat Habitats Guidelines* (MNR 2011).



Existing Conditions September 3, 2024

4.0 EXISTING CONDITIONS

4.1 BACKGROUND DATA REVIEW

4.1.1 Designated Natural Heritage Features

The background review did not identify Key Natural Heritage Features or Key Hydrologic Features within the subject property, including Provincially Significant Wetlands, Areas of Natural and Scientific Interest (ANSI), significant valleylands, and significant woodlands.

The background review identified Key Natural Heritage Features within 120m of the subject property. These features are listed below and shown in Figure 2:

- The Glen Major Wetland Complex PSW (MNRF, 2024a) occurs west of Old Brock Road, and east of Brock Road
- The City of Pickering (2022) designates significant woodlands west of Old Brock Road, and east of Brock Road

The Township of Uxbridge (2014) designates significant woodlands northeast of the subject property (north of Uxbridge Pickering Townline)

4.1.2 Species at Risk

A review of Species at Risk (SAR) records from the MNRF's Natural Heritage Information Centre (NHIC) database (MNRF 2024b) identified occurrences of Bobolink, Eastern Meadowlark, and Redside Dace within 1 km of the subject property. The background review did not identify any watercourses or fish habitat on the subject property, and Fisheries and Oceans SAR mapping does not identify Redside Dace or Redside Dace critical habitat on or adjacent to the subject property (DFO, 2024).

Wildlife atlases (Ontario Breeding Bird Atlas and Atlas of the Mammals of Ontario) identified records of the following SAR in the vicinity of the Study Area:

COMMON NAME	SCIENTIFIC NAME	ONTARIO STATUS	SARO	SARA	COSEWIC
Bank Swallow	Riparia riparia	S4B	THR	THR	THR
Bobolink	Dolichonyx oryzivorus	S4B	THR	THR	SC
Chimney Swift	Chaetura pelagica	S3B	THR	THR	THR
Eastern Meadowlark	Sturnella magna	S4B, S3N	THR	THR	THR
Eastern Whip-poor-will	Antrostomus vociferus	S4B	THR	THR	SC
Red-headed Woodpecker	Melanerpes erythrocephalus	S3	END	END	END
Small-footed Myotis	Myotis leibii	S2S3	END		
Little Brown Myotis	Myotis lucifugus	S3	END	END	END



Existing Conditions September 3, 2024

COMMON NAME	SCIENTIFIC NAME	ONTARIO STATUS	SARO	SARA	COSEWIC
Northern Myotis	Myotis septentrionalis	S3	END	END	END
Tri-colored Bat	Perimyotis subflavus	S3?	END	END	END

4.1.3 Species of Conservation Concern

A review of Species of Conservation Concern (SOCC) records from the MNRF's Natural Heritage Information Centre (NHIC) database (MNRF 2024b) identified occurrences of Midland Painted Turtle, Snapping Turtle, Eastern Wood-Pewee, Wood Thrush, and American Brook Lamprey within 1 km of the subject property.

Wildlife atlases (Ontario Reptile and Amphibian Atlas, Ontario Breeding Bird Atlas, Ontario Butterfly Atlas, and iNaturalist) identified records of the following SOCC in the vicinity of the Study Area:

COMMON NAME	COMMON NAME SCIENTIFIC NAME		SARO	SARA	COSEWIC
Midland Painted Turtle	Chrysemys picta marginata	S4		SC	SC
Snapping Turtle	Chelydra serpentina	S4	SC	SC	SC
Eastern Milksnake	Lampropeltis triangulum	S4	NAR	SC	SC
Barn Swallow	Hirundo rustica	S4B	SC	THR	SC
Canada Warbler	Cardellina canadensis	S5B	SC	THR	SC
Common Nighthawk	Chordeiles minor	S4B	SC	SC	SC
Common Gallinule	Gallinula chloropus	S3B			
Eastern Wood-Pewee	Contopus virens	S4B	SC	SC	SC
Golden-winged Warbler	Vermivora chrysoptera	rmivora chrysoptera S3B SC		THR	
Grasshopper Sparrow	Ammodramus savannarum	S4B	SC		SC
Peregrine Falcon	Falco peregrinus	S4	SC		NAR
Purple Martin	Progne subis	S3B			
Wood Thrush	Hylocichla mustelina S4B SC Th		THR	THR	
Monarch	Danaus plexippus	S4B, S2N	SC	SC	

4.2 SITE INVESTIGATIONS

The purpose of the site investigations is to supplement the existing background information to confirm and refine the boundaries, characteristics and significance of the natural features that may be affected by the proposed development. The results of the site investigations are presented below.



Existing Conditions September 3, 2024

4.2.1 Vegetation Communities and Flora

The vegetation community types delineated within the subject property are based on the Ecological Lands Classification (ELC) system, as shown of Figure 3. Within the subject property boundary, land use was variable and contained large sections of light industry and rural properties. Existing transportation routes abut the north, east, and west sides of the property boundary. All vegetation communities on the subject property were disturbed due to historic and present-day impacts associated with anthropogenic land use. Only two natural vegetation community types occurred within the subject property, mixed meadow, and meadow marsh community types. Additional vegetation community types were recorded within 120 m of the subject property as part of the adjacent lands, including swamps and forest community types and small pockets of shallow and mineral marsh. All vegetation community types recorded for the subject property and adjacent lands are described in Table 3.

Table 3: Ecological Land Classification (ELC) Vegetation Types

ELC Type	Community Description						
Meadow (ME)							
Mixed Meadow (MEM)	Mixed Meadow (MEM)						
MEMM3 Dry-fresh Mixed Meadow	One parcel of mixed meadow was encountered within the subject property. Various grasses and forbs dominated the area, including: awnless brome, fescue species, and redtop. Bird's-foot trefoil, wild carrot, and goldenrod species were also present as common forbs.						
Forest (FO)							
Deciduous Forest (FOD)							
FODM8-1 Fresh-Moist Poplar Deciduous Forest	This community unit occurred to the west of Old Brock Road and was observed from the right-of-way. The canopy and sub-canopy was dominated by trembling aspen. The understorey and ground layer could not be observed due to limited access.						
Swamp (SW)							
Deciduous Swamp (SWI	D)						
SWDM4-2 White Elm Mineral Deciduous Swamp	This community unit occurred to the west of Old Brock Road and was observed from the right-of-way. The canopy was abundant with white elm with associates of trembling aspen. Balsam poplar was occasionally present in the sub-canopy with scattered white elm. The edge of the swamp's understorey was lined with eastern white cedar. The understorey and ground layer could not be observed due to limited access.						
SWDM4-5 (A and B) Poplar Mineral Deciduous Swamp	Both community units were present to the west of Old Brock Road and were observed from the right-of-way. The canopy in SWDM4-5 (B) was sparse due to an abundance of snag trees and rare occurrences of white elm were scattered throughout. The canopy in SWDM4-5 (A) had a higher abundance of trembling aspen. Both units contained balsam poplar in the sub-canopy, while willow species followed by common buckthorn were present in the understorey. The ground layer visible from the right-of-way consisted of broad-leaved cattails.						



Existing Conditions September 3, 2024

ELC Type	Community Description
SWDM4-5 (C) Poplar Mineral Deciduous Swamp	This community unit was present to the east of Brock Road and was observed from the right-of-way. Trembling aspen was dominant in the canopy with associates of eastern white cedar. Rare occurrences of white pine extended beyond the height of the canopy layer. The sub-canopy and understorey consisted of eastern white cedar with sparse amounts of trembling aspen. The ground layer could not be observed due to access limited to the right-of-way.
Marsh (MA)	
Meadow Marsh (MAM)	
MAMM1-3 Reed-canary Grass Graminoid Mineral Meadow Marsh	This community unit occurred on the subject property immediately west of Brock Road. It was dominated by reed-canary grass with horsetail species and panicled aster scattered throughout. A small area of broad-leaved cattails was also present. This is a small unevaluated wetland that corresponds with a topographic low on the subject property. It appears to receive runoff from Brock Road and agricultural (OAGM1) / industrial (CVC_2) areas of the subject property.
MAMM1-3 (B) Reed-canary Grass Graminoid Mineral Meadow Marsh	This small parcel of meadow marsh occurred to the west of Old Brock Road and was observed from the right-of-way. It was dominated by reed-canary grass and contained rare occurrences of spotted joe-pye-weed.
Shallow Marsh (MAS)	
MASM1-1 Cattail Mineral Shallow Marsh	One parcel of shallow marsh occurred to the east of Brock Road and was observed from the right-of-way. Rare occurrences of trembling aspen represented the subcanopy and trees were scattered throughout the vegetation community. The marsh was dominated by narrow-leaved cattail.

None of the vegetation communities listed above is considered rare in the province.

During the botanical inventory, all observed and identifiable vascular plants were recorded. A total of 55 species of vascular plants were recorded from the area of investigation. 64% were native and 100% of the native plants have a rank of S5, indicating they are common and secure within Ontario. No SAR were documented during field investigations. None of the species observed had a CC of 9 or 10.

One species observed is locally rare in the TRCA jurisdiction (TRCA, 2003):

• Tamarack (*Larix laricina*) – an L3 species, observed in the Poplar Mineral Deciduous Swamp (SWDM4-5(B)) vegetation community, west of the subject property.

No nationally or provincially rare, threatened, or endangered species were found. A complete list of vascular plant species recorded from the property is included in APPENDIX B.

The wetland was delineated by an Ontario Wetland Evaluation System (OWES) certified Stantec biologist. The TRCA may determine the final wetland boundaries.



Existing Conditions September 3, 2024

4.2.2 Wildlife and Wildlife Habitat

Terrestrial habitats on and adjacent to the subject property included deciduous forest, mixed meadow, swamp, meadow marsh and shallow marsh. These communities provide a range of habitats for a variety of flora and fauna species. A complete list of flora and fauna species observed during site investigations is provided in APPENDIX B and APPENDIX C, respectively.

4.2.2.1 Breeding Birds

In total, 28 species of birds were observed; of which 25 are likely to be breeding on the subject property. One species (Barn Swallow) was confirmed to be breeding on the subject property (refer to Section 6.3 of this report). Of the species observed, Turkey Vulture, Northern Rough-winged swallow, and Ring-billed Gull are not likely to be nesting on the subject property. All species observed are ranked S5 (Secure; common and widespread), or S4 (Apparently secure; uncommon but not rare).

One SAR breeding bird was recorded during breeding bird surveys (Bobolink) and is discussed in Section 4.2.2.3. A complete list of birds observed is provided in Appendix C.

4.2.2.2 Bats

Building assessments identified potential bat roosting habitat at each of the buildings surveyed on the subject property; however, no bats were observed using the buildings during the exit surveys. Bats were recorded at all 3 stations using an EchoMeter; however, none were identified as endangered bats. A total of 22 recordings were captured during the first survey, and 18 recordings were captured during the second survey.

Hoary Bat (*Lasiurus cinereus*) was the only bat species recorded during the exit surveys. During the first bat exit survey, four flyovers of Hoary Bats were recorded across all three stations, with the bats observed foraging in the subject property. No bat species were recorded during the second exit survey. Hoary Bat was assessed by the Committee on the Status of Species at Risk in Ontario (COSSARO) as an endangered species, and protection for the species and its habitat is expected to be afforded starting January 2025 under the ESA. Hoary Bat is likely roosting in treed habitat outside the subject property.

Table 4: Bat Exit Survey Results

Stations	Date	Ohaamian	Number of Recordings by Species		
Stations		Observer	Hoary Bat	Total	
BMS1	June 12, 2024	E. Padvaiskas	3	3	
DIVIOI	June 27, 2024	E. Fauvaiskas	0	0	
BMS2-a	June 12, 2024	M. Razzouk	4	4	
BMS2-b	June 27, 2024	IVI. Nazzouk	0	0	
BMS3-a	June 12, 2924	M. Chung	1	1	
BMS3-b	June 27, 2024	W. Chung	0	0	



Existing Conditions September 3, 2024

4.2.2.3 Species at Risk Habitat Assessment

Bobolink (threatened) was identified during site investigations in the hayfield south of the subject property. Eastern Meadowlark has similar habitat preferences to Bobolink; however, Eastern Meadowlark was not observed during site investigations, and is considered absent from the Study Area.

Endangered Bats (Small-footed Myotis, Little Brown Myotis, Northern Myotis and Tri-colored Bat) have potential to occur on the subject property based on the results of the background review and available habitat.

Species at Risk with potential to occur in the Study Area beyond the subject property based on the results of the background review, site investigations, and available habitat include:

- Chimney Swift potential habitat in the adjacent Glen Major PSW Complex.
- Eastern Whip-poor-will potential habitat in the adjacent Glen Major PSW Complex.
- Red-headed Woodpecker potential habitat in the adjacent Glen Major PSW Complex.

Bobolink

Bobolink is a grassland species that nests primarily in forage crops with a mixture of tall grasses and broad-leaved forbs, predominantly hayfields and pastures, but may also occur in old field meadows with suitable vegetation structure. Preferred ground cover species include grasses such as Timothy and Kentucky bluegrass and forbs such as clover and dandelion (COSEWIC 2010). Bobolink is an areasensitive species, with reported lower reproductive success in small habitat fragments (Kuehl and Clark 2002; Winter et al. 2004).

Bobolink were observed breeding in the hayfield to the south of the subject property during the May 13 bird survey. Although no evidence of Bobolink breeding on the subject property was observed during the May 13 survey, old field meadow habitat was observed at Area 2 (Figure 4); therefore, the two additional breeding bird surveys were conducted. The old field meadow in Area 2 is small and isolated and is only connected to the hay field to the south at one location (approximately 25 m wide). It includes short grass and forbs and does not resemble natural grassland or older pastures that are preferred by Bobolink (McCracken et al. 2013). No evidence of Bobolink breeding on the subject property was observed in either of the two subsequent surveys. See Sections 5.2 and 6.4 for conclusions of the Bobolink observation.

Endangered Bats

Endangered bats may use buildings and open grown trees as summer roosts, which are protected by the ESA. Trees were assessed and lacked roosting structures such as cavities and loose bark and were not considered suitable for bats at the time of field assessment. Endangered bat species were not recorded during bat exit surveys completed in June 2024 that targeted the buildings on the subject property (Section 4.2.2.2) and are not expected to roost on the subject property.



Existing Conditions September 3, 2024

Hoary Bat was recorded on the subject property and is expected to be protected by the ESA as an endangered species in January 2025. Hoary Bat was not observed exiting buildings during exit surveys and was likely either flying over or foraging on the subject property. Hoary Bat "uses mostly treed habitats for roosting or foraging, with a particularly strong dependence on trees as roosting sites" (COSEWIC 2023), and the subject property is not expected to provide important roosting habitat for this species.

Deciduous Forests, and Deciduous Swamps (FOD, and SWD areas, Figure 3) in the Glen Major PSW Complex likely provide the best available natural roosting habitat for endangered bats; however, these features are located outside of the subject property and will be retained by the proposed development. The proposed development is separated from suitable habitat in the PSW by existing roads (Old Brock Road and Brock Road) which are considered sufficient setbacks to protect the features. Further assessment of Endangered Bat habitat in the Glen Major PSW Complex is not recommended.

4.2.2.4 Significant Wildlife Habitat Assessment

Candidate and confirmed habitat types were identified using the SWH Ecoregion 6E Criterion Schedule (MNRF, 2015), which outlined SWH under the following categories: (1) seasonal concentration areas, (2) rare or specialized habitat, (3) habitat for species of conservation concern, and (4) animal movement corridors.

Seasonal Concentration Areas

Seasonal concentration areas are those sites where large numbers of individuals or species congregate at one time of the year. Background data review and field did not identify any seasonal concentration areas in the subject property or adjacent lands. Deciduous Forests, and Deciduous Swamps (FOD, and SWD areas, Figure 3) in the Glen Major PSW Complex may qualify as a candidate bat maternity colony (BMC); however, these features are located outside of the subject property and will be retained by the proposed development. The proposed development is separated from candidate habitats by existing roads (Old Brock Road and Brock Road) which are considered sufficient setbacks to protect the features. No further assessment of candidate bat maternity colonies is recommended.

Bats may also use buildings and open grown trees as summer roosts. Although these features do not qualify as SWH, some species are protected by the ESA. Trees were assessed and lacked roosting structures such as cavities and loose bark and are not considered suitable for bats. MNRF may require further assessment to determine presence absence of protected bats in the existing buildings (see Section 6.4).

Rare or Specialized Habitat

Rare or specialized habitats are two separate components of significant wildlife habitat. Rare habitats are those with vegetation communities that are considered rare in the province. It is assumed that these habitats are at risk and that they are also likely to support additional wildlife species that are considered significant. No rare vegetation communities were identified for the subject property or adjacent lands.



Existing Conditions September 3, 2024

Specialized habitats are microhabitats that are critical to some wildlife species. The SWHTG (MNR 2010) identifies a number of habitats that could be considered specialized habitats, such as habitat for area sensitive species, forests providing a high diversity of habitats, amphibian woodland breeding ponds, turtle nesting habitat, highly diverse sites, seeps, and springs. None of these specialized habitats were observed on the subject property. The significant woodlands identified by the City of Pickering (2011), to the east and west of the subject property are considered SWH. No other specialized habitats were identified for the subject property or adjacent lands.

Habitat of Species of Conservation Concern and Special Concern Species

Habitat for Species of Conservation Concern (SOCC) includes habitat for those species not covered under the ESA and includes those species classified as S1-S3 (S1; Critically Imperiled, S2; Imperiled, and S3; Vulnerable) or Special Concern (SC). One Species of Conservation Concern was identified on the subject property, Barn Swallow, which is designated as a special concern species by COSSARO and a threatened species by COSEWIC.

Barn Swallow was observed during all three bird surveys and evidence of probable breeding activity (carrying nesting materials and visiting probable nest site) was observed during the June 28, 2016, breeding bird survey. Barn Swallow nests on walls or ledges of barns as well as other human-made structures such as bridges, culverts, or other buildings. It feeds on aerial insects generally while foraging in open habitat such as meadows, hay, pasture, and manicured areas.

Additional Species of Conservation Concern with potential to occur on the subject property based on the results of the background review and available habitat include:

- Eastern Milksnake a habitat generalist that has potential to occur throughout the open areas of the subject property.
- Common Nighthawk a ground nester that has the potential to nest in open meadow habitat on the subject property.
- Grasshopper Sparrow a grassland bird that has the potential to nest in open meadow habitat on the subject property. This species was not recorded during breeding bird surveys.
- Monarch Monarch has the potential to occur in the meadow on the subject property. Common milkweed, Monarch's larval host species, was observed during the botanical inventory.

Given the anthropogenic use and limited natural habitat on the subject project, Significant Wildlife Habitat for these species is considered absent.

Species of Conservation Concern with potential to occur in the Study Area beyond the subject property based on the results of the background review and available habitat include:

- Canada Warbler potential habitat in the adjacent Glen Major PSW Complex.
- Eastern Wood-Pewee potential habitat in the adjacent Glen Major PSW Complex.
- Wood Thrush potential habitat in the adjacent Glen Major PSW Complex.



Existing Conditions September 3, 2024

Animal Movement Corridors

Animal Movement Corridors are well-defined natural features between habitats required by a species to complete its life cycle. There are two types of animal movement corridors in Ecoregion 6E, amphibian and deer movement corridors. As per the Ecoregion Criterion Schedule, movement corridors must connect candidate or confirmed Significant Wildlife Habitat features, including amphibian breeding habitat, deer yarding, or deer winter congregation areas. No animal movement corridors are present on the subject property or adjacent lands.

4.2.2.5 Incidental Observations of Wildlife

No additional species of wildlife were identified during the ELC fieldwork, and no incidental observations of other groups of wildlife (e.g. mammals) occurred during the breeding bird surveys.



ORMCP Conformity Evaluation September 3, 2024

5.0 ORMCP CONFORMITY EVALUATION

5.1 ORMCP PLANNING CONTEXT

5.1.1 Land Use

The subject property is entirely located within the Oak Ridges Moraine (Figure 1). Land use mapping provided by the Ministry of Municipal Affairs and Housing (MMAH) designates the ORMCP plan area at this location as Rural Settlement Area. The Rural Settlement Area designation is consistent with the Rural Settlements Area shown in the City of Pickering Official Plan and the Hamlet designation provided in the Durham Region OP.

Section 19 (2) of the ORMCP identifies provisions that apply with respect to land in Rural Settlement, and reads as follows:

Sections 20 to 26, subsections 27 (1) and (2), sections 28 and 29, subsections 30 (1) to (12) and the Table to this Part apply with respect to land in the Natural Core Areas, Natural Linkage Areas, and Countryside Areas.

Section 31 (3) of the ORMCP identifies provisions that apply with respect to land in Rural Settlement, and reads as follows:

The following provisions for the Part apply to land in the Countryside Areas:

- 1. Sections 32 to 34
- 2. Subsections 35 (1), (4), (5) and (6)
- 3. Sections 36 to 40
- 4. Subsections 41 (1), (4), (5) and (6)
- 5. Sections 42 to 47

The provisions relating to key natural heritage features and key hydrologic features that are of specific relevance to the subject property are reproduced verbatim in Section 2.1.

5.1.2 Key Natural Heritage Features

Section 22 of the ORMPC identifies the key natural heritage features (KNHFs) listed in Table 5 and identified on Figure 3. This table provides the results of the desktop review and field investigations by indicating KNHFs identified for the subject property and adjacent lands.



ORMCP Conformity Evaluation September 3, 2024

 Table 5:
 Summary of Key Natural Heritage Features

No.	ORMCP Feature	Present	Results of Background Review
1	Wetlands	Yes	Field investigations identified a Reed-canary grass meadow marsh (MAMM1-3) at the southeast edge of the subject property, west of Brock Road. A review of MNRF mapping identified the Glen Major Wetland Complex PSW is located within 120 m of the subject property, to the east and to the west.
2	Habitat of endangered, threatened, and rare species	Yes	One threatened species was observed on the property, Bobolink. which was identified breeding to the south of the property. No breeding evidence was observed on the subject property. Buildings (and possibly large trees) located on the
			subject property may be suitable maternity roosts for endangered bats.
3	Fish habitat	Yes	A review of MNRF mapping, and field investigations did not identify any fish habitat in the subject property. Fish habitat is identified within 120 m of the subject property in the Glen Major PSW Complex west of Old Brock Road.
4	Areas of Natural and Scientific Interest (ANSI) (life science)	No	A review of MNRF mapping and the City of Pickering and Township of Uxbridge OPs did not locate any ANSIs in or within 120 m of the subject property.
5	Significant Valleylands	No	Not defined in relevant municipal OPs, and no features meeting the criteria established by the province in the Natural Heritage Reference Manual (MNR, 2009).
6	Significant Woodlands	Yes	The City of Pickering (2011) and Township of Uxbridge (2014) designates Significant Woodlands, which have been identified within 120 m of the subject property.
7	Significant Wildlife Habitat	Yes	Candidate SWH for Barn Swallow has the potential to occur on the subject property. Barn Swallow (Special Concern) was observed foraging and visiting probable nesting sites at the existing structures on the subject property (Area 1, Figure 4). SOCC species with the potential to occur on the subject property include, Eastern Milksnake, Common Nighthawk, Grasshopper Sparrow, and Monarch.
			The deciduous forests, and deciduous swamps, identified within 120 m of the subject property during the field investigations, may qualify as candidate bat maternity colonies and have the potential to support SOCC species (Canada Warbler, Eastern Wood-Pewee and Wood Thrush).
8	Sand barrens, savannas, and tallgrass prairies	No	None identified during site investigations.



ORMCP Conformity Evaluation September 3, 2024

5.1.3 Key Hydrologic Features

Section 26 of the ORMCP identifies the Key Hydrologic Features (KHF) listed in Table 6. This table provides the results of the desktop review and field investigations by indicating the KNHFs identified for the subject property and adjacent lands. These features are delineated on Figure 2.

Table 6: Summary of Key Hydrologic Features

No.	ORMCP Feature	Present	Results of Background Review
1	Permanent and intermittent streams	Yes	There is an existing culvert that runs underneath Brock Road at unit MAMM1-3 (Figure 3); however, it conveys intermittent sheet flow from a wide-open roadside drain and there is no fish habitat present. The portion with a defined channel is contained entirely within wetland unit MAMM1-3.
2	Wetlands	Yes	Field investigations identified a Reed-canary grass meadow marsh (MAMM1-3) at the southeast edge of the subject property, west of Brock Road. A review of MNRF mapping identified the Glen Major Wetland Complex PSW is located within 120 m of the subject property, to the east and to the west.
3	Kettle lakes	No	The background review (including an assessment of aerial photography) and site investigations did not identify any kettle lakes on the subject property or adjacent lands.
4	Seepage areas and springs	No	No seepage areas or springs were identified in the subject property.

5.1.4 Wellhead Protection and Areas of High Aquifer Vulnerability

The ORMCP has developed specific policies related to Wellhead Protection Areas (Section 28) and areas of High Aquifer Vulnerability (Section 42). The nearest Wellhead Protection area as identified by the Durham Regional OP (2017; Schedule 'B' – Map 'B2') is greater than 5 km from the subject property, and Section 28 of the ORMCP does not apply.

The City of Pickering OP (2010; Map 13), and the Reference Map for Ontario Regulation 140/02 (Oak Ridges Moraine Conservation Plan) made under the Oak Ridges Moraine Conservation Act, 201 (Map 5 – Township of Uxbridge, City of Pickering) identifies the subject property as an area of low Aquifer Vulnerability, and Section 29 of the ORMCP does not apply.

5.1.5 Hydrological Evaluation

Section 26 (2) of the ORMCP prohibits all development and site alteration with respect to land within a key hydrologic feature or the related MVPZ. The proposed development is located outside the MVPZ for key hydrologic features identified in the Study Area, including 30 m from the wetland that is located at the southeast edge of the Subject Property (Figure 5).



ORMCP Conformity Evaluation September 3, 2024

The FSR (Stantec, 2024) reported that under existing conditions the subject property sheet drains south towards the wetland. The wetland also receives drainage from areas outside the subject property, including lands to the south, and drainage that enters the subject property from a roadside ditch along Old Brock Road.

With respect to the proposed development, the FSR (Stantec, 2024) found that:

"...existing drainage patterns will be maintained and attenuated in accordance to ORMCP polices. Current Old Brock Road major/minor flow conveyance to the wetland southeast of the site will be preserved. Onsite major/minor flows will be captured and controlled in a proposed dry pond. An onsite oil-grit separator in combination with a dry pond and vegetated swale outlet will exceed the minimum requirements for onsite water quality treatment. A proposed dry pond will capture and detain surface water runoff to pre-development levels."

"Various infiltration practices will be explored at the detailed design stage to satisfy the governing erosion control requirement [outlined in the City of Toronto's Wet Weather Flow Management Guidelines]. Practices may include but will not necessarily be limited to the use of vegetated filter strips, surface infiltration measures, subsurface infiltration measures, grass swales with stormwater retention zones. Rapid infiltration basins and columns will not be considered."

Based on these findings, negative adverse water quality or quantify effects to the wetland are not anticipated.

5.2 SUMMARY OF NATURAL HERITAGE CONSTRAINTS

The background review and site investigations identified a number of KNHFs and KHFs requiring consideration in regard to the proposed building expansion. This section identifies respective protection zones as required by the ORMCP and as determined by this NHE as discussed in the previous sections. Table 7 lists features and identifies the ORMCP trigger for study (i.e., the Minimum Area of Influence; MAOI) and the Minimum Vegetation Protection Zone (MVPZ). The MVPZ is also illustrated on Figure 5. Setbacks to species and habitat protected by the ESA are addressed separately in Section 6.3.



ORMCP Conformity Evaluation September 3, 2024

Table 7: Summary of Features and Associated Study Requirements and Protection Zones

ORMCP Feature	Minimum Area of Influence	Minimum Vegetation Protection Zone
Key Natural Heritage Features		
Wetlands	All land within 120 m of feature	All land within 30 m of feature
Habitat of endangered, threatened, and rare species	All land within 120 m of feature	Habitat is protected by the ESA; therefore, species-specific requirements are to be determined via consultation with MRNF. Some MNRF guidance is available regarding delineation of habitat:
		Bobolink – the area within 60m of the nest or center of approximated defended territory is considered to have moderate tolerance to alteration, and the area of continuous suitable habitat between 60 and 300m is considered to have high tolerance (MNRF, undated-b).
		Endangered bats - buildings (and possibly large trees) located on the subject property may be suitable maternity roosts for ESA protected bats.
		Refer to requirements under the ESA in Section 6.4 of this report.
Fish Habitat	All land within 120 m of feature	All land within 30 m of feature
Significant Woodlands	All land within 120 m of feature	All land within 30 m of the base of outermost tree trunks within the woodland
Significant Wildlife Habitat	All land within 120 m of feature	All land within 30 m of feature (as determined by NHE).
		Candidate SWH for Barn Swallow: the area within 5m of the nest is considered to have moderate tolerance to alternation, and the area between 5 and 200m is considered to have high tolerance (MNRF, undated-a).
Key Hydrologic Features		
Permanent and intermittent streams	All land within 120 m of meander belt	All land within 30 m of meander belt
Wetlands	All land within 120 m of feature	All land within 30 m of feature
Seepage areas and springs	All land within 120 m of feature	All land within 30 m of feature



ORMCP Conformity Evaluation September 3, 2024

Section 22 (2) of the ORMCP prohibits all development and site alteration with respect to land within a key natural feature or the related MVPZ. Our review of the proposed plan (Figure 5) indicates that no encroachment into MVPZs is proposed. However, the proposed development will remove a probable Barn Swallow nesting structure. Protection for Barn Swallow and their habitat is provided by the ESA. Potential impacts, mitigation measures and authorization requirements for are discussed in Section 6.0.

The old field meadow habitat identified in Area 2 is connected to Bobolink habitat south of the subject property at one location (approximately 25 m wide). Because Area 2 is not suitable breeding habitat for Bobolink, and no evidence of Bobolink breeding on the subject property was observed during targeted surveys, Area 2 is not considered Bobolink habitat, and a vegetation protection zone does not apply. Further studies are needed to determine in habitat is present for endangered bats.



Potential Impacts and Mitigation Measures September 3, 2024

6.0 POTENTIAL IMPACTS AND MITIGATION MEASURES

As described in Section 5.2, the following KNHF are known to occur within approximately 30 m (within the MVPZs) of the proposed development:

- MAMM1-3 wetland
- Barn Swallow nesting structure (Candidate Significant Wildlife Habitat)

Potential impacts to the confirmed KNHFs within the subject property are discussed in Section 6.1 below.

Habitat of endangered and threatened species is also considered KNHF. Bobolink (threatened) habitat was identified to the south of the subject property, and there is potential for summer/maternity roost habitat of endangered bats on the subject property. Protection of these species and their habitat is addressed under the ESA, which is discussed in Section 6.4 below.

Other KNHF's in the Study Area are separated from potential impacts by Old Brock Road to the west and Brock Road to the east, which are considered sufficient setbacks to protect the features.

6.1 POTENTIAL IMPACTS

The KNHF on the subject property include the MAMM1-3 wetland and candidate SWH related to potential habitat for Barn Swallow and endangered bats associated with buildings. Potential impacts to these features are discussed in Sections 6.1.1 and 6.1.2.

Indirect impacts to KNHF's resulting from construction activities, such as noise, dust generation, sedimentation and erosion are expected to be short term, temporary in duration and mitigated through the use of standard site control measures.

6.1.1 Candidate Significant Wildlife Habitat

Potential impacts of the proposed development on Candidate SWH include direct impact (removal) of a Barn Swallow nesting structure.



Potential Impacts and Mitigation Measures September 3, 2024

6.1.2 Hydrological Impacts (MAMM1-3 Wetland)

Typical hydrologic impacts include an increase in overland flow for any given storm event and a reduction in infiltration rates results post-development due to the introduction of impervious ground surfaces. As summarized in Section 5.1.5 and detailed in the Functional Servicing and Stormwater Management Report (FSR; Stantec 2024), under existing conditions the Subject Property sheet drains south towards the MAMM1-3 wetland in the southeast corner of the property (Figure 3). The wetland also receives drainage from areas outside the subject property, including lands to the south, and drainage that enters the subject property from a roadside ditch along Old Brock Road.

The FSR states that post-development flows to the MAMM1-3 wetland at the southeast corner of the site will be preserved and onsite major/minor flows will be captured and controlled to pre-development levels in a proposed dry pond. An onsite oil-grit separator in combination with a dry pond and vegetated swale outlet will exceed the minimum requirements for onsite water quality treatment. Various infiltration practices will be explored at the detailed design stage to satisfy the governing erosion control requirement. No negative adverse water quality or quantify effects to the wetland are not anticipated post-development.

The FSR recommended Erosion and Sediment Control measures, and a temporary grading plan, to reduce the potential for effects to the subject property. Additional hydrogeological studies will be required prior to finalizing detailed design and should include potential effects to the unevaluated wetland on the subject property (MAMM1-3; Figure 3), as well as requirements for construction phase dewatering, and long-term implications to the water balance.

The MAMM1-3 wetland has been assessed in Section 6.1.2.1 below using the methods outlined in the TRCA's Wetland Water Balance Risk Evaluation (TRCA, 2017).

6.1.2.1 TRCA Wetland Water Balance Risk Evaluation

An analysis utilizing the TRCA Wetland Water Balance Risk Evaluation (TRCA, 2017) (hereafter referred to as the Risk Evaluation) has been completed to determine the sensitivity of the wetland and further requirements.

The first step outlined in the Risk Evaluation is to determine which wetland may be impacted by the proposed development. The FSR (Stantec 2024) reported that under existing conditions the subject property sheet drains south towards the wetland in the southeast corner of the property (MAMM1-3 on Figure 3). The introduction of impervious ground surfaces from the proposed development on the subject property has the potential to impact existing flows to the wetland.

Step 2 requires the determination of the magnitude of potential hydrological change to the MAMM1-3 wetland. A series of criteria are used to determine a high, medium, or low magnitude of impact. Table 8 summarizes the magnitude of potential hydrological change based on engineering input regarding site plan design.



Potential Impacts and Mitigation Measures September 3, 2024

Table 8: Evaluation of the Magnitude of Hydrologic Change – Step 2 (TRCA 2017)

Wetland V	Vater Balance Eval		Change for the 3 Wetland		
Criteria	High Magnitude	Medium Magnitude	Low Magnitude	Evaluation	Magnitude
Impervious cover Score (S) within catchment, as determined using Equation	> 25 %	10-25 %	< 10 %	65%	High
Increase or decrease in catchment size	> 25 %	10-25 %	< 10 %	No change anticipated post development	Low
Water taking or discharge	Dewatering exceeding MOECC EASR limits (> 400,000 L/day) for > 6 months anticipated	Dewatering within MOECC EASR limits (50,000 - 400,000 L/day) for > 6 months anticipated OR Dewatering exceeding MOECC EASR limits (>400,000 L/day) for < 6 months anticipated	Dewatering within MOECC EASR limits (50,000 - 400,000 L/day) for < 6 months anticipated	Dewatering <50,000 L/day	Low
Impact to recharge areas ^[2]	Impact (e.g., replacement with impervious cover) to >25% of locally significant recharge areas	Impact (e.g., replacement with impervious cover) to 10-25% of locally significant recharge areas	Impact (e.g., replacement with impervious cover) to < 50,000 L/day),	There are no locally significant recharge areas present.	N/A

As per the TRCA Risk Criteria, the highest magnitude of hydrological change with one or more criteria satisfied determines the overall sensitivity of the feature. Based on the data provided in Table 8, the sensitivity of the MAMM1-3 wetland community to hydrological change would be considered high based on the impervious cover score.

 $^{^{[1]}}$ S = $IC \cdot Cdev/C$ where e S is the impervious cover score, IC is the proportion of impervious cover (as a percentage between 0 and 100) proposed within the area of wetland catchment that is within the proponent's holdings, Cdev is the total development area of the catchment (in ha), and C is the size of the wetland's catchment (in ha). I all cases, the pre-development catchment is used. $^{[2]}$ As defined in Table 1 of TRCA 2017.



Potential Impacts and Mitigation Measures September 3, 2024

The second component of the Risk Evaluation considers the ecological sensitivity of the MAMM1-3 wetland community. Data for this assessment is derived from field studies conducted for this Natural Heritage Evaluation Report and Oak Ridges Moraine Conformity. As detailed in Table 5 of the Risk Evaluation, five categories are considered when determining wetland sensitivity, including: vegetation community, fauna species, flora species, significant wildlife habitat for hydrologically sensitive species, and hydrological classification. These categories are then classified into three sensitivities, low, medium, and high. The analysis is detailed in Table 9.

Table 9: Wetland Sensitivity Analysis of the MAMM1-3 Wetland (TRCA 2017)

Wetl	and Water Balance S	Wetland Sensit			
Category	High Sensitivity	Medium Sensitivity	Low Sensitivity	Wetland Conditions	Wetland Sensitivity
Vegetation Community (ELC)	Presence of a high sensitivity vegetation community	Presence of a medium sensitivity vegetation community	No high or medium sensitivity criteria satisfied	MAMM1-3 Reed Canary Grass Mineral Meadow Marsh	Low
Fauna Species	Presence of a high sensitivity species	Presence of a medium sensitivity species	No high or medium sensitivity criteria satisfied	No high or medium sensitivity species recorded	Low
Flora Species	Presence of multiple high sensitivity species	Presence of multiple medium sensitivity species OR Presence of one high sensitivity species	No high or medium sensitivity criteria satisfied	Medium and low wetland/ranked species observed in wetland	Medium ³
SWH for Hydrologically Sensitive Species	Presence of Significant Wildlife Habitat, as defined by OMNRF (2014), for high sensitivity species	N/A	No high criteria satisfied	No Candidate SWH identified	Low
Hydrological Classification	Isolated/palustrine AND Presence of medium or high sensitivity vegetation communities OR medium or high sensitivity flora or fauna species	Isolated/palustrine AND no medium or high sensitivity vegetation communities AND no medium or high sensitivity flora or fauna species present	Riverine/lacustrine	Palustrine with flow into the Glen Major PSW Complex via culvert under Brock Road and presence of medium sensitivity vegetation	High

² TRCA Wetland Water Balance Sensitivity Evaluation Criteria

³ Multiple medium sensitivity species are present (e.g., sensitive fern, spotted touch-me-not, northern water-horehound, and small-fruited bulrush).



6.4

Potential Impacts and Mitigation Measures September 3, 2024

As per the TRCA Risk Criteria, the highest magnitude of wetland sensitivity with one or more criteria satisfied determines the overall sensitivity of the wetland to hydrological change. Based on the data provided in Table 9, the sensitivity of the MAMM1-3 wetland community would be considered high based on the Hydrological Classification.

The final step in this analysis is to utilize the results from the previous steps and apply them to a decision tree provided in Figure 3 of the Risk Evaluation document to determine the potential risk of impact.

Based on the decision tree, the high Magnitude of hydrological change and high Sensitivity of the wetland indicate the development should be considered High Risk, and the following requirements would apply during the detailed design and Site Plan Application Stage:

- Monitoring required as outlined in Wetland Water Balance Monitoring Protocol (TRCA, 2016).
- Additional emphasis placed on characterization of groundwater interaction.
- Approved continuous hydrological model is required (e.g. EPA SWMM) for all applications.
- Integrated hydrological model may be required where groundwater interaction is high.
- Model output at daily aggregated to weekly resolution.
- Design mitigation plan to maintain water balance to wetland as outlined in SWM Criteria Document (TRCA, 2012; see overall objective for wetlands).
- Interim mitigation plan may be required.

6.2 RECOMMENDED MITIGATION STRATEGY

The following section provides recommendations to be considered during construction of the proposed building developments are intended to reduce potential adverse impacts on KNHFs. These avoidance, mitigation, and restoration measures, as well as implementation of construction best management practices, should be implemented through all phases of construction.

6.2.1 Avoidance

Avoidance of KNHFs and minimizing encroachment into the MVPZs is the preferred strategy for the proposed development. Where possible, the following avoidance strategies should be implemented:

- Proposed expansions have been located outside or setback from identified KNHFs and MVPZs, where feasible.
- Any proposed construction work associated with the expansion will occur outside of KNHFs and MVPZs where possible.



Potential Impacts and Mitigation Measures September 3, 2024

6.2.1.1 Migratory Birds

To address the federal *Migratory Bird Convention Act, 1994* (MBCA) construction should avoid disturbance to the nests of migratory birds. The Primary Nesting Period (PNP) is the period when the percent of total nesting species is expected to be greater than 10%. The PNP for the subject property is generally from April 1 and August 15, although nesting also infrequently occurs outside of this period (Environment Canada, 2014). Vegetation clearing and removal of existing building should occur outside the PNP to avoid active nests. Should construction be required during the PNP, surveys identify the presence/absence of protected nests in vegetation and on buildings in the work area. If a nest is located, a designated buffer will be marked off within which no construction activity will be allowed while the nest is active. The radius of the buffer width ranges from 5 - 60 m depending on the species.

6.2.1.2 Snakes

Given the potential for Eastern Milksnake to occur on the subject property, suitable overwintering habitat such as buildings with foundations should be removed outside of the hibernation period (approximately October to May) so that snakes can actively avoid the activity. Alternatively, pre-construction surveys may be implemented to determine presence/absence of snake hibernacula, and if absent, timing restrictions for building removal are not required. Hibernacula surveys should follow best practices, such as the Significant Wildlife Habitat Criteria Schedules for Ecoregion 6E (MNRF, 2015).

6.2.1.3 Monarch

Monarch host plants (milkweed) should be removed outside the larval development period (approximately May to September) to avoid harming larval butterflies. Alternatively, surveys may be implemented prior to vegetation clearing to search plants for larva and relocate them to outside of harms way.

6.2.2 General Construction Mitigation

In addition to the implementation of the avoidance measures described above, the following mitigation measures are recommended to be implemented prior to, during and following any construction activities:

- Maximize setbacks from KNHFs and MVPZs, where feasible
- Clearly delineate/demarcate work areas to avoid encroachment and incidental damage to natural vegetation, and to reduce the potential for small, ground dwelling, wildlife species to enter the site
- Accidental damage to trees, or unexpected vegetation removal, should be replaced / restored with native species
- Erosion and sediment control structures (i.e., silt fencing) should be installed, monitored and maintained regularly to ensure that they are fully functional, especially following a major rainfall event
- Silt fencing should be placed as far away as possible from the existing unevaluated wetland on the subject property (MAMM1-3) and the associated MVPZ
- All maintenance activities, vehicle refueling or washing, as well as the storage of chemical and construction equipment should be located outside of KNHFs and MVPZs



Potential Impacts and Mitigation Measures September 3, 2024

 In the event of an accidental spill, the MOECC Spills Action Centre should be contacted, and emergency spill procedures implemented immediately

6.2.3 Restoration

Ongoing monitoring of any areas disturbed during construction should occur to ensure restoration areas are restored appropriately. Further details with respect to specific restoration activities should be completed during detailed design prior to construction.

6.2.4 Hydrological Monitoring

As determined through the TRCA Wetland Water Balance Risk Assessment (Section 6.1.2.1), a monitoring program will be required to assess the hydrological conditions on the site according to methods outlined in the Wetland Water Balance Monitoring Protocol (TRCA, 2016).

6.3 NET EFFECTS

Potential impacts to the KNHFs in the subject property and adjacent lands resulting from the proposed development are anticipated to be negligible. The subject property has been previously disturbed and is surrounded on three sides by paved municipal roads.

While the potential exists during construction for temporary impacts on the MAMM1-3 wetland, avoidance and mitigation measures described above are recommended to be implemented during construction to reduce potential impacts and to restore disturbed or impacted areas to pre-construction condition.

6.4 REQUIREMENTS UNDER THE ENDANGERED SPECIES ACT, 2007

One SAR protected by the ESA was observed on the subject property during field investigations:

• Bobolink – observed singing on fenceposts within Area 2 (Figure 4), and display flight observed overtop of existing farm buildings (Area 1, Figure 4).

The following SAR protected by the ESA were determined to be absent from the subject property, or only present on adjacent lands:

- Buildings and individual trees that support maternity roosts of endangered bats are protected by the ESA. Trees on the subject property were assessed in 2016 as lacking roosting structures such as cavities and loose bark and were not considered suitable for bats. Endangered bat species were not recorded during bat exit surveys completed in June 2024 that targeted the buildings on the subject property (Section 4.2.2.2). Based on these field investigation results, an authorization for endangered bats is not anticipated to be required under the ESA.
- Hoary Bat was recorded on the subject property during exit surveys, and it is expected to be
 protected by the ESA as an endangered species in January 2025. Hoary bat was not observed
 exiting buildings during exit surveys and was likely either flying over or foraging on the subject project.



Potential Impacts and Mitigation Measures September 3, 2024

The subject property is not expected to provide important roosting habitat for this species. Based on lack of suitable roost habitat, authorization for Hoary Bat is not anticipated to be required under the ESA (once it becomes protected).

SAR with the potential to occur in the Glen Major PSW Complex (Chimney Swift, Eastern
Whip-poor-will and Red-headed Woodpecker) are separated from the proposed development by
existing roads (Old Brock Road and Brock Road) which are considered sufficient setbacks to protect
the features. Further assessment of potential SAR habitat in the Glen Major PSW Complex is not
recommended.

6.4.1 Bobolink

Bobolink nests and nesting habitat are protected by the ESA, however, fieldwork completed for this report confirmed that Bobolink habitat is not present on the subject property, and the proposed development will not impact the potential Bobolink habitat identified on the adjacent property, therefore approval under the ESA will not be required for this Project in respect to Bobolink. If habitat conditions on the subject property change, subsequent surveys to determine habitat suitability and presence/absence of grassland birds.



Closing September 3, 2024

7.0 CLOSING

This Natural Heritage Evaluation Report and Oak Ridges Moraine Conformity Statement has been prepared by Stantec to assist S. Larkin Developments with a proposed development project, as required under the Oak Ridges Moraine Conservation Plan and by the City of Pickering.

In conjunction with the two additional reports prepared by Stantec Consulting Ltd. for Geotechnical/ Hydrogeological and the FSR it addresses and satisfies the requirements of the ORMCP, specifically Sections 20, 21, 22, 23, 26, 28, 29 and the Part III Table.

This report is intended to provide guidance for assessing the impact of development and site alteration in Key Natural Heritage features. Under Section 23, ORMCP - Natural Heritage Evaluation, this report demonstrates how the proposed development will have no adverse effects on the KNHFs or related ecological functions; identifies planning, design and construction activities that will maintain and/or improve the health and diversity of the KNHFs; and provides mitigation to support the maintenance and restoration of the MAMM1-3 wetland within the vegetation protection zone. Additional mitigation measures, restoration plans, and monitoring plans will be developed during the detailed design stage of the Project.

Endangered bats were not found to be using the buildings on the subject property during exit surveys; therefore, authorization is not required under the ESA to remove those buildings. However, migratory birds (protected by the MBCA) may nest on the buildings, and if present, the buildings should not be removed while the nests are active.

Additional habitat suitability assessments and surveys are recommended to determine presence/absence of potential Species of Conservation Concern (Eastern Milksnake, Barn Swallow, Common Nighthawk, Grasshopper, and Monarch). Given the anthropogenic use and limited natural habitat on the subject property, Significant Wildlife Habitat for these potential Species of Conservation Concern is considered absent. However, mitigation will be implemented to avoid harm to individuals during construction, such as timing restrictions for the removal of key habitat features such structures with nests or overwintering snakes, and plants with larval Monarch.

The data presented in this report are in accordance with Stantec's understanding of the Project at the time of reporting. If habitat conditions on the subject property change, subsequent surveys may be required, such as surveys to determine habitat suitability and presence/absence of grassland birds.



References September 3, 2024

8.0 REFERENCES

- Bakowsky, W.D. 1996 (draft). Natural heritage resources in Ontario: S-ranks for communities in Site Regions 6 and 7. Natural Heritage Information Centre, Ontario Ministry of Natural Resources, Peterborough. 11 pp.
- Bat Conservation Trust. 2020. Bats and Buildings Bats and the Built Environment Series. Accessed May 2023 from: https://cdn.bats.org.uk/uploads/pdf/Bats-and-Buildings.pdf?v=1634310101
- Brouillet, L., F. Coursol, M. Favreau, M. Anions, P. Bélisle, and P. Desmet. 2010+ VASCAN, the Database of Vascular Plants of Canada. http://data.canadensys.net/vascan/
- Cadman, M.D., D.A. Sutherland, G.G. Beck, D. Lepage and A.R. Couturier (eds). 2007. Atlas of the Breeding Birds of Ontario 2001- 2005. Bird Studies Canada, Environment Canada, Ontario Field Ornithologists, Ontario Ministry of Natural Resources, and Ontario Nature, Toronto. 334-335 pp.
- COSEWIC. 2010. COSEWIC assessment and status report on the Bobolink Dolichonyx oryzivorus in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa. Vi + 42pp.
- Cadman, M.D., Dewar, H.J. and Welsh, D.A. 1998. The Ontario Forest Bird Monitoring Program (1987-1997): Goals, methods and species trends observed. Technical Report Series No. 325, Canadian Wildlife Service. http://ontario.on.ec.gc.ca/wildlife/newsletters/fbmp05-e.html
- City of Pickering, 2022. Official Plan Edition 9. https://www.pickering.ca/en/city-hall/officialplan.aspx
- Dobbyn, J. 1994. Atlas of the Mammals of Ontario. Federation of Ontario Naturalists.
- eBird. 2024. eBird species observation database. https://ebird.org/map. Accessed April 2024.
- Environment Canada. 2014. General nesting periods of migratory birds in Canada. Available online: http://www.ec.gc.ca/paom-itmb/default.asp?lang=En&n=4F39A78F-1#_tab01
- Fisheries and Oceans. 2024. Aquatic Species at Risk Map. http://www.dfo-mpo.gc.ca/species-especes/sara-lep/map-carte/index-eng.html. Accessed April 2024.
- iNaturalist. 2020. iNatualist species observation database. https://www.inaturalist.org/observations?place_id=any. Accessed April 2024.
- Kuehl, A.K., and W.R.Clark. 2002. Predator activity related to landscape features in northern lowa. Journal of Wildlife Management 66: 1224-1234.
- McCracken, J.D., R.A. Reid, R.B. Renfrew, B. Frei, J.V. Jalava, A. Cowie, and A.R. Couturier. 2013.

 Recovery Strategy for the Bobolink (Dolichonyx oryzivorus) and Eastern Meadowlark (Sturnella magna) in Ontario. Ontario Recovery Strategy Series. Prepared for the Ontario Ministry of Natural Resources, Peterborough, Ontario. viii + 88 pp.



References September 3, 2024

- Lee, H.T., W.D. Bakowsky, J. Riley, J. Bowles, M. Puddister, P. Uhlig and S. McMurray. 1998. Ecological land classification for Southwestern Ontario: first approximation and its application. Ontario Ministry of Natural Resources, South Central Region, Science Development and Transfer Branch. Technical Manual ELC-005.
- Ministry of Natural Resources and Forestry (MNRF). 2014. Use of Buildings and Isolated Trees by Species at Risk Bats Survey Methodology. Guelph District MNR. October 2014
- Natural Heritage Information Centre (NHIC). 2015. Provincial status of plants, wildlife and vegetation communities database. http://www.mnr.gov.on.ca/MNR/nhic/nhic.html. OMNR, Peterborough.
- Newmaster, S.G., A. Lehela, P.W.C Uhlig, S. McMurray and M.J. Oldham. 1998. Ontario plant list.

 Ontario Ministry of Natural Resources, Ontario Forest Research Institute, Sault Ste. Marie, ON,
 Forest Research Information Paper No. 123. 550 pp. + appendices.
- Oldham, M.J., W.D. Bakowsky and D.A. Sutherland. 1995. Floristic quality assessment for southern Ontario. OMNR, Natural Heritage Information Centre, Peterborough. 68 pp.
- Ontario Ministry of Municipal Affairs and Housing. 2002. Oak Ridges Moraine Conservation Plan. April 22, 2002.
- Ontario Ministry of the Environment. Hydrological Evaluations for Hydrologically Sensitive Features. Oak Ridges Moraine Conservation Plan Technical Paper #12. June 2015.
- Ontario Ministry of Natural Resources and Forestry (MNRF). 2024a. Natural Heritage Information Centre (NHIC) Data on the Land Information Ontario mapping website. Ontario Ministry of Natural Resources and Forestry.

 http://www.gisapplication.lrc.gov.on.ca/mamnh/Index.html?site=MNR_NHLUPS_NaturalHeritage &viewer=NaturalHeritage&locale=en-US. Accessed April 2024.
- Ontario Ministry of Natural Resources and Forestry (MNRF). 2024b. Land Information Ontario Digital mapping of natural heritage features, Ontario Ministry of Natural Resources and Forestry. http://www.gisapplication.lrc.gov.on.ca/mamnh/Index.html?site=MNR_NHLUPS_NaturalHeritage &viewer=NaturalHeritage&locale=en-US . Accessed April 2024.
- Ontario Ministry of Natural Resources. 2009. Natural Heritage Reference Manual for Natural Heritage Policies of the Provincial Policy Statement, 2005. Second Edition. June, 2010.
- Ontario Ministry of Natural Resources. 2004. Natural Heritage Evaluations for all Key Natural Heritage Features on the Oak Ridges Moraine. Oak Ridges Moraine Technical Paper 8-02. Final Draft. February, 2004.
- Ontario Ministry of Natural Resources. 2000. Significant wildlife habitat technical guide. 151p.



References September 3, 2024

- Ontario Ministry of Natural Resources and Forestry. 2015. Significant Wildlife Habitat Criteria Schedules for Ecoregion 6E. January, 2015. Ontario Ministry of Natural Resources and Forestry Regional Operations Division, Peterborough, Ontario. 40 pp.
- Ontario Ministry of Natural Resources and Forestry. Undated-a. General Habitat Description for the Barn Swallow (Hirundo rustica). Available online: http://files.ontario.ca/environment-and-energy/species-at-risk/mnr_sar_ghd_brn_swllw_en.pdf
- Ontario Ministry of Natural Resources and Forestry. Undated-b. General Habitat Description for the Bobolink (Dolichonyx oryzivorus). Available online: http://files.ontario.ca/environment-and-energy/species-at-risk/mnr sar ghd bblnk en.pdf
- Ontario Nature. 2019. Ontario Reptile and Amphibian Atlas [web application]. Toronto, Ontario. https://ontarionature.org/oraa/maps/
- Regional Municipality of Durham. 2022. Durham Region Official Plan. May 26, 2020 Office Consolidation. https://www.durham.ca/en/doing-business/official-plan.aspx
- Stantec Consulting Ltd. 2024. Functional Servicing and Stormwater Management Report. Proposed Commercial/Industrial Development, Claremont North Business Park 5435, 5455 and 5475 Old Brock Road, Pickering Ontario. Prepared for S. Larkin Developments Inc. Project No. 160622415. April 2024.
- Township of Uxbridge. 2014. Official Plan of the Township of Uxbridge Office Consolidation. http://town.uxbridge.on.ca/development_services_planning
- Toronto and Region Conservation Authority (TRCA). 2017. Wetland Water Balance Risk Evaluation. November 2017. Toronto and Region Conservation Authority. https://trca.ca/app/uploads/2017/12/WetlandWaterBalanceRiskEvaluation_Nov2017.pdf
- Toronto and Region Conservation Authority (TRCA). 2014. The Living City Policies for Planning and Development in the Watersheds of the Toronto and Region Conservation Authority. November 28, 2014. Available online: https://trca.ca/planning-permits/living-city-policies/
- Toronto Entomologist's Association. 2022. Ontario Butterfly Atlas. https://www.ontarioinsects.org/atlas/. Accessed April 2024.
- Winter, M., D.H. Johnson, J.A. Shaffer, and W.D. Svedarsky. 2004. Nesting biology of three grassland passerines in the northern tallgrass prairie. Wilson Bulletin 116:211-223.



APPENDIX A Figures





Legend
Property Boundary



- Notes
 1. Coordinate System: NAD 1983 UTM Zone 17N
 2. Base features produced under license with the Ontario Ministry of Natural Resources and Forestry © Queen's Printer for Ontario, 2019.
 3. Ortholmagery © First Base Solutions, 2019. Imagery Date, 2018.





Project Location Regional Municipality of Durham

160622415 Prepared by PW on 2019-01-15

Client/Project
S. LARKIN DEVELOPMENTS INC.
CLAREMONT NORTH BUSINESS PARK

Location Map







Legend

Property Boundary

Adjacent Lands Study Area (120m)

Barn Swallow Nest



Culvert



KHNF – Wetland



Significant Woodland



Suitable Bobolink habitat

ELC Code	Description
CVC_2	Light Industry
CVI_1	Transportation
CVR_4	Rural Property
FODM8-1	Fresh – Moist Poplar Deciduous Forest Type
MAMM1-3	Reed-canary Grass Graminoid Mineral Meadow Marsh Type
MASM1-1	Cattail Mineral Shallow Marsh Type
мемм3	Dry - Fresh Mixed Meadow Ecosite
OAGM1	Annual Row Crops
OAGM4	Open Pasture
SWDM4-2	White Elm Mineral Deciduous Swamp Type
SWDM4-5	Poplar Mineral Deciduous Swamp Type

0	50	100
		metre:
1.2 00	O / A + ariainal da aun	and size of 11v17

Notes

1. Coordinate System: NAD 1983 UTM Zone 17N

2. Base features produced under license with the Ontario Ministry of Natural Resources and Forestry @ Queen's Printer for Ontario, 2019.

3. Orthoimagery @ First Base Solutions, 2019. Imagery Date, 2018.




Project Location Regional Municipality of Durham

160622415 Prepared by PW on 2019-01-15

Client/Project
S. LARKIN DEVELOPMENTS INC.
CLAREMONT NORTH BUSINESS PARK

Ecological Land Classification







Property Boundary
Adjacent Lands Study Area (120m)

Site Plan

KHNF – Wetland

Minimum Vegetation Protection Zone (MVPZ)

100 metres 1:3,000 (At original document size of 11x17)

NOTES

1. Coordinate System: NAD 1983 UTM Zone 17N

2. Base features produced under license with the Ontario Ministry of Natural Resources and Forestry © Queen's Printer for Ontario, 2019.

3. Orthoimagery © First Base Solutions, 2019. Imagery Date, 2018.



Project Location Regional Municipality of Durham

160622415 Prepared by PW on 2019-01-15

Client/Project
S. LARKIN DEVELOPMENTS INC.
CLAREMONT NORTH BUSINESS PARK

Minimum Vegetation Protection Zones and Proposed Development

APPENDIX B

Vascular Plant Species List

List of the Vascular Plants Recorded from Claremont North Business Park (observed during site investigations)

										LFCYCLE	SPECIES CODE	AUTHOR
LATIN NAME	COMMON NAME	COEFFICIENT OF CONSERVATISM	WETNESS INDEX	WETLAND PLANT SPECIES	WEEDINESS INDEX	PROVINCIAL STATUS	OMNR STATUS	COSEWIC STATUS	GLOBAL STATUS			
PTERIDOPHYTES	FERNS & ALLIES											
Equisetaceae	Horsetail Family											
Equisetum arvense	Field Horsetail	0	0	T		S5			G5	Р	ASPPLAT	(L.) Oakes ex Eaton
Onocleaceae	Sensitive Fern Family									Р	ASPRHIZ	L.
Onoclea sensibilis	Sensitive Fern	4	-3	I		S5			G5	P	ASPRUTA ASPSCOL	L.
GYMNOSPERMS	CONIFERS		†	<u> </u>					†	P	ASPTRQU	L.
Cupressaceae	Cedar Family									Р	ASPTRTR	L.
Thuja occidentalis	Eastern White Cedar	4	-3	Т		S5			G5	Р	ASPVIRI	L.
Pinaceae	Pine Family											
Larix laricina	Tamarack	7	-3			S5			G5			
Pinus strobus	Eastern White Pine	4	3	Т		S5			G5	Р	AZOCARO	Willd.
										-		
DICOTYLEDONS	<u>DICOTS</u>											
Anacardiaceae	Sumac or Cashew Family								1	Р	WOOVIRG	(L.) Sm.
Rhus typhina	Staghorn Sumac	1	5			S5			G5			
Apiaceae	Carrot or Parsley Family		 			0==			 			
Daucus carota	Wild Carrot		5		-2	SE5			G?	P		(Michx.) T. Moore
Apocynaceae	Dogbane Family									Р	PTEAQUI	(L.) Kuhn
Asclepias syriaca	Common Milkweed	0	5			S5			G5			
Cynanchum rossicum	Swallow-wort					SE5			G?	_		
Asteraceae	Composite or Aster Family									Р		(L.) Roth ex Mert.
Ambrosia artemisiifolia	Common Ragweed	0	3			S5			G5	P		(L.) Roth ex Mert.
Bidens species	Beggar-ticks species									P		(L.) Bernh.
Bidens frondosa	Devil's Beggar-ticks	3	-3	ı		S5			G5	P		(L.) Bernh.
Carduus nutans	Musk Thistle		5		-1	SE5			G?T?	P		(Weath.) Blasdell
Centaurea biebersteinii	Spotted Knapweed		5		-3	SE5			G?	Р		(Lam.) Bernh. ex Desv.
Cirsium arvense	Canada Thistle		3		-1	SE5			G?	P		(Weath.) Blasdell
Cirsium vulgare	Bull Thistle		4		-1	SE5			G5	P		(Michx.) Desv.
Erigeron annuus	Annual Fleabane	0	1 1			S5			G5	P		(Swartz) M. Kato
Euthamia graminifolia	Grass-leaved Goldenrod	2	-2	.		S5			G5	P		(Spreng.) M. Brown
Eutrochium maculatum	Spotted Joe-pye-weed	3	-5			S5			G5T5	P		(Vill.) H.P. Fuchs
Leucanthemum vulgare	Ox-eye Daisy		5		-1	SE5			G?	P		(D.C. Eaton) Dowell
Solidago canadensis	Canada Goldenrod	1	3	 		S5			G5	P	DRYCRIS	
Symphyotrichum lanceolatum ssp. lanceolatum	Panicled Aster	3	-3			S5			G5T5	P		(C. Presl.) Fraser-Jenk. & Jermy
Symphyotrichum novae-angliae	New England Aster	2	-3			S5			G5	P		(L.) Schott
Balsaminaceae	Touch-me-not Family			 		0.5			0.5	P	DRYFRAG	
Impatiens capensis	Spotted Touch-me-not	4	-3	1		S5			G5	P		(Hook. ex Goldie) A. Gray
Betulaceae	Birch Family		0	_		0.5			05	P P		(Muhlenb. ex Willd.) A. Gray
Betula papyrifera	White Birch		2	1		S5			G5	'	DRYMARG	
Caryophyllaceae	Pink Family		0			055			00	P	DRYALGO	
Saponaria officinalis	Bouncing-bet		3		-3	SE5 SE5			G?	P P		(Farw.) Wherry
Silene latifolia	Bladder Campion					SES			G?	P		(Tuckerm.) Underw.
Cornaceae	Dogwood Family	-		*		0.5			05	P	DRYBURG	
Cornus sericea	Red-osier Dogwood	2	-3	I"		S5			G5			(Farw.) Wherry
Fabaceae	Pea Family		4			055			00	P		W.H. Wagner
Lotus corniculatus	Bird's-foot Trefoil		T 4		-2	SE5			G?	P P		Sloss.
Medicago lupulina	Black Medick		3		-1	SE5 SE5			G? G?	P P		Wherry ex Lellinger
Melilotus alba	White Sweet-clover		1		-3	SE5 SE5			6?	P P		Wherry
Trifolium hybridum ssp. elegans	Alsike Clover		'	 	-1				60	P		(A. Braun ex Dowell) Druce
Trifolium pratense	Red Clover		2	 	-2	SE5			G?	'		(L.) Newman
Vicia cracca	Tufted Vetch		5		-1	SE5			G?	P		(Koidz.) Koidz.
Grossulariaceae	Currant Family	1		т		0.5			05	P		(Hoffm.) Newman
Ribes americanum	Wild Black Currant	4	-3	'		S5			G5	P P	GYMROBE	
Lamiaceae	Mint Family	-	+	 		0.5				P P		(Sarvela) Pryer & Haufler
Lycopus uniflorus	Northern Water-horehound	5	-5			S5			G5	<u> </u>	GYMBRIT	(Michx.) Schott

Stantec Consulting Ltd. Page 1

List of the Vascular Plants Recorded from Claremont North Business Park (observed during site investigations)

(observed during site investigations)												
LATIN NAME	COMMON NAME	COEFFICIENT OF CONSERVATISM	WETNESS INDEX	WETLAND PLANT SPECIES	WEEDINESS INDEX	PROVINCIAL STATUS	OMNR STATUS	COSEWIC STATUS	GLOBAL STATUS			
Mentha canadensis	Wild Mint	3	-3	1	ii (DEX	S5	5		0208/120///00	P	POLACRO	(Spenn.) Fée
Lythraceae	Loosestrife Family	3	-3	'		33			+	P P		(L.) Roth
		_	E		2	SE5		├──	——————————————————————————————————————	P P		
Lythrum salicaria	Purple Loosestrife	_	-5	I	-3	SES		├	G5	<u>Р</u>		Cody
Malvaceae	Mallow Family	+ .	0			0.5		├	1 05			(Bolton) S.F. Gray
Tilia americana	Basswood	4	3			S5			G5	<u> P</u>		R. Br. ex Richardson
Oleaceae	Olive Family									P	WOOGLAB	
Fraxinus species	Ash species									P		(Spreng.) Torr.
Onagraceae	Evening-primrose Family									Р	WOOOBTU	
Epilobium sp.	Willow-herb speices									Р	WOOOREG	
Epilobium ciliatum ssp. ciliatum	Hairy Willow-herb	3	3	l*		S5			G5T?	Р	WOOSCOP	
Polygonaceae	Smartweed Family							<u> </u>		Р		(G. Lawson) Butters
Persicaria maculosa	Lady's-thumb		-3	Т	-1	SE5		<u> </u>	G?	Р	WOOGRAC	
Ranunculaceae	Buttercup Family							<u> </u>		Р	WOOMAXO	
Ranunculus sceleratus var. sceleratus	Cursed Crowfoot	2	-5	I		S5			G5T5	Р	WOOTRYO	W.H. Wagner
Rhamnaceae	Buckthorn Family											
Rhamnus cathartica	Common Buckthorn		3	Т	-3	SE5			G?			
Rubiaceae	Madder Family									Р	EQUARVE	L.
Galium triflorum	Sweet-scented Bedstraw	4	2			S5			G5	Р	EQUFLUV	L.
Salicaceae	Willow Family								†	Р	EQUHYEM	L.
Populus balsamifera	Balsam Poplar	4	-3	Т		S5			G5T?	P		A. Braun
Populus tremuloides	Trembling Aspen	1	0	T		S5			G5	<u>.</u> Р	EQUPALU	L.
Salix sp.	Willow species	1	1	·					+	 P		Ehrh.
Sapindaceae	Maple Family							—	+ +	<u>.</u> Р		Michx.
Acer rubrum	Red Maple	4	0	Т		S5		\vdash	G5	P	EQUSYLV	
Ulmaceae	Elm Family	+ -	Ü	'		- 00		 	+	<u>'</u> P		Schleich. ex Fried., Weber & Mohr
Ulmus americana	White Elm	3	-2	Т		S5		\vdash	G5?	P	EQUFERR	,
		3	-2	ı		33			931	P		Kuhl. ex Rupr.
Vitaceae	Grape Family	0	2			O.F.				<u>Р</u>		
Vitis riparia	Riverbank Grape	0	-2			S5			G5	P D		(Newman) Brichan (A.A. Eaton) J.H. Schaffn.
MONOCOTYLEDONS	MONOCOTS								+		LQOIVELO	(A.A. Laton) v.m. ocham.
Cyperaceae	Sedge Family							—	+			
Scirpus microcarpus	Small-fruited Bulrush	4	-5	ı		S5			G5	P	ISOECHI	Durieu
Poaceae	Grass Family	7	-3	·		- 33			- 00	P	ISOENGE	A. Braun
Agrostis stolonifera	Redtop		-3	Т		S5		\vdash	G5	<u>'</u> P	ISOLACU	I.
Bromus inermis	Awnless Brome		5	'	-3	SE5		\vdash	G4G5T?	P	ISORIPA	Engelm. ex A. Braun
Echinochloa crus-galli	Common Barnyard Grass		-3	Т	-5 -1	SE5		\vdash	G?	P		A. Braun ex Engelm.
Festuca species	Fescue species	+	-3	ı	-1	3L3			9:	<u>г</u> Р		A.A. Eaton
Phalaris arundinacea			4	-		O.F.				P P		
	Reed Canary Grass	0	-4	ı		S5			G5	<u>Р</u>		Dodge
Typnaceae	Cattail Family		_			0.5			- 05	<u>Р</u>	ISOHARV	
Typha angustifolia	Narrow-leaved Cattail	3	-5	!		S5		├	G5			W. Taylor & N. Luebke
Typha latifolia	Broad-leaved Cattail	3	-5	I		S5			G5	Р	ISOJEFF	D.M. Britton & D.F. Brunt.
FLORISTIC SUMMARY & ASSESSMENT									++			
PLORISTIC SUMMART & ASSESSMENT									+			
Species Diversity								\vdash	+		+	
Total Species:	+	55	1				1	\vdash	+		+	
Native Species:	+	35	64%				+		+		+	<u> </u>
Exotic Species	+	20	36%						+		+	
		0	30%						+		+	
Regionally Significant Species		0						──	+			
Locally Significant Species	and the Outer de	10	001				ļ		+			
S1-S3 Species	rare in Ontario	U	0%					├──	+		+	
S4 Species	uncommon in Ontario	0	0%					├	 			
S5 Species	common in Ontario	35	100%						 			
	1 (50)											
Co-efficient of Conservatism (C) and Floristic Quality	ndex (FQI)											
mean C		2.7										
C 0 to 3	lowest sensitivity	20	63%					<u> </u>	<u> </u>			
C 4 to 6	moderate sensitivity	11	34%									
C 7 to 8	high sensitivity	1	3%									
		0	3% 0%									

Stantec Consulting Ltd. Page 2

List of the Vascular Plants Recorded from Claremont North Business Park (observed during site investigations)

LATIN NAME	COMMON NAME	COEFFICIENT OF CONSERVATISM	WETNESS INDEX	WETLAND PLANT SPECIES	WEEDINESS INDEX	PROVINCIAL STATUS	OMNR STATUS	COSEWIC STATUS	GLOBAL STATUS		
FQI		15									
Presence of Weedy & Invasive Species											
mean weediness		-1.8									
weediness = -1	low potential invasiveness	9	50%								
weediness = -2	moderate potential invasiveness	3	17%								
weediness = -3	high potential invasiveness	6	33%								
Presence of Wetland (W) Species											
average wetness value		-0.1									
upland	W of 5	8	15%								
facultative upland	W of 4, 3 or 2	13	25%								
facultative	W of 1, 0 or -1	7	13%								
facultative wetland	W of -2, -3 or -4	18	34%								
obligate wetland	W of -5	7	13%								
Total Wetland Tolerant (T) Plant Species as identified	d in OWES Manual	14									
Total Wetland Indicator (I) Plant Species as identified	in OWES Manual	15									
					•						
					•						

Stantec Consulting Ltd. Page 3

APPENDIX C Wildlife Species List

List of Wildlife Species Recorded from Claremont North Business Park (observed during site investigations)

COMMON NAME BIRDS			GLOBAL STATUS	COSSARO	COSEWIC
Mourning Dove	Zenaida macroura	S5	G5		
Killdeer	Charadrius vociferus	S5B, S5N	G5		
Ring-billed Gull	Larus delawarensis	S5B,S4N	G5		
Turkey Vulture	Cathartes aura	S5B	G5		
Downy Woodpecker	Picoides pubescens	S5	G5		
Northern Flicker	Colaptes auratus	S4B	G5		
Great Crested Flycatcher	Myiarchus crinitus	S4B	G5		
Eastern Kingbird	Tyrannus tyrannus	S4B	G5		
	Vireo olivaceus	S5B			
Red-eyed Vireo			G5		
American Crow	Corvus brachyrhynchos	S5B	G5		
Northern Rough-winged Swallow	Stelgidopteryx serripennis	S4B	G5		
Barn Swallow	Hirundo rustica	S4B	G5	THR	THR-NS
Black-capped Chickadee	Poecile atricapillus	S5	G5		
American Robin	Turdus migratorius	S5B	G5		
European Starling	Sturnus vulgaris	SNA	G5		
Cedar Waxwing	Bombycilla cedrorum	S5B	G5		
House Sparrow	Passer domesticus	SNA	G5		
American Goldfinch	Spinus tristis	S5B	G5		
Common Yellowthroat	Geothlypis trichas	S5B	G5		
Yellow Warbler	Setophaga petechia	S5B	G5		
Chipping Sparrow	Spizella passerina	S5B	G5		
Savannah Sparrow	Passerculus sandwichensis	S4B	G5		
Song Sparrow	Melospiza melodia	S5B	G5		
Northern Cardinal	Cardinalis cardinalis	S5	G5		
Bobolink	Dolichonyx oryzivorus	S4B	G5	THR	THR-NS
Red-winged Blackbird	Agelaius phoeniceus	S4	G5		
Common Grackle	Quiscalus quiscula	S5B	G5		
Brown-headed Cowbird	Molothrus ater	S4B	G5		
Diowii-fieaded Cowbiid	WOOUTHUS ALCI	040	GU		
Explanation of Status and Acrony	mns				
COSSARO: Committee on the Statu	s of Species at Pick in Ontario				
COSEWIC: Committee on the Status	· · · · · · · · · · · · · · · · · · ·	ada			
REGION: Rare in a Site Region		aua			
S1: Critically Imperiled—Critically im	periled in the province (often 5	or fewer occi	irrences)		
S2: Imperiled—Imperiled in the prov					
S3: Vulnerable—Vulnerable in the province of t					
S4: Apparently Secure—Uncommon		13 (011011 00 0	i iewei)		
S5: Secure—Common, widespread,					
SX: Presumed extirpated	and abundant in the province				
SH: Possibly Extirpated (Historical)					
SNR: Unranked					
SU: Unrankable—Currently unranka	ble due to lack of information				
SNA: Not applicable—A conservatio conservation activities.		ecause the s	pecies is not a	a suitable ta	rget for
S#S#: Range Rank—A numeric ranç	ge rank (e.g., S2S3) is used to in	ndicate any ra	ange of uncer	tainty about	the status
of the species		1			
S#B- Breeding status rank					
S#N- Non Breeding status rank	<u> </u>				-
?: Indicates uncertainty in the assign					
G1: Extremely rare globally; usually	fewer than 5 occurrences in the	overall range)		

List of Wildlife Species Recorded from Claremont North Business Park (observed during site investigations)

G1G2: Extremely rare to very rare globally										
G2: Very rare globally; usually between		rall range								
G2G3: Very rare to uncommon globally										
G3: Rare to uncommon globally; usual	G3: Rare to uncommon globally; usually between 20-100 occurrences									
G3G4: Rare to common globally										
G4: Common globally; usually more the	an 100 occurrences in the ove	erall range								
G4G5: Common to very common globally										
G5: Very common globally; demonstrably secure										
GU: Status uncertain, often because of		ature of the s	pecies; more	data needed	•					
GNR: Unranked—Global rank not yet a										
T: Denotes that the rank applies to a si										
Q: Denotes that the taxonomic status of	of the species, subspecies, or	variety is qu	estionable.							
END: Endangered										
THR: Threatened										
SC: Special Concern										
2, 3 or NS after a COSEWIC ranking ir	ndicates the species is either o	on Schedule 2	2, Schedule 3	3 or No Sched	lule of the					
Species At Risk Act (SARA)										
NAR: Not At Risk										
IND: Indeterminant, insufficient informa	ation to assign status									
DD: Data Deficient										
LATEST STATUS UPDATE										
Birds: August 2016										
NOTE										
All and bigger for binds and a few to be a discus-	bindaalaaa 4ba wanbina ia £all									
All rankings for birds refer to breeding	birds unless the ranking is followed	owed by N								
DEFEDENCES										
REFERENCES										
COSSARO Status										
Endangered Species Act, 2007 (Bill 184).	Species at Risk in Ontario List.									
COSEWIC Status										
COSEWIC. 2007. Canadian Species at Ris	sk. Committee on the Status of E	ndangered Wil	dlife in Canada	Э.						