



GeoPro Consulting Limited

Geotechnical-Hydrogeology-Environmental-Materials-Inspection

Phase One Environmental Site Assessment

3225 Balsam Road (Concession 5 Road), Pickering, ON

Prepared For:

869547 Ontario Inc.



GeoPro Project No.: 17-1780GHE3

Report Date: September 10, 2021

Professional, Proficient, Proactive

GeoPro Consulting Limited Tel. (905) 237-8336

Unit 57, 40 Vogell Road, Richmond Hill, Ontario L4B 3N6



GeoPro
CONSULTING LIMITED

Table of Contents

1.0 EXECUTIVE SUMMARY	1
2.0 INTRODUCTION	3
2.1 Phase One Property Information	3
3.0 SCOPE OF INVESTIGATION.....	4
4.0 RECORDS REVIEW	5
4.1 Summary of General Records Review.....	5
4.2 Environmental Source Information	6
<i>4.2.1 Environmental Database Search</i>	<i>6</i>
<i>4.2.2 Summary of Regulatory Records Review.....</i>	<i>6</i>
4.3 Physical Setting Sources	6
<i>4.3.1 Aerial Photographs</i>	<i>6</i>
<i>4.3.2 General Physical Settings.....</i>	<i>7</i>
4.4 Site Operating Records.....	9
5.0 INTERVIEW	10
6.0 SITE RECONNAISSANCE	11
6.1 General Conditions.....	11
6.2 Specific Observations at the Phase One Property	11
6.3 Observation of Neighboring Properties	11
7.0 REVIEW AND EVALUATION OF INFORMATION	12
7.1 Current and Past Uses	12
7.2 Potentially Contaminating Activities (“PCAs”)	12
7.3 Areas of Potential Environmental Concerns (“APECs”).....	12
7.4 Phase One Conceptual Site Model (“CSM”)	12

8.0 CONCLUSIONS AND RECOMMENDATIONS	13
8.1 Conclusions	13
8.2 Recommendations	13
9.0 SIGNATURE	14

Tables

Summary Table of the Chain of Title	Table No. 1
Summary Table of Previous Report	Table No. 2
Summary Table of the City Directory.....	Table No. 3
Summary Table of the Environmental Database Search	Table No. 4
Summary Table of the FOI and TSSA	Table No. 5
Summary Table the Aerial Photo.....	Table No. 6
Summary Table of the Site Visit Within the Phase One Property	Table No. 7
Summary Table of the Site Visit Within the Phase One Study Area.....	Table No. 8
Summary Table of the Current and Past Use	Table No. 9
Summary Table of the PCAs.....	Table No. 10
Summary Table of the APECs.....	Table No. 11

Drawings

Site Location Plan	Drawing No. 1
Phase One Property and Surrounding Land Use.....	Drawing No. 2
PCA and APEC Location Plan.....	Drawing No. 3

Figures

1954 Aerial Photograph	Figure No. 1
1971 Aerial Photograph	Figure No. 2
1978 Aerial Photograph	Figure No. 3
2000 Aerial Photograph	Figure No. 4
2005 Aerial Photograph	Figure No. 5
2009 Aerial Photograph	Figure No. 6
2015 Aerial Photograph	Figure No. 7
2019 Aerial Photograph	Figure No. 8
Topographical Map	Figure No. 9

Natural Heritage Map.....Figure No. 10

Appendices

Subdivision Plan Appendix A

Fire Insurance Plans (FIP) Appendix B

Land Title Search Records Appendix C

Previous Reports Appendix D

ERIS Report Appendix E

Regulatory Inquiries Appendix F

MECP Water Wells Report Appendix G

Interview Questionnaire Appendix H

Site PhotographsAppendix I

Limitations of The Report

1.0 EXECUTIVE SUMMARY

GeoPro Consulting Limited (“GeoPro”) was retained by 869547 Ontario Inc. (the “Client”) to conduct a Phase One Environmental Site Assessment (“ESA”) for the property located at 3225 Balsam Road (Concession 5 Road), Pickering, ON (the “Site” or “Phase One Property”).

The Site consists of one (1) rectangular shaped parcel of land. At the time of this Phase One ESA, the Site was vacant. The Site is currently not occupied. However, remnants of residential house were observed. Thus, the current land use of the Site is considered residential use. We understood that the Client intends to develop the Site with residential houses. The report was completed as an update to the previous Phase One ESA completed by GeoPro in May 2017 in support of potential filing with the environmental registry under Ontario Regulation 406/19 (“O. Reg. 406/19”); therefore, it does not strictly meet all the requirements of O. Reg. 153/04 and is not intended to support RSC filing. If filing an RSC with the Ministry of the Environment, Conservation and Parks (“MECP”) is eventually required, additional consulting and associated project work will be required.

The purpose of this updated Phase One ESA was to find Potentially Contaminating Activities (“PCAs”) within the Phase One Property and on properties within a 250 m radius from the boundaries of it (“Phase One Study Area”) and indicate Areas of Potential Environmental Concerns (“APECs”) and the correlated Contaminants of Potential Concern (“COPCs”) located in the soils being excavated on the Site to assess if further investigation is required by conducting a Sampling and Analysis Plan and Soil Characterization Report.

GeoPro conducted the site reconnaissance on July 28, 2021. The weather was sunny and the temperature was 22°C. The following is a summary of the Phase One ESA findings based on the review of readily available records, interviews with persons knowledgeable about the Site, and observations made during site reconnaissance:

- 1) The Phase One Property consists of one (1) rectangular shaped parcel of land, with a total area of approximately 179 100 m².
- 2) Reportedly, the Phase One Property was considered to be firstly developed for residential purposes prior to 1971. The Phase One Property has been owned by the current owner 869547 Ontario Inc. since 1991. Currently, the Phase One Property is vacant.

The PCAs, APECs, and contaminants of potential concern (“COPCs”) that were indicated at the Site are summarized in the table below.

APEC	Location of APEC	PCA Number	Location of PCA	Figure ID	COPCs	Media Potentially Impacted
APEC 1	Former residential house area	30	<u>On-Site</u> Former residential house area	AP2	Metals, PAHs	Soil

APEC	Location of APEC	PCA Number	Location of PCA	Figure ID	COPCs	Media Potentially Impacted
APEC 2	Northwest corner portion of the Site	40, 52	<u>Off-Site</u> 3330 Balsam Rd	E1, AP1, SN1	Metals, PHC, BTEX, PAHs, OCs	Soil
APEC 3	Southwest boundary area of the Site	40	<u>Off-Site</u> 2700 Audley Road North	CD1, SN2	Metals, OCs	Soil

Note: PCAs described specifically for the Phase One Property with reference to the applicable item number in the Table of Potentially Contaminating Activities provided in Schedule D of *O.Reg.153/04* as amended, where applicable.

#30 – Importation of Fill Material of Unknown Quality

#40 – Pesticides (including Herbicides, Fungicides and Anti-Fouling Agents) Manufacturing, Processing, Bulk Storage and Large-Scale Applications

#52 – Storage, maintenance, fuelling and repair of equipment, vehicles, and material used to maintain transportation systems

The contaminants of potential concern (“COPCs”) are listed as follows.

PAHs = Polycyclic Aromatic Hydrocarbon

BTEX = Benzene, Toluene, Ethylbenzene, Xylene

PHCs = Petroleum Hydrocarbon

OCs = Organochloride Pesticide

Based on the findings of the Phase One ESA, GeoPro offers the following recommendations.

- 1) GeoPro recommends that a Sampling and Analysis Plan and a Soil Characterization Report in accordance with O. Reg. 406/19 are conducted at the Site to characterize the subsurface soil conditions in the soil being excavated at the Site

NOTE: This executive summary provides a brief overview of the study findings. It is not intended to substitute for the complete report, nor does it detail specific issues discussed within the report. This summary is not to be adopted in lieu of reading the complete report.

2.0 INTRODUCTION

The Site consists of one (1) rectangular shaped parcel of land. At the time of this Phase One ESA, the Site was vacant. The Site is currently not occupied. However, remnants of residential house were observed. Thus, the current land use of the Site is considered residential use. We understood that the Client intends to develop the Site with residential houses. The report was completed as an update to the previous Phase One ESA completed by GeoPro in May 2017 in support of potential filing with the environmental registry under Ontario Regulation 406/19 (“O. Reg. 406/19”); therefore, it does not strictly meet all the requirements of O. Reg. 153/04 and is not intended to support RSC filing. If filing an RSC with the Ministry of the Environment, Conservation and Parks (“MECP”) is eventually required, additional consulting and associated project work will be required.

The purpose of this updated Phase One ESA was to find Potentially Contaminating Activities (“PCAs”) within the Phase One Property and on properties within a 250 m radius from the boundaries of it (“Phase One Study Area”) and indicate Areas of Potential Environmental Concerns (“APECs”) and the correlated Contaminants of Potential Concern (“COPCs”) located in the soils being excavated on the Site to assess if further investigation is required by conducting a Sampling and Analysis Plan and Soil Characterization Report.

2.1 Phase One Property Information

A copy of the subdivision plan for the Phase One Property is provided in Appendix A. A tabular summary of the information regarding the Phase One Property is provided below.

Municipal Addresses	3225 Balsam Road (Concession 5 Road), Pickering, Ontario		
Legal Descriptions	PT LTS 3 & 4 CON 5 PICKERING, PT 1 ON PLAN 40R25092; PICKERING, REGIONAL MUNICIPALITY OF DURHAM		
Parcel Identification Numbers (“PIN”)	26404-0375 (LT)		
Roll Numbers	1801030008302000000		
Area	Approximately 179 100 m ² (as per the plan of subdivision)		
UTM (NAD 83)	Zone 17	658506.53 Easting	4864926.26 Northing
Owner Contact	869547 Ontario Inc.	Name: Paul Bigioni Email: paul@grandhomescanada.com	
Client Contact	869547 Ontario Inc.	Name: Paul Bigioni Email: paul@grandhomescanada.com	
Current Occupant(s)	Vacant		
Current Zoning	Country Residential (as per City of Pickering Official Plan – Edition 8)		
Proposed Future Land Use	Residential		

3.0 SCOPE OF INVESTIGATION

The general scope of work for the Phase One ESA consisted of the following tasks:

- A data search and review for the Phase One Properties and the neighboring properties in the Phase One Study Area;
- Interviews with persons knowledgeable about the Site;
- Site reconnaissance;
- An assessment and evaluation of the information gathered; and
- Preparation of a report summarizing the findings of the Phase One ESA.

4.0 RECORDS REVIEW

4.1 Summary of General Records Review

GeoPro reviewed readily available records which included physical settings, current and historical information sources regarding the Site, including, but not limited to, aerial photographs, city directories, fire insurance plans (“FIPs”), ownership titles, historical environmental site assessment, site operating records, a regulatory database search (i.e. MECP Freedom of Information (“FOI”) and Technical Safety & Standard Authority (“TSSA”) records), and the MECP water well records. A tabular summary of information obtained and their sources are summarized below.

Phase One Study Area Determination

Based on a review of the available historical information and the observations made during the site reconnaissance, no significant potentially contaminating properties were noted beyond 250m radius from the Site boundaries. The Phase One Study Area generally includes the Phase One Property and all other properties wholly or partly located within a 250 m radius from the boundary of the Phase One Property, in accordance with O. Reg. 153/04, as amended. The properties within the Phase One Study Area were subject to the Phase One ESA and our review of historical records. The Phase One Property and Phase One Study Area are presented on Drawings No. 1

First Developed Use Determination

Based on a review of the available historical information, the Phase One Property was considered to be firstly developed for residential purposes prior to 1954.

Fire Insurance Plans (“FIPs”)

A review of Fire Insurance Plans (“FIPs”) was completed through a database search carried out by Opta Historical Environmental Services Enviroscan (“Opta”) for the Site and the surrounding properties within 250 m radius of the Phase One Property. No record of FIP was found for the Phase One Property and surrounding properties within 250m radius of the Phase One Property.

Chain of Title

Based on the review of the title search results, the Phase One Property has been owned by the current owner 869547 Ontario Inc. since 1991. A tabular summary of the owners and dates is provided in Table 1. A copy of land title search records is presented in Appendix B.

Previous Reports

GeoPro previously conducted a Geotechnical Investigation and a Preliminary Hydrogeological Site Assessment at the Site. Fill material was encountered on the Site. A tabular summary of the main findings of the reports is provided in Table 2. A copy of pages extracted from the discussed documents and reports is presented in Appendix C.

City Directories

A review of the City Directories for years 1979, 1984, 1989, 1993, and 2000 was carried out from the Toronto Library database for the Site and the surrounding properties within a 250 m radius of the Phase One Property. The properties which may cause potential environmental concerns regarding the Phase One Property were indicated in Table 3.

4.2 Environmental Source Information

4.2.1 Environmental Database Search

Records and regulatory agency database review was completed through a database search carried out by Environmental Risk Information Services (“ERIS”). The ERIS report included a search of federal, provincial, and private database records regarding the Site and the surrounding properties within a 250 m radius of the Phase One Property. A copy of the ERIS report is presented in Appendix D.

As provided in Table 4, GeoPro prepared a tabular summary of the findings which may have environmental concerns regarding the Phase One Property.

4.2.2 Summary of Regulatory Records Review

Regulatory records reviewed included a search of the FOI database and a search of the TSSA’s database. A copy of our written requests and the responses from each regulatory agency are included in Appendix E. A tabular summary of the regulatory records request, review and agency responses are provided in Tables 5A and 5B.

4.3 Physical Setting Sources

A summary of information obtained in terms of the physical settings of the Phase One Property and the Phase One Study Area is discussed as follows.

4.3.1 Aerial Photographs

Aerial photographs were reviewed for a visual chronology of the previous land uses on the Phase One Property and the properties within the Phase One Study Area.

Aerial photographs for the years 1954, 1971, 1978, and 2000 were obtained from Archive of Ontario. Aerial photographs for the years 2005, 2009, 2015, and 2019 were obtained from Google Earth, as presented in Figures No. 1 to 8.

A summary of the observed features in the aerial photographs of the Phase One Property and Phase One Study Area are presented in Table 6.

4.3.2 General Physical Settings

Physiography

Based on the data obtained from the Ontario Geological Survey (“OGS”) database, the physiography of the Site and the Phase One Study Area are summarized in the following table.

Record Source	Physiography Region	Physiography Areas
Online Physiography Map of Southern Ontario	Iroquois Plan	Sand Plains

Quaternary Geology

Based on the data obtained from the OGS database, the quaternary geology of the Site and the Phase One Study Area are summarized in the following table.

Record Source	Deposit Types
Online Quaternary Geology Map of Ontario	Halton Till deposits consisting predominantly of silt to silty clay matrix, high in matrix carbonate content and clast poor. Glaciolacustrine deposits consisting predominantly of sand, gravelly sand and gravel, nearshore and beach deposits.

Bedrock Geology

Based on the data obtained from the OGS database, the bedrock geology of the Site and the Phase One Study Area are summarized in the following table.

Record Source	Geological Period	Bedrock Type	Bedrock Depth (mBGS)
Bedrock Geology Map of Ontario	Upper Ordovician	Limestone, dolostone, shale, siltstone	Approximately 26 - 32

Hydrology

Based on the data obtained from the database maintained by the local conservation authority, the hydrology information regarding the local watershed and open water body on the Site and the Phase One Study Area is summarized in the following table.

Watershed	Subwatershed	On-Site Open Water	On-Site Open Water		
			Name	Flow Direction	Discharge Location
Carruthers Creek Watershed	Carruthers Creek Subwatershed	Yes	Carruthers Creek	Towards Southeast	Approximately 10.9km southeast of the Site

Topography

Based on the data obtained from Canada Atlas – Toporama, the topography at the Site and in the vicinity of the Site are summarized in the following table.

Record Source	Topography	Slope Direction	Elevation Range (mASL)	Note
Canada Atlas – Toporama	Relatively flat with a gentle slope	Slope towards the Creek at the center of the Site	About 147 to 129	Shown in Figure No. 9

mASL - meters above sea level

Inferred Shallow Groundwater Flow Direction

Control Factors	Flow Direction	Discharge Location
Topography	East; Southwest	Carruthers Creek
Distribution of nearby open water body		
Previous Reports		

Fill Materials

Record Source	Review Findings	Environmental Concern
Previous Reports	Fill materials were encountered on the Phase One Property	Presence of fill material with unknown quality
Aerial Photograph	Building demolition was observed on the Phase One Property, where the present of fill materials is anticipated	

Areas of Natural Significance

Based on the data obtained from the database maintained by the Ministry of Natural Resources and Forestry (“MNRF”) and on the local official plan, assessment of areas of natural significance of the Site and the Phase One Study Area are summarized in the following table.

Areas of Natural Significance	Data Source	Location
Provincial Park or Conservation Reserve	MNRF	Beyond the Phase One Property and Phase One Study Area
Areas of Natural Significance and Scientific Interest (ANSI)	MNRF	
Provincial Significant Wetland	MNRF	
Niagara Escarpment Area	MNRF	
Oak Ridges Moraine Area	MNRF	
Local Regulated Area	Toronto and Region conservation	Within the Phase One Property and Phase One Study Area

Woods were noted along Carruthers Creek, and along side line 4; further assessment of natural significance along the Carruthers Creek and Side Line 4 was not conducted in this Phase One ESA. The Site and the Phase One Study Area are regulated under Ontario Regulation 166/06 by the Toronto Region Conservation Authority and as such, may require a permit for development.

Well Records

Based on the MECP Water Well Records database, a total of twenty-two (22) water wells were recorded within the Phase One Study Area. Fourteen (14) wells were recorded to be water supply wells. A summary of water well records is included in Appendix F (MECP Well Record Report) and is presented in the following table.

Well Location	Well Type	Well Number
On-Site	Monitoring	7
Phase One Study Area	Irrigation	1
	Domestic	11
	Livestock/Domestic	1
	Commercial	1
	Public	1
Total Well Records:		22

Based on the available records, water was encountered at depths ranging from approximately 1.22 mBGS to 32.31 mBGS in overburden deposits. Bedrock was encountered at depths ranging from 24.38 mBGS to 33.53 mBGS. However, the description or the coordinates of the well records may be unreliable or out of the date, a door-to-door well survey may be considered.

Wellhead Protection Area (“WHPA”)

Based on Ontario Source Protection Information Atlas, the Site and the Phase One Study Area are not located within a municipal WHPA.

Intake Protection Zone (“IPZ”)

Based on the information obtained from the Ontario Source Protection Information Atlas, the Site and the Phase One Study Area are not located within any IPZ.

Highly Vulnerable Aquifers

Based on the information obtained from the Ontario Source Protection Information Atlas, the Site and the Phase One Study Area are located in highly vulnerable aquifers area.

4.4 Site Operating Records

No site operating record was provided by the Client for GeoPro to review.

5.0 INTERVIEW

A summary of the interview GeoPro completed is provided in the following table.

Item	Information	Figure ID
Date and Place of Interview	Questionnaire form completed on June 23 2021	-
Interview Method	Completion of interview questionnaire form.	-
Person Interviewed	Paul Bigioni	-
Relevant Information Concerning PCAs	No on-site PCAs are anticipated based on the information obtained from the interview questionnaire form.	-

A copy of the Interview Questionnaire can be found in Appendix G

6.0 SITE RECONNAISSANCE

The site reconnaissance consisted of a visual inspection of the Phase One Property and observation of the neighboring properties using public access ways to observe the presence/absence of PCAs, water bodies, and areas of natural significance.

Selected photographs taken during the site reconnaissance including descriptive captions are provided in Appendix H.

6.1 General Conditions

General situations encountered during the site reconnaissance are summarized in the following table.

Item	Information
Date	July 28, 2021
Weather Conditions	22 °C, sunny
Length of Site Reconnaissance Time	1.5 hours
Impediments	Some areas of the Site were inaccessible due to a heavily wooded area running through the central portion of the Site along Carruthers Creek. It is assumed nothing has been changed in these portions of the Site since the previous Site visit conducted in 2017. Selected Photographs from the Site visit conducted in 2017 have been included in Appendix H.
Name and Qualifications of the Person Conducting the Site Reconnaissance	Julia Csath conducted the site reconnaissance. The Phase One ESA was supervised by David Liu, P. Eng, QP.

6.2 Specific Observations at the Phase One Property

The specific observations made during the site reconnaissance at the Phase One Property are summarized in Table 7.

6.3 Observation of Neighboring Properties

At the time of the site reconnaissance, observations were also conducted on the neighboring properties via publicly accessible areas. The Site and surrounding land use plan are provided on Drawing No. 2. The specific observations of the neighboring properties are summarized in Table 8.

7.0 REVIEW AND EVALUATION OF INFORMATION

7.1 Current and Past Uses

Based on the review of the available Chain of Title, historical aerial photos, previous reports, and FIPs, the Phase One Property was considered to be firstly developed for residential purposes prior to 1954. The Phase One Property has been owned by the current owner 869547 Ontario Inc. since 1991. Currently, the Phase One Property is vacant. The current and past uses of the Phase One Property are summarized in Table 9.

7.2 Potentially Contaminating Activities (“PCAs”)

Based on the findings of the Phase One ESA, PCAs were found on the Phase One Property as well as the off-site properties within the Phase One Study Area. The PCAs and their environmental concerns contributing to the Phase One Property are summarized in Table 10.

7.3 Areas of Potential Environmental Concerns (“APECs”)

Based on the analyses of the indicated PCAs and associated environmental concerns, APECs were found in three (3) areas on the Phase One Property. The APECs and associated PCAs and contaminants of potential concern (“COPCs”) are shown in Drawing No. 3 and summarized in Table 11.

7.4 Phase One Conceptual Site Model (“CSM”)

A Phase One Conceptual Site Model (“CSM”) was prepared to present a summary of the findings of the Phase One ESA and consists of this text report with appendices, and the following drawings:

- Drawing No. 1 – Site Location Plan
- Drawing No. 2 – Phase One Property and Surrounding Land Use
- Drawing No. 3 – PCA and APEC Locations

8.0 CONCLUSIONS AND RECOMMENDATIONS

8.1 Conclusions

GeoPro conducted this Phase One ESA in general accordance with O. Reg. 153/04. Based on the findings of the Phase One ESA, PCAs were found on the Phase One Property as well as the off-site properties within the Phase One Study Area. APECs were indicated to be present in three (3) areas in the Phase One Property. The contaminants of potential concern include metals, petroleum hydrocarbons (“PHCs”), benzene, toluene, ethylbenzene and xylene (“BTEX”), polycyclic aromatic hydrocarbons (“PAHs”) and Organochloride Pesticide (“OCs”) in soil.

8.2 Recommendations

Based on the findings of Phase One ESA, GeoPro offers the following recommendations:

- 1) GeoPro recommends that a Sampling and Analysis Plan and a Soil Characterization Report in accordance with O. Reg. 406/19 are conducted at the Site to characterize the subsurface soil conditions in the soil being excavated at the Site

9.0 SIGNATURE


This report was conducted by Sinclair Kenrick Hidajat and supervised by David Liu, who is a Qualified Person with the MECP as defined under Ontario Regulation 153/04.

We trust that the information contained in this report is complete within our terms of reference. If you have any questions or require further information, please do not hesitate to contact our office.


Sincerely,

GeoPro Consulting Limited

Geotechnical - Hydrogeology - Environmental - Materials Testing – Inspection



Sinclair Kenrick Hidajat B.A.Sc.



David B. Liu, P.Eng., QP
Principal





GeoPro Consulting Limited

Geotechnical-Hydrogeology-Environmental-Materials-Inspection

TABLES

Table 1: Summary Table of the Chain of Title

Date	Names of Owner	FID
3225 Balsam Road (Concession Road 5), Pickering, ON - PIN: 26404 - 0375 (LT)		
Prior to 03/1991	Cougs Investments Ltd.	-
03/1991 – Present	869547 Ontario Inc.	-

Note: Only information which may have environmental concerns regarding the Phase One Property are listed for further assessment.

Table 2: Summary Table of the Previous Reports

1. Previous Investigation by GeoPro

GeoPro previously conducted a Geotechnical Investigation, and a Preliminary Hydrogeological Site Assessment at the Site. The results of the investigations were summarized in the following reports:

- *“Geotechnical Investigation, Slope Stability Analysis and Geotechnical Setback Study, Part of Lots 3 and 4, Concession 5, City of Pickering, Ontario”*, dated July 05, 2017, prepared by GeoPro Consulting Ltd. (GeoPro Consulting Ltd GeoTech 2017)
- *“Preliminary Hydrogeological Site Assessment, Proposed Residential Developments, Parts of Lots 3 and 4, Concession 5, Pickering, Ontario”*, dated May 30, 2017, prepared by GeoPro Consulting Ltd. (GeoPro Consulting Ltd HydroG 2017)

GeoPro has prepared the following table for the summary of the main findings of the reports as presented below:

Investigation	Review Findings	Figure ID
<i>GeoPro Consulting Ltd. GeoTech 2017</i>	Seven (7) boreholes (Boreholes BH1 to BH7) were advanced at the locations. The boreholes were drilled to depths ranging from about 6.5 m to 29.6 m below the existing ground surface (mBGS). Seven (7) monitoring wells (51 mm O.D.) were installed at the borehole locations BH1 to BH7 to monitor the long-term groundwater conditions.	-
	The soil stratigraphy at the Site was comprised of topsoil underlain by fill material (silty fine sand/ reworked silty fine sand/ sand/ silt), underlain by silty (fine) sand, fine sand and silt, fine sandy silt and silt underlain by clayey silt, underlain by clayey silt till, silty clay till or gravelly sand or sandy silt till, sand and silt till, silty sand till, underlain by various native soils consisting of (probable) weathered grey shale interbedded with limestone/siltstone	PR1
	Fill materials were encountered at a depth of about 0.7 mBGS. Bedrock was encountered at a depth of about 28.4 mBGS	-
	Groundwater was encountered at depths ranging from 0.27 to 1.72 mBGS during monitoring period	-
	A total of six (6) soil samples from BH1, BH2, BH4, BH5, BH7 were submitted for analysis for metals and inorganics and VOCs. The results were compared to Table 1 SCS and no exceedance was noted.	-
<i>GeoPro Consulting Ltd. HydroG 2017</i>	Advancement of seven (7) boreholes (Boreholes BH1 to BH7) drilled to the depths ranging from approximately 6.5 to 29.6 mBGS, and installation of seven (7) monitoring wells in the advanced boreholes. In addition, ten (10) test pits were advanced to the depth of approximately 0.5 mBGS for soil sampling.	-
	The soil stratigraphy at the Site in the West portion was generally consisted of fill materials and/or topsoil, underlain by a layer of cohesionless soils (silt, sandy silt, sand and silt, silty sand), and then underlain by different types of till deposits (clayey silt till, silty clay till, sandy silt till, sand and silt till); the soil stratigraphy in the East Portion of the Site generally consisted of fill and/or topsoil, underlain by different types of till deposits (clayey silt till, sandy silt till, silty sand till), with zones of cohesionless soils (sandy silt, silty sand, gravelly sand), locally with clayey silt.	PR1

Investigation	Review Findings	Figure ID
	Bedrock was encountered at the depth of approximately 28.4 mBGS in the West portion of the Site, likely to be shale bedrock.	-
	Ground water level from surface ranged from 0.27 to 2.85 mBGS	-
	Carruthers Creek divides the shallow groundwater into two (2) separate groundwater flow regimes. In the West portion of the Site, groundwater flow is toward the Southeast and in the East portion of the Site, groundwater flow was towards the Southwest.	-
	The analytical results were compared with the respective criteria specified in Durham Region Sanitary and Storm Sewer Use bylaw and PWQO. Exceedances were found for metals and phenols parameters specified in Durham Region Sanitary and Storm Sewer Use bylaw or PWQO.	-

Note: Only information which may have environmental concerns regarding the Phase One Property are listed for further assessment.

Table 3: Summary Table of the City Directories

Figure ID	Recorded Address	Recorded Occupants	Recorded Years
CD1	27 Bugey Lane (Anticipated Address: 2700 Audley Road North)	Deer Creek Golf & Country Estates, Deer Creek Practice Golf Academy, Fawn Brook Golf Club	2000

Note: Only information which may have environmental concerns regarding the Phase One Property are listed for further assessment.

Table 4: Summary Table of Environmental Database Search

Figure ID	Address	Year(s)	Database	Findings
E1	3330 Balsam Road	N/A	PES	Registered to Lloyd's Landscaping Ltd. as a pesticide operator
		2009-2016	GEN	Registered to Lloyd's Landscaping Ltd. for waste generation of petroleum distillates and waste oils and lubricants in landscaping service operations.

GEN – Ontario Regulation 347 Waste Generators Summary

PES – Pesticide Register

Note: Only information which may have environmental concerns regarding the Phase One Property are listed for further assessment.

Table 5A: Summary Table of MECP FOI Search

Agency	Documents Requested	Date of Request	Results	FID
MECP FOI and Privacy Office	Documented environmental concerns and citations pertaining to the Site	March 29, 2017	The MOECC response dated March 29, 2017 indicated that no records were available for the Phase One Property. A copy of the correspondence is attached in Appendix E.	-

Table 5B: Summary Table of TSSA Record Search

Agency	Documents Requested	Date of Request	Date of Response Received	Results	FID
Technical Standards and Safety Authority	Records of storage tanks pertaining to the Site	July 2, 2021	July 5, 2021	No records were found for the Phase One Properties and four (4) properties within Phase One Study Area. The correspondence with the TSSA is included in Appendix E.	-

Note: Only information which may have environmental concerns regarding the Phase One Property are listed for further assessment.

Table 6: Summary Table of The Aerial photographs

Year	Phase One Property		Phase One Study Area	
	Findings	FID	Findings	FID
1954	The resolution of the aerial photograph is poor	-	The resolution of the aerial photograph is poor	-
	The Phase One Property appeared to be vacant	-	Roadways Concession Road 5, Sideline 4 and Audley Road North noted on Figure No.1	-
	Carruthers Creek crosses the central portion of the Site. Woods and wetlands were noted along the creek.	-	The Phase One Study Area appeared to be not developed and Carruthers Creek crosses the Phase One Study from north to south	-
1971	The resolution of the aerial photograph is poor	-	The resolution of the aerial photograph is poor	-
	Residential house appeared on the west portion of the Site.	-	Likely residential houses noted along Audley Road North, Sideline 4 and 5 th Concession Road.	-
1978	The resolution of the aerial photograph is poor	-	The resolution of the aerial photograph is poor	-
	Similar to the 1971 aerial photograph	-	Similar to the 1971 aerial photograph	-
2000	The resolution of the aerial photograph is poor	-	Ongoing development appeared on the south to east portion of the Phase One Study Area	-
	Similar to the 1978 aerial photograph	-	The resolution of the aerial photograph is poor	-
		-	New road Buggy Lane appears as labelled on Figure No. 4	-
		-	Golf Course appeared developed on the South adjacent to the Site	AP1
2005	Similar to the 2000 aerial photograph	-	Barn structure and residential house appeared on the East portion of the Study Area	-
		-	Islamic Foundation School Durham appeared on the southeast of the Site.	-
		-	Similar to the 2000 aerial photograph	-
2009	Similar to the 2005 aerial photograph	-	New road Bunhill Court appears as labelled on Figure No. 5; Residential houses appeared along the Bunhill Court.	-
		-	Industrial equipment storage area appeared on the northwest of the Site.	AP2
2015	The resolution of the aerial photograph is poor	-	Similar to the 2005 aerial photograph	-
	Similar to the 2009 aerial photograph	-	The resolution of the aerial photograph is poor	-
2019	Residential building has been removed	AP3	Similar to the 2015 aerial photograph	-
	Similar to the 2015 aerial photograph	-	Similar to the 2015 aerial photograph	-
2019	The Site appeared to be vacant. However, likely parked RV / trailer is observed on the Site.	-	Similar to the 2009 aerial photograph	-
		-	New Roadway Dexshire Drive appears as labeled in Figure No 8.	-

Note: Only information which may have environmental concerns regarding the Phase One Property are listed for further assessment.

Table 7: Summary Table of Specific Observations at the Phase One Property

Figure ID	Item	Observations
Entire Phase One Property		
-	Site Location	3225 Concession Road 5, Parts of Lots 3 and 4.
-	Current Occupants	The Site was observed to be vacant during site reconnaissance.
-	Storage Tanks	No underground/above the ground storage tank (“USTs/ASTs”) was observed at the Site on the day of site reconnaissance.
-	On-Site Wells	Monitoring wells were observed at the Site on the day of site reconnaissance.
-	Underground Utilities	No gas meters or buried gas lines were observed on the Site. A high pressure watermain was observed on the day of site reconnaissance.
-	Watercourse, Ditches and Standing Water	According to the Ontario Source Protection Atlas Carruthers Creek flows through the central portion of the Site. The central portion of the Site had limited access due to the heavily wooded area the watercourse was not observed as a result of this.
-	Rail Spurs	No rail spur was observed at the Site on the day of site reconnaissance.
-	Stressed Vegetation	No stressed vegetation was observed at the Site on the day of site reconnaissance.
SS1	Fill and Debris Material	Fill material and debris were noted in the western portion of the Site on the day of site reconnaissance.
On-site Buildings or Structures		
-	Buildings or Structures	The Site was not occupied by any buildings on the day of the site reconnaissance.
-	Enhanced Investigation Property	Based on the current and historical property uses, the Phase One Property is not considered as an enhanced investigation property as described in Clause 32 (1)(b) of O. Reg. 153/04.
-	Other observation	Transformer was noted on a telephone pole in the western portion of the Site. No staining, spills, or discolouration was noted.
-		Woodland covers the central portion, southwest portion, and northern portion of the Site, access to the woodland was limited
Additional Potential Environmental Concerns – Designated Substances		
-	Radon	Based on the Radon Potential Map of Ontario, the Site is located in an area with elevated radon hazard.

Note: Only information which may have environmental concerns regarding the Phase One Property are listed for further assessment.

Table 8: Summary Table of Observations of The Neighbouring Properties

Figure ID	Item	Observations
-	Adjacent Land Uses	<p>North: Agricultural or Other and Parkland; further north: Agricultural or other</p> <p>South: Parkland and institutional; further south: Residential and Parkland</p> <p>West: Sideline 4; further west: Residential, Commercial and agricultural or other</p> <p>East: Residential; further east: Residential</p>
-	Water Body	According to the Ontario Source Protection Atlas Carruthers Creek was noted to be flowing in the central portion of Study Area the creek flows southerly. The central portion of the Study area had limited access due to the heavily wooded areas, and private properties.
-	Areas of Natural Significance	Woods were noted throughout the central, northern, and western portions of the Phase One Study Area; a further study should be considered to evaluate the presence of area of natural significance. Further assessment of the natural significance at the Site and the Study Area were not carried out in this study.
SN1	Other observations	Industrial storage was observed at 3330 Balsam Road.
SN2		Deer Creek Golf was observed at 2700 Audley Road North.

Note: Only information which may have environmental concerns regarding the Phase One Property are listed for further assessment.

Table 9: Summary Table of The Current and Past Uses of The Phase One Property

Date	Names of Owner	Description of Land Use	Source of Information	Notes
3225 Balsam Road, Pickering, ON - PIN: 26404 - 0375 (LT)				
Prior to 1991	Cougs Investments Ltd.	Residential Use	Chain of Title; Aerial Photograph	Based on the 1954, 1971, and 1978 aerial photographs the western portion of the Site is occupied by a residential house. The eastern portion of the Site appears vacant.
1991-Present	869547 Ontario Inc.		Chain of Title; Aerial Photograph; Site Visit	<p>Based on the 2000, 2005, and 2009 aerial photographs the western portion of the Site appears to be occupied by the same residential house and the eastern portion of the Site is vacant.</p> <p>Based on the 2015 and 2019 aerial photographs the residential house in the western portion of the Site has been removed. The eastern portion of the Site is vacant.</p> <p>Based on the Site visits in 2017 and 2021 the entire Site is vacant.</p>

Note: Only information which may have environmental concerns regarding the Phase One Property are listed for further assessment.

Table 10: Summary Table of the Potentially Contaminating Activities (“PCAs”)

Figure ID	PCA Number	Operations or Activities (Method)	Environmental Concern to the Site	Rationale
Location: Entire Site area				
PR1, SS1	30	Importation of fill material of unknown quality (as per previous report)	Low	- On-site - Previous intrusive investigation shows no exceedance in soil sample analysis;
Location: Former residential house area				
AP3	30	Importation of fill material of unknown quality (as per aerial photo)	High	- On-Site - Anticipated fill material from demolished residential house was not assessed during previous intrusive investigations
Location: 3330 Balsam Road – Approximately 70m northeast of the Phase One Property				
E1, AP2, SN1	40	Historically registered as pesticide operator (as per ERIS)	Medium	- Hydraulic up to cross-gradient to the Site
	52	Current industrial equipment storage facility (as per ERIS, aerial photo, site visit)		
Location: 2700 Audley Road North – Approximately 35m south of the Phase One Property				
AP1, CD1, SN2	40	Large-scale application of pesticides from operation of a golf course (as per aerial photograph, city directory and site visit)	Medium	- Hydraulically down to cross gradient to the Site - Close to the Site

Note: PCA numbers are in accordance with Table 2, Schedule D of O. Reg. 153/04.

#30 – Importation of Fill Material of Unknown Quality

#40 – Pesticides (including Herbicides, Fungicides and Anti-Fouling Agents) Manufacturing, Processing, Bulk Storage and Large-Scale Applications

#52 – Storage, maintenance, fuelling and repair of equipment, vehicles, and material used to maintain transportation systems

Table 11: Summary Table of Areas of Potential Environmental Concerns (“APECs”)

APEC	Location of APEC	PCA Number	Location of PCA	Figure ID	COPCs	Media Potentially Impacted
APEC 1	Former residential house area	30	<u>On-Site</u> Former residential house area	AP2	Metals, PAHs	Soil
APEC 2	Northwest corner portion of the Site	40, 52	<u>Off-Site</u> 3330 Balsam Rd	E1, AP1, SN1	Metals, PHC, BTEX, PAHs, OCs	Soil
APEC 3	Southwest boundary area of the Site	40	<u>Off-Site</u> 2700 Audley Road North	CD1, SN2	Metals, OCs	Soil

Note: PCAs described specifically for the Phase One Property with reference to the applicable item number in the Table of Potentially Contaminating Activities provided in Schedule D of *O.Reg. 153/04 as amended*, where applicable.

#30 – Importation of Fill Material of Unknown Quality

#40 – Pesticides (including Herbicides, Fungicides and Anti-Fouling Agents) Manufacturing, Processing, Bulk Storage and Large-Scale Applications

#52 – Storage, maintenance, fuelling and repair of equipment, vehicles, and material used to maintain transportation systems

The contaminants of potential concern (“COPCs”) are listed as follows.

PAHs = Polycyclic Aromatic Hydrocarbon

BTEX = Benzene, Toluene, Ethylbenzene, Xylene

PHCs = Petroleum Hydrocarbon


OCs = Organochloride Pesticide





GeoPro Consulting Limited

Geotechnical-Hydrogeology-Environmental-Materials-Inspection

DRAWINGS




Approximate Location of Phase One Property and Study Area




Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community, Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Legend Phase One Property Phase One Study Area Inferred GW Flow Direction			Map Sources: ArcGIS Basemap projected in NAD83 UTM Zone 17N - Topographic			
Prepared by: BN	Rev: KY	Approved: KY	Scale: As Shown	Project No.: 17-1780E3	Drawing No.: 1	Original Size: Letter
Date: July 2021	Client: 869547 Ontario Inc.	Title: Site Location Plan	Project: Phase One Environmental Site Assessment Proposed Residential Development at Part of Lot 3 & 4 Concession Road 5, Pickering, Ontario			



Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community, Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Legend Phase One Property Residential Use Commercial Use Agriculture and Other Use Phase One Study Area Community Use Institutional Use				Map Sources: ArcGIS Basemap projected in NAD83 UTM Zone 17N - Topographic Google Earth Google Maps		
Prepared by: BN	Rev: KY	Approved: KY	Scale: As Shown	Project No.: 17-1780E3	Drawing No.: 2	Original Size: Letter
Date: July 2021	Client: 869547 Ontario Inc.	Title: Phase One Property and Surroundings Land Use	Project: Phase One Environmental Site Assessment Proposed Residential Development at Part of Lot 3 & 4 Concession Road 5, Toronto, Ontario			



PCAs with Contribution to APEC

MAP ID	FIGURE ID	Location	PCA
1	AP3	Former residential house	30
2	E1,AP2,SN1	3330 Balsam Road	40,52
3	AP1,CD1,SN2	2700 Audley Road North	40

PCAs without Contribution to APEC

MAP ID	FIGURE ID	Location	PCA
4	PR1,SS1	Entire Site Area	30

Legend

Phase One Property	Surface Contour	APEC 3	PCA with Medium Concern
Phase One Study Area	APEC 1	PCA with High Concern	PCA with Low Concern
Inferred Groundwater Flow Direction	APEC 2		

Definitions:
 "APEC" = Area of Potential Environmental Concern
 "PCA" = Potentially Contaminating Activity

PCAs are in accordance with Table 2, Schedule D of O. Reg 153/04

Map Sources: ERSI World Topographic Map Map Projection: NAD 83 Zone 17 UTM	Project: 17-1780GHE3 Phase One Environmental Assessment 3225 Concession Road 5 Pickering, Ontario Client: 869547 Ontario Inc	Created by: VC	Approved by: VC	Drawing No.: 3	Original Size: 11" x 17"
		Date: July 2021	Title: PCA and APEC Location Plan		

Notes:
 PCA numbers are in accordance with Table 2, Schedule D of O. Reg 153/04
 #30 – Importation of Fill Material of Unknown Quality
 #40 – Pesticides (including Herbicides, Fungicides and Anti-Fouling Agents) Manufacturing, Processing, Bulk Storage and Large-Scale Applications
 #52 – Storage, maintenance, fuelling and repair of equipment, vehicles, and material used to maintain transportation systems






GeoPro Consulting Limited

Geotechnical-Hydrogeology-Environmental-Materials-Inspection

FIGURES



Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community

Legend  Phase One Property  Phase One Study Area			Map Sources: ArcGIS Basemap projected in NAD83 UTM Zone 17N - Topographic Source: Archive of Ontario			
Prepared by: BN	Rev: KY	Approved: KY	Scale: As Shown	Project No.: 17-1780E3	Figure No.: 1	Original Size: Letter
Date: July 2021	Client: 869547 Ontario Inc.	Title: Aerial Photograph (1954)	Project: Phase One Environmental Site Assessment Proposed Residential Development at Part of Lot 3 & 4 Concession Road 5, Pickering, Ontario			




Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community

Legend Phase One Property Phase One Study Area			Map Sources: ArcGIS Basemap projected in NAD83 UTM Zone 17N - Topographic Source: Archive of Ontario			
Prepared by: BN	Rev: KY	Approved: KY	Scale: As Shown	Project No.: 17-1780E3	Figure No.: 2	Original Size: Letter
Date: July 2021	Client: 869547 Ontario Inc.	Title: Aerial Photograph (1971)	Project: Phase One Environmental Site Assessment Proposed Residential Development at Part of Lot 3 & 4 Concession Road 5, Pickering, Ontario			



Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community

Legend Phase One Property Phase One Study Area			Map Sources: ArcGIS Basemap projected in NAD83 UTM Zone 17N - Topographic Source: Archive of Ontario			
Prepared by: BN	Rev: KY	Approved: KY	Scale: As Shown	Project No.: 17-1780E3	Figure No.: 3	Original Size: Letter
Date: July 2021	Client: 869547 Ontario Inc.	Title: Aerial Photograph (1978)	Project: Phase One Environmental Site Assessment Proposed Residential Development at Part of Lot 3 & 4 Concession Road 5, Pickering, Ontario			






Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community

Legend Phase One Property Phase One Study Area		Map Sources: ArcGIS Basemap projected in NAD83 UTM Zone 17N - Topographic Source: Archive of Ontario				
Prepared by: BN	Rev: KY	Approved: KY	Scale: As Shown	Project No.: 17-1780E3	Figure No.: 4	Original Size: Letter
Date: July 2021	Client: 869547 Ontario Inc.	Title: Aerial Photograph (2000)	Project: Phase One Environmental Site Assessment Proposed Residential Development at Part of Lot 3 & 4 Concession Road 5, Pickering, Ontario			






Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community

Legend  Phase One Property  Phase One Study Area			Map Sources: ArcGIS Basemap projected in NAD83 UTM Zone 17N - Topographic Source: Google Earth			
Prepared by: BN	Rev: KY	Approved: KY	Scale: As Shown	Project No.: 17-1780E3	Figure No.: 5	Original Size: Letter
Date: July 2021	Client: 869547 Ontario Inc.	Title: Aerial Photograph (2005)	Project: Phase One Environmental Site Assessment Proposed Residential Development at Part of Lot 3 & 4 Concession Road 5, Pickering, Ontario			






Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community

Legend  Phase One Property  Phase One Study Area			Map Sources: ArcGIS Basemap projected in NAD83 UTM Zone 17N - Topographic Source: Google Earth			
Prepared by: BN	Rev: KY	Approved: KY	Scale: As Shown	Project No.: 17-1780E3	Figure No.: 6	Original Size: Letter
Date: July 2021	Client: 869547 Ontario Inc.	Title: Aerial Photograph (2009)	Project: Phase One Environmental Site Assessment Proposed Residential Development at Part of Lot 3&4 Concession Road 5, Pickering, Ontario			







Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community

Legend  Phase One Property  Phase One Study Area		Map Sources: ArcGIS Basemap projected in NAD83 UTM Zone 17N - Topographic Source: Google Earth				
Prepared by: BN	Rev: KY	Approved: KY	Scale: As Shown	Project No.: 17-1780E3	Figure No.: 7	Original Size: Letter
Date: July 2021	Client: 869547 Ontario Inc.	Title: Aerial Photograph (2015)	Project: Phase One Environmental Site Assessment Proposed Residential Development at Part of Lot 3&4 Concession Road 5, Pickering, Ontario			



Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community

Legend  Phase One Property  Phase One Study Area			Map Sources: ArcGIS Basemap projected in NAD83 UTM Zone 17N - Topographic Source: Google Earth			
Prepared by: BN	Rev: KY	Approved: KY	Scale: As Shown	Project No.: 17-1780E3	Figure No.: 8	Original Size: Letter
Date: July 2021	Client: 869547 Ontario Inc.	Title: Aerial Photograph (2019)	Project: Phase One Environmental Site Assessment Proposed Residential Development at Part of Lot 3&4 Concession Road 5, Pickering, Ontario			




Phase One Property	Surface Contour	Public	Monitoring
Phase One Study Area	Road	Watercourse	Waterbody
Inferred GW Flow Direction	Commercial/Domestic/Irrigation/Livestock		

Map Sources:
 ArcGIS Basemap projected in NAD83 UTM Zone 17N - Topographic
 Ministry of the Environment, Conservation, and Parks (MECP) Well Database
 Government of Canada Geospatial Data


Prepared by: BN	Rev: KY	Approved: KY	Scale: As Shown	Project No.: 17-1780E3	Figure No.: 9	Original Size: Letter
Date: July 2021	Client: 869547 Ontario Inc.	Title: Topographic Map	Project: Phase One Environmental Site Assessment Proposed Residential Development at Part of Lot 3 & 4 Concession Road 5, Pickering, Ontario			

Legend

- Assessment Parcel
- Woodland
- Conservation Reserve
- Provincial Park
- Natural Heritage System
- Ecoregion
- Wetland**
 - Provincially Significant Wetland Evaluated
 - Non - Provincially Significant Wetland Evaluated
 - Unevaluated Wetland
- Area of Natural Heritage & Scientific Interest (ANSI)**
 - Provincially Significant Life Science ANSI
 - Provincially Significant Earth Science ANSI
- Greenbelt Plan**
 - Boundary
 - Greenbelt External Connections
- Land Use Designations**
 - Protected Countryside
 - Greenbelt Towns and Villages
 - Greenbelt Hamlets
 - Urban River Valley
 - Greenbelt Specialty Crop Areas
- Niagara Escarpment Plan (NEP)**
 - Boundary
 - Parks and Open Space System
 - Land Use Designations**
 - Escarpment Natural Area
 - Escarpment Protection Area
 - Escarpment Rural Area
 - Mineral Resource Extraction Area
 - Escarpment Recreation Area
 - Urban Area
 - Minor Urban Centres
- Oak Ridges Moraine Conservation Plan (ORM)**
 - Boundary
 - Land Use Designations**
 - Natural Core Area
 - Natural Linkage Area
 - Countryside Area
 - Rural Settlement
 - Palgrave Estates Residential Community
 - Settlement Area



Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community, Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community



Map Sources:
ArcGIS Basemap projected in NAD83 UTM Zone 17N - Topographic Ontario Natural Heritage Map

Prepared by: BN		Approved: SK		Scale: As Shown	Project No.: 17-1780E3	Figure No.: 10	Original Size: Letter
Date: July 2021	Client: 869547 Ontario Inc.	Title: Natural Heritage		Project: Phase One Environmental Site Assessment Proposed Residential Development at Part of Lot 3 & 4 Concession Road 5, Pickering, Ontario			



GeoPro Consulting Limited

Geotechnical-Hydrogeology-Environmental-Materials-Inspection

APPENDIX A

PROPOSED DRAFT PLAN OF SUBDIVISION
PART OF LOTS 3 AND 4 CONCESSION 5
(Geographic Township of Pickering)
Now in the City of Pickering
REGIONAL MUNICIPALITY
of DURHAM

0 m 25 m 50 m



KEYMAP

Subject Property

0 km 1 km 2 km



LEGEND

- Subject Site Boundary
- 10 m Buffer from Staked Limit
- Lot Lines
- Easement Line
- Storm Sewer
- Road Centreline

AREA TABLE

Residential Lots	Lots 1-13	5.47	ha.
Open Space	Blocks 15,16	10.41	ha.
Open Space 10 m Buffer	Blocks 17,18	1.54	ha.
Water Pumping Station	Blocks 20, 21	0.02	ha.
Private Road	Blocks 14, 19	0.47	ha.
TOTAL			17.91

ADDITIONAL INFORMATION REQUIRED UNDER THE PLANNING ACT

- C. The applicant is not interested in any additional land adjacent to the proposed subdivision.
- D. Residential single-detached, open space and R.O.W easement.
- H. Piped water to be provided.
- I. Clay loam and sandy soil.
- K. Sanitary and storm sewers to be provided

UNIT COUNT

Single-Detached _____ 13 u

ROAD LENGTH

6.5 m Private Road _____ 562.5 m

PARKING

Parking Spots (2.6 m x 5.3 m) _____ 4 spots

SURVEYOR'S CERTIFICATE

I hereby certify that the boundaries of the land to be subdivided as shown on this plan, and their relationship to the adjacent lands are accurately and correctly shown.

OWNERS AUTHORIZATION

I, Paul Bigoni here by authorize Maurizio Rogato to prepare and submit a draft plan of subdivision for approval.


Gabriel C. Lefromboise - O.L.S. Signature _____ Day _____ Month _____ Year _____
J.D. Barnes Ltd.

Paul Bigoni Signature _____ Day _____ Month _____ Year _____
869547 Ontario Inc.



Land Development | Land Use Planning | Project Management | Government Relations

1:1000 Scale	July 11th /2023 Date	21226-15 Drawing Number	Rev.	Drawn	RW Design
-----------------	-------------------------	----------------------------	------	-------	--------------



REGISTERED PLAN 40M-1578

STREET A

CONCESSION 4

CONCESSION 5

CONCESSION 6

CONCESSION 7

CONCESSION 8

CONCESSION 9

CONCESSION 10

CONCESSION 11

CONCESSION 12

CONCESSION 13

CONCESSION 14

CONCESSION 15

CONCESSION 16

CONCESSION 17

CONCESSION 18

CONCESSION 19

CONCESSION 20

CONCESSION 21

CONCESSION 22

CONCESSION 23

CONCESSION 24

CONCESSION 25

CONCESSION 26

CONCESSION 27

CONCESSION 28

CONCESSION 29

CONCESSION 30

CONCESSION 31

CONCESSION 32

CONCESSION 33

CONCESSION 34

CONCESSION 35

CONCESSION 36

CONCESSION 37

CONCESSION 38

CONCESSION 39

CONCESSION 40

CONCESSION 41

CONCESSION 42

CONCESSION 43

CONCESSION 44

CONCESSION 45

CONCESSION 46

CONCESSION 47

CONCESSION 48

CONCESSION 49

CONCESSION 50

CONCESSION 51

CONCESSION 52

CONCESSION 53

CONCESSION 54

CONCESSION 55

CONCESSION 56

CONCESSION 57

CONCESSION 58

CONCESSION 59

CONCESSION 60

CONCESSION 61

CONCESSION 62

CONCESSION 63

CONCESSION 64

CONCESSION 65

CONCESSION 66

CONCESSION 67

CONCESSION 68

CONCESSION 69

CONCESSION 70

CONCESSION 71

CONCESSION 72

CONCESSION 73

CONCESSION 74

CONCESSION 75

CONCESSION 76

CONCESSION 77

CONCESSION 78

CONCESSION 79

CONCESSION 80

CONCESSION 81

CONCESSION 82

CONCESSION 83

CONCESSION 84

CONCESSION 85

CONCESSION 86

CONCESSION 87

CONCESSION 88

CONCESSION 89

CONCESSION 90

CONCESSION 91

CONCESSION 92

CONCESSION 93

CONCESSION 94

CONCESSION 95

CONCESSION 96

CONCESSION 97

CONCESSION 98

CONCESSION 99

CONCESSION 100



GeoPro Consulting Limited

Geotechnical-Hydrogeology-Environmental-Materials-Inspection

APPENDIX B

PROPERTY DESCRIPTION: PT LTS 3 & 4 CON 5 PICKERING, PT 1 ON PLAN 40R25092; PICKERING, REGIONAL MUNICIPALITY OF DURHAM

PROPERTY REMARKS: FOR THE PURPOSE OF THE QUALIFIER THE DATE OF REGISTRATION WITH ABSOLUTE TITLE IS 2007 09 27.

ESTATE/QUALIFIER: FEE SIMPLE
LT ABSOLUTE PLUS

RECENTLY: RE-ENTRY FROM 26404-0044

PIN CREATION DATE:
2007/09/27

OWNERS' NAMES: 869547 ONTARIO INC.

CAPACITY SHARE: BENO

REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CERT/CHKD
** PRINTOUT INCLUDES ALL DOCUMENT TYPES AND DELETED INSTRUMENTS SINCE 2007/09/27 **						
**SUBJECT TO SUBSECTION 44(1) OF THE LAND TITLES ACT, EXCEPT PARAGRAPHS 3 AND 14 AND *						
** PROVINCIAL SUCCESSION DUTIES AND EXCEPT PARAGRAPH 11 AND ESCHEATS OR FORFEITURE **						
** TO THE CROWN UP TO THE DATE OF REGISTRATION WITH AN ABSOLUTE TITLE. **						
CO94360	1961/05/17	BYLAW				C
REMARKS: PLANNING ACT FOR SUBDIVISION CONTROL DELETED UNDER DR116972 *AS TO PIN 26409-0006 *ADDED 2003 01 06 BY DONNA WARREN						
CO220539	1972/03/03	ORDER				C
D232378	1986/10/17	AGREEMENT				C
D300632	1989/01/05	CHARGE		*** DELETED AGAINST THIS PROPERTY ***	COUGS INVESTMENTS LTD.	
D359508	1991/03/20	CHARGE		*** DELETED AGAINST THIS PROPERTY ***	COUGS INVESTMENTS LTD.	
D359509	1991/03/20	TRANSFER	\$50,000		869547 ONTARIO INC.	C
D359510	1991/03/20	TRANSFER	\$50,000		869547 ONTARIO INC.	C
D359511	1991/03/20	TRANSFER	\$50,000		869547 ONTARIO INC.	C
D359512	1991/03/20	TRANSFER	\$50,000		869547 ONTARIO INC.	C
D359513	1991/03/20	TRANSFER	\$50,000		869547 ONTARIO INC.	C
D359514	1991/03/20	TRANSFER	\$50,000		869547 ONTARIO INC.	C
D359515	1991/03/20	TRANSFER	\$50,000		869547 ONTARIO INC.	C
D359516	1991/03/20	TRANSFER	\$50,000		869547 ONTARIO INC.	C

NOTE: ADJOINING PROPERTIES SHOULD BE INVESTIGATED TO ASCERTAIN DESCRIPTIVE INCONSISTENCIES, IF ANY, WITH DESCRIPTION REPRESENTED FOR THIS PROPERTY.

NOTE: ENSURE THAT YOUR PRINTOUT STATES THE TOTAL NUMBER OF PAGES AND THAT YOU HAVE PICKED THEM ALL UP.

LAND
REGISTRY
OFFICE #40

26404-0375 (LT)

PREPARED FOR Xiaojunma
ON 2021/06/21 AT 11:59:40

* CERTIFIED IN ACCORDANCE WITH THE LAND TITLES ACT * SUBJECT TO RESERVATIONS IN CROWN GRANT *

REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CERT/ CHKD
D359517	1991/03/20	TRANSFER	\$50,000		869547 ONTARIO INC.	C
D359518	1991/03/20	TRANSFER	\$50,000		869547 ONTARIO INC.	C
D359519	1991/03/20	CHARGE		*** DELETED AGAINST THIS PROPERTY ***	COUGS INVESTMENTS LTD.	
D359520	1991/03/20	CHARGE		*** DELETED AGAINST THIS PROPERTY ***	COUGS INVESTMENTS LTD.	
DR429824	2005/09/22	NOTICE		HER MAJESTY THE QUEEN IN RIGHT OF CANADA AS REPRESENTED BY THE MINISTER OF TRANSPORT		C
		<i>REMARKS: AIRPORT ZONING REGULATIONS</i>				
40R25092	2007/09/27	PLAN REFERENCE				C
DR649642	2007/09/27	APL ABSOLUTE TITLE		869547 ONTARIO INC.	869547 ONTARIO INC.	C
		<i>REMARKS: DR623030</i>				
40R29444	2016/12/12	PLAN REFERENCE				C
DR1713677	2018/06/26	DISCH OF CHARGE		*** COMPLETELY DELETED *** COUGS INVESTMENTS LTD.		
		<i>REMARKS: D300632.</i>				
DR1713678	2018/06/26	DISCH OF CHARGE		*** COMPLETELY DELETED *** COUGS INVESTMENTS LTD.		
		<i>REMARKS: D359508.</i>				
DR1713679	2018/06/26	DISCH OF CHARGE		*** COMPLETELY DELETED *** COUGS INVESTMENTS LTD.		
		<i>REMARKS: D359519.</i>				
DR1713680	2018/06/26	DISCH OF CHARGE		*** COMPLETELY DELETED *** COUGS INVESTMENTS LTD.		
		<i>REMARKS: D359520.</i>				



GeoPro Consulting Limited

Geotechnical-Hydrogeology-Environmental-Materials-Inspection

APPENDIX C



GeoPro Consulting Limited

Geotechnical-Hydrogeology-Environmental-Materials-Inspection

Geotechnical Investigation

Proposed Residential Developments

Parts of Lots 3 and 4, Concession 5, Pickering, Ontario

Prepared For:

JFC Developments Ltd.



GeoPro Project No.: 17-1780GHE

Report Date: May 31, 2017

Professional, Proficient, Proactive

GeoPro Consulting Limited (905) 237-8336 office@geoproconsulting.ca

Unit 57, 40 Vogell Road, Richmond Hill, Ontario L4B 3N6



GeoPro
CONSULTING LIMITED

PROJECT: Geotechnical Investigation for Proposed Residential Development
 CLIENT: JFC Developments Ltd.
 PROJECT LOCATION: Parts of Lots 3 and 4, Concession 5, Pickering, Ontario
 DATUM: Geodetic
 BH LOCATION: See Borehole Location Plan

DRILLING DATA
 Method: Continuous Flight Auger- Auto Hammer
 Diameter: 155/205 mm
 Date: Apr/10/2017
 REF. NO.: 17-1780GHE
 ENCL NO.: 2

SOIL PROFILE		SAMPLES			GROUND WATER CONDITIONS	ELEVATION	DYNAMIC CONE PENETRATION RESISTANCE PLOT		PLASTIC LIMIT W _p	NATURAL MOISTURE CONTENT w	LIQUID LIMIT W _L	POCKET PEN. (Cu) (kPa)	NATURAL UNIT WT (kN/m ³)	REMARKS AND GRAIN SIZE DISTRIBUTION (%) GR SA SI CL
(m) ELEV DEPTH	DESCRIPTION	NUMBER	TYPE	"N" BLOWS 0.3 m			20 40 60 80 100	20 40 60 80 100						
135.3														
136.0	TOPSOIL: (180 mm)					Concrete								
0.2	REWORKED SILTY FINE SAND: trace organics, trace rootlets, brown, moist, loose	1	SS	4										
134.2		2	SS	4										
1.1	SILTY FINE SAND: trace organics, trace rootlets, brown, wet, loose to compact													
133.2		3	SS	23		W. L. 133.9 m May 09, 2017								
2.1	FINE SAND AND SILT TO FINE SANDY SILT: trace clay, brown to grey, wet, dense to very dense					W. L. 133.6 m Apr 28, 2017								
		4	SS	37		Bentonite								
		5	SS	55										
	--- grey	6	SS	82										
						Sand								
						Screen								
		7	SS	50 / 150 mm										
						Natural Pack								
127.4		8	SS	50 / 150 mm										
7.9	END OF BOREHOLE Notes: 1) Water encountered at a depth of 1.5 m below ground surface (mBGS) during drilling. 2) Water was at a depth of 3.0 mBGS upon completion of drilling. 3) Borehole caved at a depth of 3.0 mBGS upon completion of drilling. 4) 51 mm dia. Monitoring Well was installed in borehole upon completion of drilling. Water Level Reading Date W.L. Depth (mBGS) April 28, 2017 1.72 May 9, 2017 1.35													

GROUNDWATER ELEVATIONS
 Measurement 1st 2nd 3rd 4th

GRAPH NOTES +3, x3: Numbers refer to Sensitivity ○ = 3% Strain at Failure

PROJECT: Geotechnical Investigation for Proposed Residential Development
 CLIENT: JFC Developments Ltd.
 PROJECT LOCATION: Parts of Lots 3 and 4, Concession 5, Pickering, Ontario
 DATUM: Geodetic
 BH LOCATION: See Borehole Location Plan

DRILLING DATA
 Method: Continuous Flight Auger- Auto Hammer
 Diameter: 155/205 mm
 Date: Apr/10/2017
 REF. NO.: 17-1780GHE
 ENCL NO.: 3

SOIL PROFILE		SAMPLES			GROUND WATER CONDITIONS	ELEVATION	DYNAMIC CONE PENETRATION RESISTANCE PLOT		PLASTIC LIMIT W _p	NATURAL MOISTURE CONTENT w	LIQUID LIMIT W _L	POCKET PEN. (Cu) (kPa)	NATURAL UNIT WT (kN/m ³)	REMARKS AND GRAIN SIZE DISTRIBUTION (%)										
(m) ELEV DEPTH	DESCRIPTION	STRATA PLOT	NUMBER	TYPE			"N" BLOWS 0.3 m	20							40	60	80	100	20	40	60	80	100	10
133.0																								
132.9	TOPSOIL: (250 mm)																							
0.3	REWORKED SILTY FINE SAND: trace clay, trace organics, trace rootlets, brown, moist, loose		1	SS	5																			
132.3	NO RECOVERY: likely silty fine sand, loose																							
0.7			2	NR	6																			
131.6	FINE SAND AND SILT: trace clay, trace organics, seams of clayey silt, brown to grey, wet, compact to very dense																							
1.4			3	SS	18																			
	--- grey																							
			4	SS	30																			
			5	SS	32																			
			6	SS	46																			
			7	SS	53																			
125.9	CLAYEY SILT: some fine sand, seams of sand, grey, wet, stiff																							
7.1			8	SS	10																			
124.3	CLAYEY SILT (TILL LIKE): trace to some sand, trace gravel, containing cobbles and boulders, grey, wet, stiff																							
8.6			9	SS	10																			
122.8	CLAYEY SILT TILL TO SILTY CLAY TILL: trace sand, trace gravel, containing cobbles and boulders, grey, moist, hard																							
10.1			10	SS	80																			
				</																				

PROJECT: Geotechnical Investigation for Proposed Residential Development
 CLIENT: JFC Developments Ltd.
 PROJECT LOCATION: Parts of Lots 3 and 4, Concession 5, Pickering, Ontario
 DATUM: Geodetic
 BH LOCATION: See Borehole Location Plan

DRILLING DATA
 Method: Continuous Flight Auger- Auto Hammer
 Diameter: 155/205 mm
 Date: Apr/05/2017
 REF. NO.: 17-1780GHE
 ENCL NO.: 5

SOIL PROFILE		SAMPLES			GROUND WATER CONDITIONS	ELEVATION	DYNAMIC CONE PENETRATION RESISTANCE PLOT		PLASTIC LIMIT W _p	NATURAL MOISTURE CONTENT w	LIQUID LIMIT W _L	POCKET PEN. (Cu) (kPa)	NATURAL UNIT WT (kN/m ³)	REMARKS AND GRAIN SIZE DISTRIBUTION (%)										
(m) ELEV DEPTH	DESCRIPTION	STRATA PLOT	NUMBER	TYPE			"N" BLOWS 0.3 m	20							40	60	80	100	20	40	60	80	100	10
136.1																								
136.0	TOPSOIL: (200 mm)		1	SS	3																			
0.2	REWORKED SAND AND SILT: some clay, some gravel, trace organics, trace rootlets, brown, wet, very loose to dense																							
135.0			2	SS	40																			
1.1	SANDY SILT TILL TO SAND AND SILT TILL: some clay, trace gravel, layers of silty sand, containing cobbles and boulders, brown to grey, moist to wet, dense to very dense ---cobbles and boulders --- grey																							
135.0			3	SS	50 / 150 mm																			
1.1																								
134.0			4	SS	67																			
134.0																								
133.0			5	SS	73																			
132.1																								
4.0	SILTY SAND: some gravel, containing cobbles and boulders, grey, wet, very dense																							
132.1			6	SS	68																			
131.0																								
130.5																								
5.6	CLAYEY SILT TILL: some sand to sandy, trace gravel, containing cobbles and boulders, grey, moist, hard																							
130.5			7	SS	50 / 150 mm																			
129.1																								
7.0	CLAYEY SILT: trace sand, trace gravel, grey, moist, hard																							
129.1																								
128.3			8	SS	50 / 130 mm																			
7.8	END OF BOREHOLE Notes: 1) Water encountered at a depth of 1.8 m below ground surface (mBGS) during drilling. 2) Water was at a depth of 1.5 mBGS upon completion of drilling. 3) 51 mm dia. Monitoring Well was installed in borehole upon completion of drilling. Water Level Reading Date W.L. Depth (mBGS) April 28, 2017 0.39 May 9, 2017 0.27																							

GROUNDWATER ELEVATIONS
 Measurement 1st 2nd 3rd 4th

GRAPH NOTES +3, x3: Numbers refer to Sensitivity
 ○ = 3% Strain at Failure

PROJECT: Geotechnical Investigation for Proposed Residential Development
 CLIENT: JFC Developments Ltd.
 PROJECT LOCATION: Parts of Lots 3 and 4, Concession 5, Pickering, Ontario
 DATUM: Geodetic
 BH LOCATION: See Borehole Location Plan

DRILLING DATA
 Method: Continuous Flight Auger- Auto Hammer
 Diameter: 155/205 mm
 Date: Apr/05/2017
 REF. NO.: 17-1780GHE
 ENCL NO.: 7

SOIL PROFILE		SAMPLES			GROUND WATER CONDITIONS	ELEVATION	DYNAMIC CONE PENETRATION RESISTANCE PLOT		PLASTIC LIMIT W _p	NATURAL MOISTURE CONTENT w	LIQUID LIMIT W _L	POCKET PEN. (Cu) (kPa)	NATURAL UNIT WT (kN/m ³)	REMARKS AND GRAIN SIZE DISTRIBUTION (%) GR SA SI CL
(m) ELEV DEPTH	DESCRIPTION	NUMBER	TYPE	"N" BLOWS 0.3 m			20 40 60 80 100	20 40 60 80 100						
136.7														
0.0	TOPSOIL: (530 mm)	1	SS	4		Concrete								
136.1														
136.6	REWORKED SAND AND SILT: trace to some clay, trace organics, trace rootlets, dark brown, wet, very loose	2	SS	14										
0.7	SANDY SILT TILL: trace clay, trace gravel, pockets of sand, layers of silty sand, containing cobbles and boulders, brown to grey, moist to wet, compact to very dense	3	SS	44		W. L. 135.4 m May 09, 2017 W. L. 135.0 m Apr 28, 2017								
1														
2														
3	--- grey	4	SS	68										
4														
5	--- containing shale fragments	5	SS	45										
6														
131.1														
5.6	SILTY SAND TILL: some gravel, trace clay, layers of silty sand, containing cobbles and boulders, grey, moist to wet, very dense	6	SS	91/280										
130.1														
6.5	END OF BOREHOLE Notes: 1) Water encountered at a depth of 1.5 m below ground surface (mBGS) during drilling. 2) 51 mm dia. Monitoring Well was installed in borehole upon completion of drilling. Water Level Reading Date W.L. Depth (mBGS) April 28, 2017 1.62 May 9, 2017 1.31	7	SS	91/280		Natural Pack								

GROUNDWATER ELEVATIONS
 Measurement 1st 2nd 3rd 4th

GRAPH NOTES + 3, x 3: Numbers refer to Sensitivity ○ ●=3% Strain at Failure

PROJECT: Geotechnical Investigation for Proposed Residential Development
 CLIENT: JFC Developments Ltd.
 PROJECT LOCATION: Parts of Lots 3 and 4, Concession 5, Pickering, Ontario
 DATUM: Geodetic
 BH LOCATION: See Borehole Location Plan

DRILLING DATA
 Method: Continuous Flight Auger- Auto Hammer
 Diameter: 155/205 mm
 Date: Apr/13/2017
 REF. NO.: 17-1780GHE
 ENCL NO.: 8

SOIL PROFILE			SAMPLES			GROUND WATER CONDITIONS	ELEVATION	DYNAMIC CONE PENETRATION RESISTANCE PLOT				PLASTIC LIMIT W _p	NATURAL MOISTURE CONTENT w	LIQUID LIMIT W _L	POCKET PEN. (Cu) (kPa)	NATURAL UNIT WT (kN/m ³)	REMARKS AND GRAIN SIZE DISTRIBUTION (%) GR SA SI CL
(m) ELEV DEPTH	DESCRIPTION	STRATA PLOT	NUMBER	TYPE	"N" BLOWS 0.3 m			SHEAR STRENGTH (kPa)									
124	SILTY CLAY TILL: trace to some sand, trace gravel, grey, moist to wet, very stiff(Continued)		11	SS	20												
122.9																	
13.2	SANDY SILT TILL: trace clay, trace gravel, containing cobbles and boulders, grey, moist to wet, very dense		12	SS	50 / 80 mm												
122.3	cobbles and boulders																
13.9	SAND AND SILT TILL: some clay, trace to some gravel, zones of silty sand, containing cobbles and boulders, grey, wet, dense to very dense --- auger grinding																
122																	
121			13	SS	50												
120																	
119	---cobbles and boulders		14	SS	50 / 100 mm												
118.4																	
17.8	CLAYEY SILT TILL: some sand to sandy, trace gravel, grey, moist, hard		15	SS	100 / 250 mm												
118																	
117																	
116			16	SS	78												
115.3																	
20.8	SANDY SILT TILL: trace to some clay, trace gravel, grey, moist to wet, very dense		17	SS	71												
115																	
114																	
113			18	SS	61												

Continued Next Page

GROUNDWATER ELEVATIONS
 Measurement 1st 2nd 3rd 4th

GRAPH NOTES +3, x3: Numbers refer to Sensitivity ○ = 3% Strain at Failure

PROJECT: Geotechnical Investigation for Proposed Residential Development
 CLIENT: JFC Developments Ltd.
 PROJECT LOCATION: Parts of Lots 3 and 4, Concession 5, Pickering, Ontario
 DATUM: Geodetic
 BH LOCATION: See Borehole Location Plan

DRILLING DATA
 Method: Continuous Flight Auger- Auto Hammer
 Diameter: 155/205 mm
 Date: Apr/13/2017
 REF. NO.: 17-1780GHE
 ENCL NO.: 8

SOIL PROFILE		SAMPLES			GROUND WATER CONDITIONS	ELEVATION	DYNAMIC CONE PENETRATION RESISTANCE PLOT				PLASTIC LIMIT W _p	NATURAL MOISTURE CONTENT w	LIQUID LIMIT W _L	POCKET PEN. (Cu) (kPa)	NATURAL UNIT WT (kN/m ³)	REMARKS AND GRAIN SIZE DISTRIBUTION (%)									
(m) ELEV DEPTH	DESCRIPTION	STRATA PLOT	NUMBER	TYPE			"N" BLOWS 0.3 m	20	40	60							80	100	20	40	60	80	100	10	20
107.8	SANDY SILT TILL: trace to some clay, trace gravel, grey, moist to wet, very dense(Continued)		19	SS	66																				
25																									
26																									
27																									
28	PROBABLE WEATHERED SHALE: grey, moist		20	SS	58																				
28																									
107.8																									
28.4																									
29																									
106.6																									
29.6	END OF BOREHOLE Notes: 1) Water encountered at a depth of 1.5 m below ground surface (mBGS) during drilling. 2) 51 mm dia. Monitoring Well was installed in borehole upon completion of drilling. Water Level Reading Date W.L. Depth (mBGS) April 28, 2017 -0.65 May 9, 2017 -0.63																								

GROUNDWATER ELEVATIONS
 Measurement 1st 2nd 3rd 4th

GRAPH NOTES + 3, x 3: Numbers refer to Sensitivity ○ = 3% Strain at Failure



GeoPro Consulting Limited

Geotechnical-Hydrogeology-Environmental-Materials-Inspection

Preliminary Hydrogeological Site Assessment

Proposed Residential Developments

Parts of Lots 3 and 4, Concession 5, Pickering, Ontario

Prepared For:

JFC Developments Ltd. c/o Candevcon Limited



GeoPro Project No.: 17-1780H

Report Date: December 27, 2017

Professional, Proficient, Proactive

GeoPro Consulting Limited Tel. (905) 237-8336

Unit 57, 40 Vogell Road, Richmond Hill, Ontario L4B 3N6



GeoPro
CONSULTING LIMITED



GeoPro Consulting Limited

Geotechnical-Hydrogeology-Environmental-Materials-Inspection

APPENDIX D



DATABASE REPORT

Project Property: 17-1780GHE03
17-1780 3225 Concession Road 5, Parts of
Lots 3 and 4
Pickering ON

Project No:

Report Type: Quote - Custom-Build Your Own Report

Order No: 21062400123

Requested by: GeoPro Consulting Limited

Date Completed: June 29, 2021

Table of Contents

Table of Contents.....	2
Executive Summary.....	3
Executive Summary: Report Summary.....	4
Executive Summary: Site Report Summary - Project Property.....	6
Executive Summary: Site Report Summary - Surrounding Properties.....	8
Executive Summary: Summary By Data Source.....	11
Map.....	16
Aerial.....	17
Topographic Map.....	18
Detail Report.....	19
Unplottable Summary.....	89
Unplottable Report.....	90
Appendix: Database Descriptions.....	99
Definitions.....	108

Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY

Reliance on information in Report: This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

License for use of information in Report: No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

Your Liability for misuse: Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

Trademark and Copyright: You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report (s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

Executive Summary

Property Information:

Project Property: 17-1780GHE03
17-1780 3225 Concession Road 5, Parts of Lots 3 and 4 Pickering ON

Project No:

Order Information:

Order No: 21062400123
Date Requested: June 24, 2021
Requested by: GeoPro Consulting Limited
Report Type: Quote - Custom-Build Your Own Report

Historical/Products:

Executive Summary: Report Summary

<i>Database</i>	<i>Name</i>	<i>Searched</i>	<i>Project Property</i>	<i>Boundary to 0.25km</i>	<i>Total</i>
AAGR	<i>Abandoned Aggregate Inventory</i>	Y	0	0	0
AGR	<i>Aggregate Inventory</i>	Y	0	0	0
AMIS	<i>Abandoned Mine Information System</i>	Y	0	0	0
ANDR	<i>Anderson's Waste Disposal Sites</i>	Y	0	0	0
AST	<i>Aboveground Storage Tanks</i>	Y	0	0	0
AUWR	<i>Automobile Wrecking & Supplies</i>	Y	0	0	0
BORE	<i>Borehole</i>	Y	0	0	0
CA	<i>Certificates of Approval</i>	Y	0	1	1
CDRY	<i>Dry Cleaning Facilities</i>	Y	0	0	0
CFOT	<i>Commercial Fuel Oil Tanks</i>	Y	0	0	0
CHEM	<i>Chemical Manufacturers and Distributors</i>	Y	0	0	0
CHM	<i>Chemical Register</i>	Y	0	0	0
CNG	<i>Compressed Natural Gas Stations</i>	Y	0	0	0
COAL	<i>Inventory of Coal Gasification Plants and Coal Tar Sites</i>	Y	0	0	0
CONV	<i>Compliance and Convictions</i>	Y	0	0	0
CPU	<i>Certificates of Property Use</i>	Y	0	0	0
DRL	<i>Drill Hole Database</i>	Y	0	0	0
DTNK	<i>Delisted Fuel Tanks</i>	Y	0	0	0
EASR	<i>Environmental Activity and Sector Registry</i>	Y	0	1	1
EBR	<i>Environmental Registry</i>	Y	0	0	0
ECA	<i>Environmental Compliance Approval</i>	Y	0	2	2
EEM	<i>Environmental Effects Monitoring</i>	Y	0	0	0
EHS	<i>ERIS Historical Searches</i>	Y	1	0	1
EIIS	<i>Environmental Issues Inventory System</i>	Y	0	0	0
EMHE	<i>Emergency Management Historical Event</i>	Y	0	0	0
EPAR	<i>Environmental Penalty Annual Report</i>	Y	0	0	0
EXP	<i>List of Expired Fuels Safety Facilities</i>	Y	0	0	0
FCON	<i>Federal Convictions</i>	Y	0	0	0
FCS	<i>Contaminated Sites on Federal Land</i>	Y	0	0	0
FOFT	<i>Fisheries & Oceans Fuel Tanks</i>	Y	0	0	0
FRST	<i>Federal Identification Registry for Storage Tank Systems (FIRSTS)</i>	Y	0	0	0
FST	<i>Fuel Storage Tank</i>	Y	0	0	0
FSTH	<i>Fuel Storage Tank - Historic</i>	Y	0	0	0
GEN	<i>Ontario Regulation 347 Waste Generators Summary</i>	Y	0	8	8
GHG	<i>Greenhouse Gas Emissions from Large Facilities</i>	Y	0	0	0
HINC	<i>TSSA Historic Incidents</i>	Y	0	1	1

Database	Name	Searched	Project Property	Boundary to 0.25km	Total
IAFT	<i>Indian & Northern Affairs Fuel Tanks</i>	Y	0	0	0
INC	<i>Fuel Oil Spills and Leaks</i>	Y	0	0	0
LIMO	<i>Landfill Inventory Management Ontario</i>	Y	0	0	0
MINE	<i>Canadian Mine Locations</i>	Y	0	0	0
MNR	<i>Mineral Occurrences</i>	Y	0	0	0
NATE	<i>National Analysis of Trends in Emergencies System (NATES)</i>	Y	0	0	0
NCPL	<i>Non-Compliance Reports</i>	Y	0	0	0
NDFT	<i>National Defense & Canadian Forces Fuel Tanks</i>	Y	0	0	0
NDSP	<i>National Defense & Canadian Forces Spills</i>	Y	0	0	0
NDWD	<i>National Defence & Canadian Forces Waste Disposal Sites</i>	Y	0	0	0
NEBI	<i>National Energy Board Pipeline Incidents</i>	Y	0	0	0
NEBP	<i>National Energy Board Wells</i>	Y	0	0	0
NEES	<i>National Environmental Emergencies System (NEES)</i>	Y	0	0	0
NPCB	<i>National PCB Inventory</i>	Y	0	0	0
NPRI	<i>National Pollutant Release Inventory</i>	Y	0	0	0
OGWE	<i>Oil and Gas Wells</i>	Y	0	0	0
OOGW	<i>Ontario Oil and Gas Wells</i>	Y	0	0	0
OPCB	<i>Inventory of PCB Storage Sites</i>	Y	0	0	0
ORD	<i>Orders</i>	Y	0	0	0
PAP	<i>Canadian Pulp and Paper</i>	Y	0	0	0
PCFT	<i>Parks Canada Fuel Storage Tanks</i>	Y	0	0	0
PES	<i>Pesticide Register</i>	Y	0	4	4
PINC	<i>Pipeline Incidents</i>	Y	0	0	0
PRT	<i>Private and Retail Fuel Storage Tanks</i>	Y	0	0	0
PTTW	<i>Permit to Take Water</i>	Y	0	0	0
REC	<i>Ontario Regulation 347 Waste Receivers Summary</i>	Y	0	0	0
RSC	<i>Record of Site Condition</i>	Y	0	0	0
RST	<i>Retail Fuel Storage Tanks</i>	Y	0	0	0
SCT	<i>Scott's Manufacturing Directory</i>	Y	0	0	0
SPL	<i>Ontario Spills</i>	Y	0	0	0
SRDS	<i>Wastewater Discharger Registration Database</i>	Y	0	0	0
TANK	<i>Anderson's Storage Tanks</i>	Y	0	0	0
TCFT	<i>Transport Canada Fuel Storage Tanks</i>	Y	0	0	0
VAR	<i>Variances for Abandonment of Underground Storage Tanks</i>	Y	0	0	0
WDS	<i>Waste Disposal Sites - MOE CA Inventory</i>	Y	0	0	0
WDSH	<i>Waste Disposal Sites - MOE 1991 Historical Approval Inventory</i>	Y	0	0	0
WWIS	<i>Water Well Information System</i>	Y	8	12	20
Total:			9	29	38

Executive Summary: Site Report Summary - Project Property

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev diff (m)	Page Number
<u>1</u>	EHS		3225 Sideline 4 Pickering ON	ENE/0.0	1.03	<u>19</u>
<u>2</u>	WWIS		2944 AUDLEY ROAD Ajax ON <i>Well ID: 7291771</i>	E/0.0	4.73	<u>19</u>
<u>3</u>	WWIS		3225 GUIDELINE 4 lot 4 con 5 LOCUST HILL ON <i>Well ID: 7292847</i>	W/0.0	0.36	<u>21</u>
<u>4</u>	WWIS		lot 4 con 5 ON <i>Well ID: 4601460</i>	W/0.0	-1.16	<u>24</u>
<u>5</u>	WWIS		2944 AUDLEY ROAD Ajax ON <i>Well ID: 7291772</i>	ENE/0.0	6.70	<u>26</u>
<u>6</u>	WWIS		3225 SIDELINE 4 lot 4 con 5 LUCUST HILL ON <i>Well ID: 7292854</i>	WSW/0.0	1.08	<u>28</u>
<u>7</u>	WWIS		3225 SIDELINE 4 lot 4 con 5 LOCUST HILL ON <i>Well ID: 7292855</i>	WSW/0.0	1.97	<u>31</u>
<u>8</u>	WWIS		3225 SIDELINE 4 LOCUST HILL ON <i>Well ID: 7287366</i>	W/0.0	2.71	<u>33</u>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev diff (m)</i>	<i>Page Number</i>
9	WWIS		2944 AUDLEY ROAD Ajax ON <i>Well ID:</i> 7291770	E/0.0	7.00	36

Executive Summary: Site Report Summary - Surrounding Properties

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
10	WWIS		SDLM 4 lot 4 con 5 PICKERING ON Well ID: 7251326	WNW/49.7	2.97	39
11	WWIS		lot 4 con 5 ON Well ID: 4601459	NW/62.4	1.50	45
12	EASR	TRANS-NORTHERN PIPELINES INC./ PIPELINES TRANS-NORD INC.	ON	S/92.7	-6.06	48
13	WWIS		lot 5 con 5 ON Well ID: 1905108	WSW/115.0	0.20	48
14	WWIS		lot 5 con 5 ON Well ID: 1914543	WSW/130.0	-2.93	51
14	WWIS		lot 6 con 5 ON Well ID: 1912924	WSW/130.0	-2.93	54
15	WWIS		lot 3 con 2 ON Well ID: 1912286	ESE/147.6	4.96	56
16	PES	LLOYD'S LANDSCAPING LIMITED	3330 BALSAM RD PICKERING ON L1X2W4	WNW/159.2	8.82	60
16	PES	LLOYD'S LANDSCAPING LTD	3330 BALSAM RD PICKERING ON L1X 2W4	WNW/159.2	8.82	60
16	GEN	LLOYD'S LANDSCAPING LTD.	3330 BALSAM ROAD PICKERING ON L1X 2W4	WNW/159.2	8.82	61
16	GEN	LLOYD'S LANDSCAPING LTD.	3330 BALSAM ROAD PICKERING ON L1X 2W4	WNW/159.2	8.82	61
16	GEN	LLOYD'S LANDSCAPING LTD.	3330 BALSAM ROAD PICKERING ON L1X 2W4	WNW/159.2	8.82	61

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
16	PES	LLOYD'S LANDSCAPING LTD	3330 BALSAM RD PICKERING ON L1X 2W4	WNW/159.2	8.82	62
16	GEN	LLOYD'S LANDSCAPING LTD.	3330 BALSAM ROAD PICKERING ON L1X 2W4	WNW/159.2	8.82	62
16	GEN	LLOYD'S LANDSCAPING LTD.	3330 BALSAM ROAD PICKERING ON	WNW/159.2	8.82	62
16	GEN	LLOYD'S LANDSCAPING LTD.	3330 BALSAM ROAD PICKERING ON L1X 2W4	WNW/159.2	8.82	63
16	GEN	LLOYD'S LANDSCAPING LTD.	3330 BALSAM ROAD PICKERING ON L1X 2W4	WNW/159.2	8.82	63
16	GEN	LLOYD'S LANDSCAPING LTD.	3330 BALSAM ROAD PICKERING ON L1X 2W4	WNW/159.2	8.82	63
16	PES	LLOYD'S LANDSCAPING LIMITED	3330 BALSAM RD PICKERING ON L1X2W4	WNW/159.2	8.82	64
17	WWIS		lot 5 con 5 ON Well ID: 4604132	WSW/161.9	2.25	64
18	CA		2944 Audley Road Ajax ON L1S 4S7	ESE/162.8	4.88	67
18	ECA	Jaamiah-AI-Uloom AI-Islamiyyah Ontario	2944 Audley Rd Ajax ON L1S 4S7	ESE/162.8	4.88	67
18	ECA	Abdul Majid Khan in Trust	2944 Audley Road Ajax ON L1S 4S7	ESE/162.8	4.88	67
19	WWIS		lot 7 con 5 PICKERING ON Well ID: 7054352	WSW/190.3	1.91	68
20	WWIS		lot 20 con 3 ON	ENE/208.9	8.01	73

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
			<i>Well ID:</i> 1912365			
21	WWIS		lot 5 con 5 ON <i>Well ID:</i> 1906685	WNW/210.5	9.40	77
22	WWIS		lot 3 con 5 ON <i>Well ID:</i> 1913679	ENE/211.2	7.97	80
23	HINC		10 BUNHILL COURT AJAX ON L1Z 1X5	SW/227.5	-2.79	84
24	WWIS		lot 3 con 5 ON <i>Well ID:</i> 1905697	E/233.4	4.02	85

Executive Summary: Summary By Data Source

CA - Certificates of Approval

A search of the CA database, dated 1985-Oct 30, 2011* has found that there are 1 CA site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	2944 Audley Road Ajax ON L1S 4S7	162.8	<u>18</u>

EASR - Environmental Activity and Sector Registry

A search of the EASR database, dated Oct 2011-May 31, 2021 has found that there are 1 EASR site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
TRANS-NORTHERN PIPELINES INC./ PIPELINES TRANS-NORD INC.	ON	92.7	<u>12</u>

ECA - Environmental Compliance Approval

A search of the ECA database, dated Oct 2011- May 31, 2021 has found that there are 2 ECA site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Jaamiah-Al-Uloom Al-Islamiyyah Ontario	2944 Audley Rd Ajax ON L1S 4S7	162.8	<u>18</u>
Abdul Majid Khan in Trust	2944 Audley Road Ajax ON L1S 4S7	162.8	<u>18</u>

EHS - ERIS Historical Searches

A search of the EHS database, dated 1999-Jan 31, 2021 has found that there are 1 EHS site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	3225 Sideline 4 Pickering ON	0.0	1

GEN - Ontario Regulation 347 Waste Generators Summary

A search of the GEN database, dated 1986-Apr 30, 2021 has found that there are 8 GEN site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
LLOYD'S LANDSCAPING LTD.	3330 BALSAM ROAD PICKERING ON L1X 2W4	159.2	16
LLOYD'S LANDSCAPING LTD.	3330 BALSAM ROAD PICKERING ON L1X 2W4	159.2	16
LLOYD'S LANDSCAPING LTD.	3330 BALSAM ROAD PICKERING ON L1X 2W4	159.2	16
LLOYD'S LANDSCAPING LTD.	3330 BALSAM ROAD PICKERING ON	159.2	16
LLOYD'S LANDSCAPING LTD.	3330 BALSAM ROAD PICKERING ON L1X 2W4	159.2	16
LLOYD'S LANDSCAPING LTD.	3330 BALSAM ROAD PICKERING ON L1X 2W4	159.2	16
LLOYD'S LANDSCAPING LTD.	3330 BALSAM ROAD PICKERING ON L1X 2W4	159.2	16
LLOYD'S LANDSCAPING LTD.	3330 BALSAM ROAD PICKERING ON L1X 2W4	159.2	16

HINC - TSSA Historic Incidents

A search of the HINC database, dated 2006-June 2009* has found that there are 1 HINC site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	10 BUNHILL COURT AJAX ON L1Z 1X5	227.5	<u>23</u>

PES - Pesticide Register

A search of the PES database, dated Oct 2011-May 31, 2021 has found that there are 4 PES site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
LLOYD'S LANDSCAPING LTD	3330 BALSAM RD PICKERING ON L1X 2W4	159.2	<u>16</u>
LLOYD'S LANDSCAPING LIMITED	3330 BALSAM RD PICKERING ON L1X2W4	159.2	<u>16</u>
LLOYD'S LANDSCAPING LIMITED	3330 BALSAM RD PICKERING ON L1X2W4	159.2	<u>16</u>
LLOYD'S LANDSCAPING LTD	3330 BALSAM RD PICKERING ON L1X 2W4	159.2	<u>16</u>


WWIS - Water Well Information System

A search of the WWIS database, dated Apr 30, 2021 has found that there are 20 WWIS site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	2944 AUDLEY ROAD Ajax ON <i>Well ID: 7291771</i>	0.0	<u>2</u>
	3225 GIDELINE 4 lot 4 con 5 LOCUST HILL ON <i>Well ID: 7292847</i>	0.0	<u>3</u>
	lot 4 con 5 ON	0.0	<u>4</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	<i>Well ID:</i> 4601460		
	2944 AUDLEY ROAD Ajax ON	0.0	<u>5</u>
	<i>Well ID:</i> 7291772		
	3225 SIDELINE 4 lot 4 con 5 LUCUST HILL ON	0.0	<u>6</u>
	<i>Well ID:</i> 7292854		
	3225 SIDELINE 4 lot 4 con 5 LOCUST HILL ON	0.0	<u>7</u>
	<i>Well ID:</i> 7292855		
	3225 SIDELINE 4 LOCUST HILL ON	0.0	<u>8</u>
	<i>Well ID:</i> 7287366		
	2944 AUDLEY ROAD Ajax ON	0.0	<u>9</u>
	<i>Well ID:</i> 7291770		
	SDLM 4 lot 4 con 5 PICKERING ON	49.7	<u>10</u>
	<i>Well ID:</i> 7251326		
	lot 4 con 5 ON	62.4	<u>11</u>
	<i>Well ID:</i> 4601459		
	lot 5 con 5 ON	115.0	<u>13</u>
	<i>Well ID:</i> 1905108		
	lot 5 con 5 ON	130.0	<u>14</u>
	<i>Well ID:</i> 1914543		
	lot 6 con 5 ON	130.0	<u>14</u>
	<i>Well ID:</i> 1912924		
	lot 3 con 2 ON	147.6	<u>15</u>
	<i>Well ID:</i> 1912286		

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	lot 5 con 5 ON <i>Well ID:</i> 4604132	161.9	<u>17</u>
	lot 7 con 5 PICKERING ON <i>Well ID:</i> 7054352	190.3	<u>19</u>
	lot 20 con 3 ON <i>Well ID:</i> 1912365	208.9	<u>20</u>
	lot 5 con 5 ON <i>Well ID:</i> 1906685	210.5	<u>21</u>
	lot 3 con 5 ON <i>Well ID:</i> 1913679	211.2	<u>22</u>
	lot 3 con 5 ON <i>Well ID:</i> 1905697	233.4	<u>24</u>



Map: 0.25 Kilometer Radius

Order Number: 21062400123

Address: 17-1780 3225 Concession Road 5, Parts of Lots 3 and 4, Pickering, ON



Project Property	Expressway	Industrial and Resource - Regions	National Park
Buffer Outline	Principal Highway	Main Line	Provincial or Territorial Park
Eris Sites with Higher Elevation	Secondary Highway	Sidetrack	Other Park
Eris Sites with Same Elevation	Major Road	Transit Line	Golf Course or Driving Range
Eris Sites with Lower Elevation	Local road	Abandoned Line	Park or Sports Field
Eris Sites with Unknown Elevation	Trail	Proposed Road	Other Recreation Area
	Ferry Route/Ice Road		

79°1'30"W

43°55'30"N

43°55'30"N



Aerial Year: 2019

Order Number: 21062400123

Address: 17-1780 3225 Concession Road 5, Parts of Lots 3 and 4, Pickering, O



Source: ESRI World Imagery

© ERIS Information Limited Partnership

79°3'W

79°1'30"W


79°0'W

43°55'30"N

43°55'30"N

43°54'N

43°54'N



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Topographic Map

Order Number: 21062400123

Address: 17-1780 3225 Concession Road 5, Parts of Lots 3 and 4, ON



Source: ESRI World Topographic Map

© ERIS Information Limited Partnership

Detail Report

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>1</u>	1 of 1	ENE/0.0	130.9 / 1.03	3225 Sideline 4 Pickering ON	EHS
Order No: 20170314141 Status: C Report Type: Custom Report Report Date: 23-MAR-17 Date Received: 14-MAR-17 Previous Site Name: Lot/Building Size: Additional Info Ordered:		Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -79.025537 Y: 43.920368			

<u>2</u>	1 of 1	E/0.0	134.6 / 4.73	2944 AUDLEY ROAD Ajax ON	WWIS
Well ID: 7291771 Construction Date: Primary Water Use: Monitoring Sec. Water Use: Final Well Status: Observation Wells Water Type: Casing Material: Audit No: Z265890 Tag: A224693 Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:		Data Entry Status: Data Src: Date Received: 8/1/2017 Selected Flag: True Abandonment Rec: Contractor: 7360 Form Version: 7 Owner: Street Name: 2944 AUDLEY ROAD County: DURHAM Municipality: AJAX TOWN Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:			

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2017/04/05
Year Completed: 2017
Depth (m): 6.096
Latitude: 43.9201839131091
Longitude: -79.0244173302037
Path:

Bore Hole Information

Bore Hole ID: 1006678901
DP2BR:
Elevation: 135.030883
Elevrc:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Spatial Status:				Zone:	17
Code OB:				East83:	658604.00
Code OB Desc:				North83:	4864905.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	05-Apr-2017 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006821964			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:		73			
Mat3 Desc:		HARD			
Formation Top Depth:		5.0			
Formation End Depth:		20.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006821963			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		01			
Most Common Material:		FILL			
Mat2:					
Mat2 Desc:					
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		0.0			
Formation End Depth:		5.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006821971			
Layer:		1			
Plug From:		8			
Plug To:		0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		1006821970			
Method Construction Code:		E			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction:		Auger			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006821962			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Screen</u>					
Screen ID:		1006821968			
Layer:		1			
Slot:		.1			
Screen Top Depth:		10			
Screen End Depth:		20			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2			
<u>Water Details</u>					
Water ID:		1006821966			
Layer:		1			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:		4.0			
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1006821965			
Diameter:		6.0			
Depth From:		0.0			
Depth To:		20.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
3	1 of 1	W/0.0	130.3 / 0.36	3225 GIDELINE 4 lot 4 con 5 LOCUST HILL ON	WWIS
Well ID:	7292847			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring			Date Received:	8/18/2017
Sec. Water Use:				Selected Flag:	True
Final Well Status:	Observation Wells			Abandonment Rec:	
Water Type:				Contractor:	7360
Casing Material:				Form Version:	7
Audit No:	Z265884			Owner:	
Tag:	A203304			Street Name:	3225 GIDELINE 4
Construction Method:				County:	DURHAM
Elevation (m):				Municipality:	PICKERING TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	004
Well Depth:				Concession:	05
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Flowing (Y/N): Flow Rate: Clear/Cloudy: PDF URL (Map):				Zone: UTM Reliability:	
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		2017/04/10			
Year Completed:		2017			
Depth (m):		3.048			
Latitude:		43.9201642052433			
Longitude:		-79.0274447599582			
Path:					
<u>Bore Hole Information</u>					
Bore Hole ID:	1006713114	Elevation:	135.168731		
DP2BR:		Elevrc:			
Spatial Status:		Zone:	17		
Code OB:		East83:	658361.00		
Code OB Desc:		North83:	4864897.00		
Open Hole:		Org CS:	UTM83		
Cluster Kind:		UTMRC:	4		
Date Completed:	10-Apr-2017 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m		
Remarks:		Location Method:	wwr		
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1006838903				
Layer:	1				
Color:					
General Color:					
Mat1:	02				
Most Common Material:	TOPSOIL				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	0.0				
Formation End Depth:	2.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1006838904				
Layer:	2				
Color:					
General Color:					
Mat1:	28				
Most Common Material:	SAND				
Mat2:					
Mat2 Desc:					
Mat3:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3 Desc:					
Formation Top Depth:		2.0			
Formation End Depth:		10.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006838911			
Layer:		1			
Plug From:		8			
Plug To:		0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1006838910			
Method Construction Code:		B			
Method Construction:		Other Method			
Other Method Construction:		AUGER			
<u>Pipe Information</u>					
Pipe ID:		1006838902			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Screen</u>					
Screen ID:		1006838908			
Layer:		1			
Slot:		.10			
Screen Top Depth:		10			
Screen End Depth:		15			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2			
<u>Water Details</u>					
Water ID:		1006838906			
Layer:		1			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:		5.0			
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1006838905			
Diameter:		6.0			
Depth From:		0.0			
Depth To:		15.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>4</u>	1 of 1	W/0.0	128.7/ -1.16	lot 4 con 5 ON	WWIS

Well ID:	4601460	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:	Domestic	Date Received:	9/6/1967
Sec. Water Use:	0	Selected Flag:	True
Final Well Status:	Water Supply	Abandonment Rec:	
Water Type:		Contractor:	1413
Casing Material:		Form Version:	1
Audit No:		Owner:	
Tag:		Street Name:	
Construction Method:		County:	DURHAM
Elevation (m):		Municipality:	PICKERING TOWN
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	004
Well Depth:		Concession:	05
Overburden/Bedrock:		Concession Name:	CON
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/460\4601460.pdf

Additional Detail(s) (Map)

Well Completed Date: 1967/09/01
Year Completed: 1967
Depth (m): 29.2608
Latitude: 43.9203898504271
Longitude: -79.0274771609851
Path: 460\4601460.pdf

Bore Hole Information

Bore Hole ID:	10292829	Elevation:	134.643417
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:	o	East83:	658357.80
Code OB Desc:	Overburden	North83:	4864922.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	01-Sep-1967 00:00:00	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	p5
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID: 931945053
Layer: 1
Color:
General Color:
Mat1: 09
Most Common Material: MEDIUM SAND

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		20.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931945054			
Layer:		2			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:		13			
Mat3 Desc:		BOULDERS			
Formation Top Depth:		20.0			
Formation End Depth:		96.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		964601460			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		10841399			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930484744			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		96			
Casing Diameter:		5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Results of Well Yield Testing</u>					
Pump Test ID:		994601460			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:		30.0			
Recommended Pump Rate:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		Yes			
<u>Water Details</u>					
Water ID:		933763757			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		96.0			
Water Found Depth UOM:		ft			

5	1 of 1	ENE/0.0	136.6 / 6.70	2944 AUDLEY ROAD Ajax ON	WWIS
Well ID:	7291772			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring			Date Received:	8/1/2017
Sec. Water Use:				Selected Flag:	True
Final Well Status:	Observation Wells			Abandonment Rec:	
Water Type:				Contractor:	7360
Casing Material:				Form Version:	7
Audit No:	Z265888			Owner:	
Tag:	A224740			Street Name:	2944 AUDLEY ROAD
Construction Method:				County:	DURHAM
Elevation (m):				Municipality:	AJAX TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):					

Additional Detail(s) (Map)

Well Completed Date:	2017/04/05
Year Completed:	2017
Depth (m):	6.096
Latitude:	43.9210734503465
Longitude:	-79.0243131475558
Path:	

Bore Hole Information

Bore Hole ID:	1006678904	Elevation:	136.994934
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	658610.00
Code OB Desc:		North83:	4865004.00
Open Hole:		Org CS:	UTM83

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

Cluster Kind:
Date Completed: 05-Apr-2017 00:00:00
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

UTMRC: 4
UTMRC Desc: margin of error : 30 m - 100 m
Location Method: wwr

Overburden and Bedrock Materials Interval

Formation ID: 1006821973
Layer: 1
Color: 6
General Color: BROWN
Mat1: 01
Most Common Material: FILL
Mat2:
Mat2 Desc:
Mat3: 85
Mat3 Desc: SOFT
Formation Top Depth: 0.0
Formation End Depth: 5.0
Formation End Depth UOM: ft

Overburden and Bedrock Materials Interval

Formation ID: 1006821974
Layer: 2
Color: 2
General Color: GREY
Mat1: 06
Most Common Material: SILT
Mat2: 28
Mat2 Desc: SAND
Mat3: 73
Mat3 Desc: HARD
Formation Top Depth: 5.0
Formation End Depth: 20.0
Formation End Depth UOM: ft

Annular Space/Abandonment Sealing Record

Plug ID: 1006821981
Layer: 1
Plug From: 8
Plug To: 0
Plug Depth UOM: ft

Method of Construction & Well Use

Method Construction ID: 1006821980
Method Construction Code: E
Method Construction: Auger
Other Method Construction:

Pipe Information

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Pipe ID: 1006821972
Casing No: 0
Comment:
Alt Name:

Construction Record - Screen

Screen ID: 1006821978
Layer: 1
Slot: .1
Screen Top Depth: 10
Screen End Depth: 20
Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 2

Water Details

Water ID: 1006821976
Layer: 1
Kind Code: 8
Kind: Untested
Water Found Depth: 5.0
Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006821975
Diameter: 6.0
Depth From: 0.0
Depth To: 20.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

<u>6</u>	1 of 1	WSW/0.0	131.0/ 1.08	3225 SIDELINE 4 lot 4 con 5 LUCUST HILL ON	WWIS
----------	--------	---------	-------------	---	------

Well ID: 7292854
Construction Date:
Primary Water Use: Monitoring
Sec. Water Use:
Final Well Status: Observation Wells
Water Type:
Casing Material:
Audit No: Z265886
Tag: A224705
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src:
Date Received: 8/18/2017
Selected Flag: True
Abandonment Rec:
Contractor: 7360
Form Version: 7
Owner:
Street Name: 3225 SIDELINE 4
County: DURHAM

Municipality: PICKERING TOWN
Site Info:
Lot: 004
Concession: 05
Concession Name: CON
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

PDF URL (Map):

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Additional Detail(s) (Map)

Well Completed Date: 2017/04/10
Year Completed: 2017
Depth (m): 7.62
Latitude: 43.9198647118323
Longitude: -79.027828332902
Path:

Bore Hole Information

Bore Hole ID:	1006713150	Elevation:	135.151336
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	658331.00
Code OB Desc:		North83:	4864863.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	10-Apr-2017 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 1006839127
Layer: 2
Color: 6
General Color: BROWN
Mat1: 28
Most Common Material: SAND
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 2.0
Formation End Depth: 7.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006839126
Layer: 1
Color:
General Color:
Mat1: 02
Most Common Material: TOPSOIL
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 0.0
Formation End Depth: 2.0
Formation End Depth UOM: ft

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006839128			
Layer:		3			
Color:					
General Color:					
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Mat2 Desc:					
Mat3:		91			
Mat3 Desc:		WATER-BEARING			
Formation Top Depth:		7.0			
Formation End Depth:		25.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006839135			
Layer:		1			
Plug From:		16			
Plug To:		0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1006839134			
Method Construction Code:		B			
Method Construction:		Other Method			
Other Method Construction:		AUGER			
<u>Pipe Information</u>					
Pipe ID:		1006839125			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Screen</u>					
Screen ID:		1006839132			
Layer:		1			
Slot:		.10			
Screen Top Depth:		17.5			
Screen End Depth:		22.5			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2			
<u>Water Details</u>					
Water ID:		1006839130			
Layer:		1			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:		7.0			
Water Found Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Hole Diameter

Hole ID: 1006839129
 Diameter: 6.0
 Depth From: 0.0
 Depth To: 22.5
 Hole Depth UOM: ft
 Hole Diameter UOM: inch

[7](#) 1 of 1 WSW/0.0 131.9 / 1.97 3225 SIDELINE 4 lot 4 con 5 LOCUST HILL ON WWIS

Well ID: 7292855
 Construction Date:
 Primary Water Use: Monitoring
 Sec. Water Use:
 Final Well Status: Observation Wells
 Water Type:
 Casing Material:
 Audit No: Z265885
 Tag: A203302
 Construction Method:
 Elevation (m):
 Elevation Reliability:
 Depth to Bedrock:
 Well Depth:
 Overburden/Bedrock:
 Pump Rate:
 Static Water Level:
 Flowing (Y/N):
 Flow Rate:
 Clear/Cloudy:

Data Entry Status:
 Data Src:
 Date Received: 8/18/2017
 Selected Flag: True
 Abandonment Rec:
 Contractor: 7360
 Form Version: 7
 Owner:
 Street Name: 3225 SIDELINE 4
 County: DURHAM
 Municipality: PICKERING TOWN
 Site Info:
 Lot: 004
 Concession: 05
 Concession Name: CON
 Easting NAD83:
 Northing NAD83:
 Zone:
 UTM Reliability:

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2017/04/10
 Year Completed: 2017
 Depth (m): 7.62
 Latitude: 43.919546360897
 Longitude: -79.0281627019706
 Path:

Bore Hole Information

Bore Hole ID: 1006713153	Elevation: 134.355300
DP2BR:	Elevrc:
Spatial Status:	Zone: 17
Code OB:	East83: 658305.00
Code OB Desc:	North83: 4864827.00
Open Hole:	Org CS: UTM83
Cluster Kind:	UTMRC: 4
Date Completed: 10-Apr-2017 00:00:00	UTMRC Desc: margin of error : 30 m - 100 m
Remarks:	Location Method: wwr
Elevrc Desc:	
Location Source Date:	
Improvement Location Source:	
Improvement Location Method:	
Source Revision Comment:	
Supplier Comment:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006839153			
Layer:		3			
Color:					
General Color:					
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		7.0			
Formation End Depth:		25.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006839151			
Layer:		1			
Color:					
General Color:					
Mat1:		02			
Most Common Material:		TOPSOIL			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		2.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006839152			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		2.0			
Formation End Depth:		7.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006839160			
Layer:		1			
Plug From:		3			
Plug To:		0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Use</u>					
Method Construction ID:		1006839159			
Method Construction Code:		B			
Method Construction:		Other Method			
Other Method Construction:		AUGER			
<u>Pipe Information</u>					
Pipe ID:		1006839150			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Screen</u>					
Screen ID:		1006839157			
Layer:		1			
Slot:		.10			
Screen Top Depth:		5			
Screen End Depth:		10			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2			
<u>Water Details</u>					
Water ID:		1006839155			
Layer:		1			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:		7.0			
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1006839154			
Diameter:		6.0			
Depth From:		0.0			
Depth To:		10.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

8

1 of 1

W/0.0

132.6 / 2.71

3225 SIDELINE 4
LOCUST HILL ON

WWIS

Well ID:	7287366	Data Entry Status:	
Construction Date:		Data Src:	
Primary Water Use:	Monitoring	Date Received:	5/29/2017
Sec. Water Use:		Selected Flag:	True
Final Well Status:	Observation Wells	Abandonment Rec:	
Water Type:		Contractor:	7472
Casing Material:		Form Version:	7
Audit No:	Z259465	Owner:	
Tag:	A222970	Street Name:	3225 SIDELINE 4
Construction Method:		County:	DURHAM
Elevation (m):		Municipality:	PICKERING TOWN
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:				Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2017/04/13
Year Completed: 2017
Depth (m): 29.5656
Latitude: 43.920277612178
Longitude: -79.0287987046122
Path:

Bore Hole Information

Bore Hole ID:	1006486909	Elevation:	136.880996
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	658252.00
Code OB Desc:		North83:	4864907.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	13-Apr-2017 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 1006761606
Layer: 2
Color: 3
General Color: BLUE
Mat1: 05
Most Common Material: CLAY
Mat2: 11
Mat2 Desc: GRAVEL
Mat3: 79
Mat3 Desc: PACKED
Formation Top Depth: 30.0
Formation End Depth: 40.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006761607
Layer: 3
Color: 2
General Color: GREY
Mat1: 05

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Most Common Material:					
Mat2:		CLAY			
Mat2 Desc:		28			
Mat3:		SAND			
Mat3 Desc:		11			
Formation Top Depth:		GRAVEL			
Formation End Depth:		40.0			
Formation End Depth UOM:		79.0			
		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006761608			
Layer:		4			
Color:		2			
General Color:		GREY			
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Mat2 Desc:					
Mat3:		66			
Mat3 Desc:		DENSE			
Formation Top Depth:		79.0			
Formation End Depth:		97.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006761605			
Layer:		1			
Color:		3			
General Color:		BLUE			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:		77			
Mat3 Desc:		LOOSE			
Formation Top Depth:		0.0			
Formation End Depth:		30.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006761617			
Layer:		2			
Plug From:		91			
Plug To:		97			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006761616			
Layer:		1			
Plug From:		0			
Plug To:		91			
Plug Depth UOM:		ft			
<u>Method of Construction & Well</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Use</u>					
Method Construction ID:		1006761615			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:		BORING			
<u>Pipe Information</u>					
Pipe ID:		1006761604			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Screen</u>					
Screen ID:		1006761613			
Layer:		1			
Slot:		10			
Screen Top Depth:		92			
Screen End Depth:		97			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.5			
<u>Water Details</u>					
Water ID:		1006761611			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1006761609			
Diameter:		6.0			
Depth From:		0.0			
Depth To:		20.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<u>Hole Diameter</u>					
Hole ID:		1006761610			
Diameter:		4.0			
Depth From:		20.0			
Depth To:		97.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

9

1 of 1

E/0.0

136.9 / 7.00

2944 AUDLEY ROAD
Ajax ON

WWIS

Well ID: 7291770
Construction Date:
Primary Water Use: Monitoring
Sec. Water Use:
Final Well Status: Observation Wells

Data Entry Status:
Data Src:
Date Received: 8/1/2017
Selected Flag: True
Abandonment Rec:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water Type: Casing Material: Audit No: Z265889 Tag: A224690 Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:		Contractor: 7360 Form Version: 7 Owner: Street Name: 2944 AUDLEY ROAD County: DURHAM Municipality: AJAX TOWN Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:			
PDF URL (Map):					
<u>Additional Detail(s) (Map)</u>					
Well Completed Date: 2017/04/05 Year Completed: 2017 Depth (m): 6.096 Latitude: 43.9199270768904 Longitude: -79.0225823700595 Path:					
<u>Bore Hole Information</u>					
Bore Hole ID: 1006678898 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 05-Apr-2017 00:00:00 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:		Elevation: 136.681518 Elevrc: Zone: 17 East83: 658752.00 North83: 4864880.00 Org CS: UTM83 UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m Location Method: wwr			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID: 1006821953 Layer: 1 Color: 6 General Color: BROWN Mat1: 01 Most Common Material: FILL Mat2: Mat2 Desc: Mat3: 85 Mat3 Desc: SOFT Formation Top Depth: 0.0 Formation End Depth: 5.0 Formation End Depth UOM: ft					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006821954			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:		73			
Mat3 Desc:		HARD			
Formation Top Depth:		5.0			
Formation End Depth:		20.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006821961			
Layer:		1			
Plug From:		8			
Plug To:		0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1006821960			
Method Construction Code:		E			
Method Construction:		Auger			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006821952			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Screen</u>					
Screen ID:		1006821958			
Layer:		1			
Slot:		.1			
Screen Top Depth:		10			
Screen End Depth:		20			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2			
<u>Water Details</u>					
Water ID:		1006821956			
Layer:		1			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:		4.0			
Water Found Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Hole Diameter</u>					
Hole ID:		1006821955			
Diameter:		6.0			
Depth From:		0.0			
Depth To:		20.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

10	1 of 1	WNW/49.7	132.9 / 2.97	SDLM 4 lot 4 con 5 PICKERING ON	WWIS
Well ID:	7251326			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Domestic			Date Received:	11/2/2015
Sec. Water Use:				Selected Flag:	True
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	5459
Casing Material:				Form Version:	7
Audit No:	Z210517			Owner:	
Tag:	A102850			Street Name:	SDLM 4
Construction Method:				County:	DURHAM
Elevation (m):				Municipality:	PICKERING TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	004
Well Depth:				Concession:	05
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/725\7251326.pdf

Additional Detail(s) (Map)

Well Completed Date: 2015/10/15
Year Completed: 2015
Depth (m): 28.956
Latitude: 43.921670009184
Longitude: -79.029138855651
Path: 725\7251326.pdf

Bore Hole Information

Bore Hole ID:	1005775218	Elevation:	137.806457
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	658221.00
Code OB Desc:		North83:	4865061.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	15-Oct-2015 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1005800172			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		74			
Mat2 Desc:		LAYERED			
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		30.0			
Formation End Depth:		81.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1005800171			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		85			
Mat2 Desc:		SOFT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		30.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1005800173			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		12			
Mat2 Desc:		STONES			
Mat3:		77			
Mat3 Desc:		LOOSE			
Formation Top Depth:		81.0			
Formation End Depth:		95.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005800206			
Layer:		1			
Plug From:		0			
Plug To:		20			
Plug Depth UOM:		ft			
<u>Method of Construction & Well</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Use</u>					
Method Construction ID:		1005800205			
Method Construction Code:		4			
Method Construction:		Rotary (Air)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1005800169			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Screen</u>					
Screen ID:		1005800177			
Layer:		1			
Slot:		10			
Screen Top Depth:		84			
Screen End Depth:		95			
Screen Material:		1			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1005800170			
Pump Set At:		80.0			
Static Level:		-2.0			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:		10.0			
Flowing Rate:		0.5			
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		0			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		Yes			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005800186			
Test Type:		Draw Down			
Test Duration:		5			
Test Level:		6.900000095367432			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005800189			
Test Type:		Recovery			
Test Duration:		10			
Test Level:		0.0			
Test Level UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005800193			
Test Type:		Recovery			
Test Duration:		20			
Test Level:		1.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005800195			
Test Type:		Recovery			
Test Duration:		25			
Test Level:		1.5			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005800180			
Test Type:		Draw Down			
Test Duration:		2			
Test Level:		6.199999809265137			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005800182			
Test Type:		Draw Down			
Test Duration:		3			
Test Level:		6.599999904632568			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005800187			
Test Type:		Recovery			
Test Duration:		5			
Test Level:		1.399999976158142			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005800200			
Test Type:		Draw Down			
Test Duration:		50			
Test Level:		7.800000190734863			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005800201			
Test Type:		Recovery			
Test Duration:		50			
Test Level:		2.0999999046325684			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005800203			
Test Type:		Recovery			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Test Duration:</i>			60		
<i>Test Level:</i>			2.0999999046325684		
<i>Test Level UOM:</i>			ft		
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>			1005800181		
<i>Test Type:</i>			Recovery		
<i>Test Duration:</i>			2		
<i>Test Level:</i>			2.0		
<i>Test Level UOM:</i>			ft		
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>			1005800185		
<i>Test Type:</i>			Recovery		
<i>Test Duration:</i>			4		
<i>Test Level:</i>			1.5		
<i>Test Level UOM:</i>			ft		
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>			1005800191		
<i>Test Type:</i>			Recovery		
<i>Test Duration:</i>			15		
<i>Test Level:</i>			0.6000000238418579		
<i>Test Level UOM:</i>			ft		
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>			1005800198		
<i>Test Type:</i>			Draw Down		
<i>Test Duration:</i>			40		
<i>Test Level:</i>			7.699999809265137		
<i>Test Level UOM:</i>			ft		
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>			1005800202		
<i>Test Type:</i>			Draw Down		
<i>Test Duration:</i>			60		
<i>Test Level:</i>			7.900000095367432		
<i>Test Level UOM:</i>			ft		
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>			1005800183		
<i>Test Type:</i>			Recovery		
<i>Test Duration:</i>			3		
<i>Test Level:</i>			1.7000000476837158		
<i>Test Level UOM:</i>			ft		
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>			1005800184		
<i>Test Type:</i>			Draw Down		
<i>Test Duration:</i>			4		
<i>Test Level:</i>			6.800000190734863		
<i>Test Level UOM:</i>			ft		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1005800196		
Test Type:			Draw Down		
Test Duration:			30		
Test Level:			7.699999809265137		
Test Level UOM:			ft		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1005800199		
Test Type:			Recovery		
Test Duration:			40		
Test Level:			2.0		
Test Level UOM:			ft		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1005800190		
Test Type:			Draw Down		
Test Duration:			15		
Test Level:			7.400000095367432		
Test Level UOM:			ft		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1005800179		
Test Type:			Recovery		
Test Duration:			1		
Test Level:			2.700000047683716		
Test Level UOM:			ft		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1005800188		
Test Type:			Draw Down		
Test Duration:			10		
Test Level:			7.300000190734863		
Test Level UOM:			ft		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1005800192		
Test Type:			Draw Down		
Test Duration:			20		
Test Level:			7.5		
Test Level UOM:			ft		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1005800178		
Test Type:			Draw Down		
Test Duration:			1		
Test Level:			5.300000190734863		
Test Level UOM:			ft		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1005800194		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Type:		Draw Down			
Test Duration:		25			
Test Level:		7.599999904632568			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005800197			
Test Type:		Recovery			
Test Duration:		30			
Test Level:		1.7000000476837158			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		1005800175			
Layer:		1			
Kind Code:					
Kind:					
Water Found Depth:		95.0			
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1005800174			
Diameter:		6.0			
Depth From:		95.0			
Depth To:		0.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

11	1 of 1	NW/62.4	131.4 / 1.50	lot 4 con 5 ON	WWIS
Well ID:		4601459		Data Entry Status:	
Construction Date:				Data Src: 1	
Primary Water Use:		Public		Date Received: 8/24/1965	
Sec. Water Use:		0		Selected Flag: True	
Final Well Status:		Water Supply		Abandonment Rec:	
Water Type:				Contractor: 2306	
Casing Material:				Form Version: 1	
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County: DURHAM	
Elevation (m):				Municipality: PICKERING TOWN	
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot: 004	
Well Depth:				Concession: 05	
Overburden/Bedrock:				Concession Name: CON	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/460\4601459.pdf

Additional Detail(s) (Map)

Well Completed Date: 1965/08/17
Year Completed: 1965
Depth (m): 21.6408

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Latitude:		43.922237307213			
Longitude:		-79.0286218682189			
Path:		460\4601459.pdf			

Bore Hole Information

Bore Hole ID:	10292828	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:	o	East83:	658261.00
Code OB Desc:	Overburden	North83:	4865125.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	3
Date Completed:	17-Aug-1965 00:00:00	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	gps
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	931945049
Layer:	1
Color:	
General Color:	
Mat1:	23
Most Common Material:	PREVIOUSLY DUG
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	0.0
Formation End Depth:	15.0
Formation End Depth UOM:	ft

Overburden and Bedrock

Materials Interval

Formation ID:	931945051
Layer:	3
Color:	
General Color:	
Mat1:	05
Most Common Material:	CLAY
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	25.0
Formation End Depth:	60.0
Formation End Depth UOM:	ft

Overburden and Bedrock

Materials Interval

Formation ID:	931945050
Layer:	2
Color:	3

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
General Color:		BLUE			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		15.0			
Formation End Depth:		25.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931945052			
Layer:		4			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		09			
Mat2 Desc:		MEDIUM SAND			
Mat3:		11			
Mat3 Desc:		GRAVEL			
Formation Top Depth:		60.0			
Formation End Depth:		71.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		964601459			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10841398			
Casing No:		1			
Comment:					
Alt Name:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		994601459			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:		50.0			
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		Yes			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Water Details

Water ID: 933763756
 Layer: 1
 Kind Code: 1
 Kind: FRESH
 Water Found Depth: 71.0
 Water Found Depth UOM: ft

[12](#) 1 of 1 S/92.7 123.8 / -6.06 TRANS-NORTHERN PIPELINES INC./ PIPELINES TRANS-NORD INC. EASR

ON

Approval No:	R-009-5110104083	SWP Area Name:	Toronto
Status:	REGISTERED	MOE District:	York-Durham
Date:	2017-03-29	Municipality:	
Record Type:	EASR	Latitude:	43.91777778
Link Source:	MOFA	Longitude:	-79.02583333
Project Type:	Water Taking - Construction Dewatering	Geometry X:	
Full Address:		Geometry Y:	
Approval Type:	EASR-Water Taking - Construction Dewatering		
Full PDF Link:	http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2032932		

[13](#) 1 of 1 WSW/115.0 130.1 / 0.20 lot 5 con 5 ON WWIS

Well ID:	1905108	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:	Domestic	Date Received:	9/16/1978
Sec. Water Use:	0	Selected Flag:	True
Final Well Status:	Water Supply	Abandonment Rec:	
Water Type:		Contractor:	4743
Casing Material:		Form Version:	1
Audit No:		Owner:	
Tag:		Street Name:	
Construction Method:		County:	DURHAM
Elevation (m):		Municipality:	PICKERING TOWN
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	005
Well Depth:		Concession:	05
Overburden/Bedrock:		Concession Name:	CON
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/190\1905108.pdf

Additional Detail(s) (Map)

Well Completed Date: 1978/08/16
 Year Completed: 1978
 Depth (m): 24.384
 Latitude: 43.9186406515746
 Longitude: -79.0299388936822
 Path: 190\1905108.pdf

Bore Hole Information

Bore Hole ID: 10073959 Elevation: 131.938125

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
DP2BR:	79.00			Elevrc:	
Spatial Status:				Zone:	17
Code OB:	r			East83:	658164.80
Code OB Desc:	Bedrock			North83:	4864723.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	16-Aug-1978 00:00:00			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

Overburden and Bedrock

Materials Interval

Formation ID: 931155596
Layer: 3
Color: 3
General Color: BLUE
Mat1: 05
Most Common Material: CLAY
Mat2: 28
Mat2 Desc: SAND
Mat3:
Mat3 Desc:
Formation Top Depth: 40.0
Formation End Depth: 79.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931155594
Layer: 1
Color: 3
General Color: BLUE
Mat1: 05
Most Common Material: CLAY
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 0.0
Formation End Depth: 30.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931155595
Layer: 2
Color: 3
General Color: BLUE
Mat1: 05
Most Common Material: CLAY
Mat2: 11
Mat2 Desc: GRAVEL
Mat3:
Mat3 Desc:
Formation Top Depth: 30.0

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth:		40.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931155597			
Layer:		4			
Color:		8			
General Color:		BLACK			
Mat1:		17			
Most Common Material:		SHALE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		79.0			
Formation End Depth:		80.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961905108			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10622529			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930131660			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		79			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991905108			
Pump Set At:					
Static Level:					
Final Level After Pumping:		40.0			
Recommended Pump Depth:		15.0			
Pumping Rate:		10.0			
Flowing Rate:		5.0			
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pumping Duration HR:	1				
Pumping Duration MIN:	0				
Flowing:	Yes				
<u>Water Details</u>					
Water ID:	933515643				
Layer:	1				
Kind Code:	1				
Kind:	FRESH				
Water Found Depth:	79.0				
Water Found Depth UOM:	ft				

14	1 of 2	WSW/130.0	127.0 / -2.93	lot 5 con 5 ON	WWIS
Well ID:	1914543			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Irrigation			Date Received:	6/12/2000
Sec. Water Use:				Selected Flag:	True
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1413
Casing Material:				Form Version:	1
Audit No:	214730			Owner:	
Tag:				Street Name:	
Construction Method:				County:	DURHAM
Elevation (m):				Municipality:	PICKERING TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	005
Well Depth:				Concession:	05
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/191\1914543.pdf

Additional Detail(s) (Map)

Well Completed Date: 2000/05/11
Year Completed: 2000
Depth (m): 29.5656
Latitude: 43.9178361093344
Longitude: -79.0297512165823
Path: 191\1914543.pdf

Bore Hole Information

Bore Hole ID:	10083134	Elevation:	126.929672
DP2BR:	77.00	Elevrc:	
Spatial Status:		Zone:	17
Code OB:	r	East83:	658182.00
Code OB Desc:	Bedrock	North83:	4864634.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	4
Date Completed:	11-May-2000 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	gps
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Improvement Location Method:
Source Revision Comment:
Supplier Comment:

**Overburden and Bedrock
Materials Interval**

Formation ID: 931197769
Layer: 3
Color: 2
General Color: GREY
Mat1: 05
Most Common Material: CLAY
Mat2: 12
Mat2 Desc: STONES
Mat3: 85
Mat3 Desc: SOFT
Formation Top Depth: 37.0
Formation End Depth: 77.0
Formation End Depth UOM: ft

**Overburden and Bedrock
Materials Interval**

Formation ID: 931197768
Layer: 2
Color: 2
General Color: GREY
Mat1: 05
Most Common Material: CLAY
Mat2: 85
Mat2 Desc: SOFT
Mat3:
Mat3 Desc:
Formation Top Depth: 17.0
Formation End Depth: 37.0
Formation End Depth UOM: ft

**Overburden and Bedrock
Materials Interval**

Formation ID: 931197770
Layer: 4
Color: 8
General Color: BLACK
Mat1: 17
Most Common Material: SHALE
Mat2: 80
Mat2 Desc: POROUS
Mat3: 70
Mat3 Desc: FOSILIFEROUS
Formation Top Depth: 77.0
Formation End Depth: 97.0
Formation End Depth UOM: ft

**Overburden and Bedrock
Materials Interval**

Formation ID: 931197767
Layer: 1
Color: 6
General Color: BROWN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat1:		28			
Most Common Material:		SAND			
Mat2:		79			
Mat2 Desc:		PACKED			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		17.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933125202			
Layer:		1			
Plug From:		0			
Plug To:		20			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961914543			
Method Construction Code:		4			
Method Construction:		Rotary (Air)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10631704			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930141133			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		77			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991914543			
Pump Set At:					
Static Level:					
Final Level After Pumping:		70.0			
Recommended Pump Depth:		70.0			
Pumping Rate:		20.0			
Flowing Rate:					
Recommended Pump Rate:		10.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pumping Duration MIN:					
Flowing:		No			
Draw Down & Recovery					
Pump Test Detail ID:		934929413			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		70.0			
Test Level UOM:		ft			
Water Details					
Water ID:		933524875			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		97.0			
Water Found Depth UOM:		ft			

<u>14</u>	2 of 2	WSW/130.0	127.0 / -2.93	lot 6 con 5 ON	WWIS
Well ID:		1912924		Data Entry Status:	
Construction Date:				Data Src: 1	
Primary Water Use:		Domestic		Date Received: 8/13/1996	
Sec. Water Use:				Selected Flag: True	
Final Well Status:		Water Supply		Abandonment Rec:	
Water Type:				Contractor: 6874	
Casing Material:				Form Version: 1	
Audit No:		165215		Owner:	
Tag:				Street Name:	
Construction Method:				County: DURHAM	
Elevation (m):				Municipality: PICKERING TOWN	
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot: 006	
Well Depth:				Concession: 05	
Overburden/Bedrock:				Concession Name: CON	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/191\1912924.pdf

Additional Detail(s) (Map)

Well Completed Date: 1996/07/23
Year Completed: 1996
Depth (m):
Latitude: 43.9178361093344
Longitude: -79.0297512165823
Path: 191\1912924.pdf

Bore Hole Information

Bore Hole ID:	10081543	Elevation:	126.929672
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	658182.00
Code OB Desc:	No formation data	North83:	4864634.00

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	4
Date Completed:	23-Jul-1996 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	gps
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:	961912924				
Method Construction Code:	1				
Method Construction:	Cable Tool				
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	10630113				
Casing No:	1				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	930139543				
Layer:	1				
Material:	3				
Open Hole or Material:	CONCRETE				
Depth From:					
Depth To:	24				
Casing Diameter:	30				
Casing Diameter UOM:	inch				
Casing Depth UOM:	ft				
<u>Results of Well Yield Testing</u>					
Pump Test ID:	991912924				
Pump Set At:					
Static Level:	5.0				
Final Level After Pumping:	24.0				
Recommended Pump Depth:	23.0				
Pumping Rate:	20.0				
Flowing Rate:					
Recommended Pump Rate:	2.0				
Levels UOM:	ft				
Rate UOM:	GPM				
Water State After Test Code:	1				
Water State After Test:	CLEAR				
Pumping Test Method:	1				
Pumping Duration HR:	1				
Pumping Duration MIN:	30				
Flowing:	No				
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:	934131652				
Test Type:					
Test Duration:	15				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Level:		23.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934680051			
Test Type:					
Test Duration:		45			
Test Level:		21.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934403284			
Test Type:					
Test Duration:		30			
Test Level:		22.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934933724			
Test Type:					
Test Duration:		60			
Test Level:		20.0			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		933523464			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:					
Water Found Depth UOM:		ft			

15	1 of 1	ESE/147.6	134.9 / 4.96	lot 3 con 2 ON	WWIS
Well ID:	1912286			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	1/11/1995
Sec. Water Use:				Selected Flag:	True
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	5459
Casing Material:				Form Version:	1
Audit No:	141574			Owner:	
Tag:				Street Name:	
Construction Method:				County:	DURHAM
Elevation (m):				Municipality:	AJAX TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	003
Well Depth:				Concession:	02
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/191\1912286.pdf				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Additional Detail(s) (Map)

Well Completed Date: 1994/12/22
Year Completed: 1994
Depth (m): 28.956
Latitude: 43.9189749102629
Longitude: -79.0201103365766
Path: 191\1912286.pdf

Bore Hole Information

Bore Hole ID:	10080906	Elevation:	134.363510
DP2BR:	93.00	Elevrc:	
Spatial Status:		Zone:	17
Code OB:	r	East83:	658953.00
Code OB Desc:	Bedrock	North83:	4864779.00
Open Hole:		Org CS:	4
Cluster Kind:		UTMRC:	
Date Completed:	22-Dec-1994 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	gps
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 931188802
Layer: 2
Color: 2
General Color: GREY
Mat1: 05
Most Common Material: CLAY
Mat2: 12
Mat2 Desc: STONES
Mat3:
Mat3 Desc:
Formation Top Depth: 23.0
Formation End Depth: 89.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931188801
Layer: 1
Color: 6
General Color: BROWN
Mat1: 05
Most Common Material: CLAY
Mat2: 12
Mat2 Desc: STONES
Mat3:
Mat3 Desc:
Formation Top Depth: 0.0
Formation End Depth: 23.0
Formation End Depth UOM: ft

Overburden and Bedrock

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Materials Interval</u>					
Formation ID:		931188803			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		12			
Mat2 Desc:		STONES			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		89.0			
Formation End Depth:		93.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931188804			
Layer:		4			
Color:		8			
General Color:		BLACK			
Mat1:		17			
Most Common Material:		SHALE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		93.0			
Formation End Depth:		95.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		933122557			
Layer:		1			
Plug From:		0			
Plug To:		19			
Plug Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		961912286			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10629476			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930138890			
Layer:		1			
Material:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		90			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933333037			
Layer:		1			
Slot:		014			
Screen Top Depth:		90			
Screen End Depth:		93			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991912286			
Pump Set At:					
Static Level:					
Final Level After Pumping:		90.0			
Recommended Pump Depth:		80.0			
Pumping Rate:		8.0			
Flowing Rate:					
Recommended Pump Rate:		8.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		3			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934138732			
Test Type:					
Test Duration:		15			
Test Level:		90.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934931487			
Test Type:					
Test Duration:		60			
Test Level:		90.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934678376			
Test Type:					
Test Duration:		45			
Test Level:		90.0			
Test Level UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934410377			
Test Type:					
Test Duration:		30			
Test Level:		90.0			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		933522866			
Layer:		1			
Kind Code:		5			
Kind:		Not stated			
Water Found Depth:		90.0			
Water Found Depth UOM:		ft			

16	1 of 12	WNW/159.2	138.7 / 8.82	LLOYD'S LANDSCAPING LIMITED 3330 BALSAM RD PICKERING ON L1X2W4	PES
Detail Licence No:	02-01-00395-0			Operator Box:	
Licence No:	00395			Operator Class:	
Status:				Operator No:	
Approval Date:				Operator Type:	
Report Source:	Legacy Licenses (Excluding TS)			Oper Area Code:	905
Licence Type:	Operator			Oper Phone No:	6192757
Licence Type Code:	02			Operator Ext:	
Licence Class:	01			Operator Lot:	
Licence Control:	0			Oper Concession:	
Latitude:				Operator Region:	3
Longitude:				Operator District:	
Lot:				Operator County:	19
Concession:				Op Municipality:	
Region:	3			Post Office Box:	
District:				MOE District:	
County:	19			SWP Area Name:	
Trade Name:					
PDF Link:					

16	2 of 12	WNW/159.2	138.7 / 8.82	LLOYD'S LANDSCAPING LTD 3330 BALSAM RD PICKERING ON L1X 2W4	PES
Detail Licence No:				Operator Box:	
Licence No:				Operator Class:	
Status:				Operator No:	
Approval Date:				Operator Type:	
Report Source:				Oper Area Code:	
Licence Type:	Operator			Oper Phone No:	
Licence Type Code:				Operator Ext:	
Licence Class:				Operator Lot:	
Licence Control:				Oper Concession:	
Latitude:				Operator Region:	
Longitude:				Operator District:	
Lot:				Operator County:	
Concession:				Op Municipality:	
Region:				Post Office Box:	
District:				MOE District:	
County:				SWP Area Name:	
Trade Name:					
PDF Link:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
16	3 of 12	WNW/159.2	138.7 / 8.82	LLOYD'S LANDSCAPING LTD. 3330 BALSAM ROAD PICKERING ON L1X 2W4	GEN
Generator No:	ON0780701			PO Box No:	
Status:				Country:	
Approval Years:	2009			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	561730				
SIC Description:	Landscaping Services				
<u>Detail(s)</u>					
Waste Class:	213				
Waste Class Desc:	PETROLEUM DISTILLATES				
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				
16	4 of 12	WNW/159.2	138.7 / 8.82	LLOYD'S LANDSCAPING LTD. 3330 BALSAM ROAD PICKERING ON L1X 2W4	GEN
Generator No:	ON0780701			PO Box No:	
Status:				Country:	
Approval Years:	2010			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	561730				
SIC Description:	Landscaping Services				
<u>Detail(s)</u>					
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				
Waste Class:	213				
Waste Class Desc:	PETROLEUM DISTILLATES				
16	5 of 12	WNW/159.2	138.7 / 8.82	LLOYD'S LANDSCAPING LTD. 3330 BALSAM ROAD PICKERING ON L1X 2W4	GEN
Generator No:	ON0780701			PO Box No:	
Status:				Country:	
Approval Years:	2011			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	561730				
SIC Description:	Landscaping Services				
<u>Detail(s)</u>					
Waste Class:	213				
Waste Class Desc:	PETROLEUM DISTILLATES				
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
16	6 of 12	WNW/159.2	138.7 / 8.82	LLOYD'S LANDSCAPING LTD 3330 BALSAM RD PICKERING ON L1X 2W4	PES
Detail Licence No:	02-01-06816-0			Operator Box:	
Licence No:				Operator Class:	
Status:				Operator No:	
Approval Date:				Operator Type:	
Report Source:				Oper Area Code:	
Licence Type:	OPERATOR			Oper Phone No:	
Licence Type Code:				Operator Ext:	
Licence Class:				Operator Lot:	
Licence Control:				Oper Concession:	
Latitude:				Operator Region:	
Longitude:				Operator District:	
Lot:				Operator County:	
Concession:				Op Municipality:	
Region:				Post Office Box:	
District:				MOE District:	
County:				SWP Area Name:	
Trade Name:					
PDF Link:					

16	7 of 12	WNW/159.2	138.7 / 8.82	LLOYD'S LANDSCAPING LTD. 3330 BALSAM ROAD PICKERING ON L1X 2W4	GEN
Generator No:	ON0780701			PO Box No:	
Status:				Country:	
Approval Years:	2012			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	561730				
SIC Description:	Landscaping Services				
<u>Detail(s)</u>					
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				
Waste Class:	213				
Waste Class Desc:	PETROLEUM DISTILLATES				

16	8 of 12	WNW/159.2	138.7 / 8.82	LLOYD'S LANDSCAPING LTD. 3330 BALSAM ROAD PICKERING ON	GEN
Generator No:	ON0780701			PO Box No:	
Status:				Country:	
Approval Years:	2013			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	561730				
SIC Description:	LANDSCAPING SERVICES				
<u>Detail(s)</u>					
Waste Class:	213				
Waste Class Desc:	PETROLEUM DISTILLATES				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
16	9 of 12	WNW/159.2	138.7 / 8.82	LLOYD'S LANDSCAPING LTD. 3330 BALSAM ROAD PICKERING ON L1X 2W4	GEN
Generator No:	ON0780701			PO Box No:	
Status:				Country:	Canada
Approval Years:	2016			Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No			Co Admin:	
MHSW Facility:	No			Phone No Admin:	
SIC Code:	561730				
SIC Description:	LANDSCAPING SERVICES				
<u>Detail(s)</u>					
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
16	10 of 12	WNW/159.2	138.7 / 8.82	LLOYD'S LANDSCAPING LTD. 3330 BALSAM ROAD PICKERING ON L1X 2W4	GEN
Generator No:	ON0780701			PO Box No:	
Status:				Country:	Canada
Approval Years:	2015			Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No			Co Admin:	
MHSW Facility:	No			Phone No Admin:	
SIC Code:	561730				
SIC Description:	LANDSCAPING SERVICES				
<u>Detail(s)</u>					
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
16	11 of 12	WNW/159.2	138.7 / 8.82	LLOYD'S LANDSCAPING LTD. 3330 BALSAM ROAD PICKERING ON L1X 2W4	GEN
Generator No:	ON0780701			PO Box No:	
Status:				Country:	Canada
Approval Years:	2014			Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No			Co Admin:	
MHSW Facility:	No			Phone No Admin:	
SIC Code:	561730				
SIC Description:	LANDSCAPING SERVICES				
<u>Detail(s)</u>					
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		213			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Desc:		PETROLEUM DISTILLATES			
16	12 of 12	WNW/159.2	138.7 / 8.82	LLOYD'S LANDSCAPING LIMITED 3330 BALSAM RD PICKERING ON L1X2W4	PES
Detail Licence No:		Operator Box:			
Licence No:	00395	Operator Class:			
Status:		Operator No:			
Approval Date:		Operator Type:			
Report Source:	Legacy Licenses (Excluding TS)	Oper Area Code: 905			
Licence Type:	Operator	Oper Phone No: 6192757			
Licence Type Code:	01	Operator Ext:			
Licence Class:	06	Operator Lot:			
Licence Control:		Oper Concession:			
Latitude:		Operator Region:			
Longitude:		Operator District:			
Lot:		Operator County:			
Concession:		Op Municipality:			
Region:		Post Office Box:			
District:		MOE District:			
County:		SWP Area Name:			
Trade Name:					
PDF Link:					
17	1 of 1	WSW/161.9	132.2 / 2.25	lot 5 con 5 ON	WWIS
Well ID:	4604132	Data Entry Status:			
Construction Date:		Data Src: 1			
Primary Water Use:	Domestic	Date Received: 8/25/1969			
Sec. Water Use:	0	Selected Flag: True			
Final Well Status:	Water Supply	Abandonment Rec:			
Water Type:		Contractor: 3102			
Casing Material:		Form Version: 1			
Audit No:		Owner:			
Tag:		Street Name:			
Construction Method:		County: DURHAM			
Elevation (m):		Municipality: PICKERING TOWN			
Elevation Reliability:		Site Info:			
Depth to Bedrock:		Lot: 005			
Well Depth:		Concession: 05			
Overburden/Bedrock:		Concession Name: CON			
Pump Rate:		Easting NAD83:			
Static Water Level:		Northing NAD83:			
Flowing (Y/N):		Zone:			
Flow Rate:		UTM Reliability:			
Clear/Cloudy:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/460\4604132.pdf				
Additional Detail(s) (Map)					
Well Completed Date:	1969/07/24				
Year Completed:	1969				
Depth (m):	8.5344				
Latitude:	43.9186513846265				
Longitude:	-79.0305613173717				
Path:	460\4604132.pdf				
Bore Hole Information					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Bore Hole ID:	10295474			Elevation:	133.057022
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:	o			East83:	658114.80
Code OB Desc:	Overburden			North83:	4864723.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	4
Date Completed:	24-Jul-1969 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	p4
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

Overburden and Bedrock

Materials Interval

Formation ID:	931955512
Layer:	2
Color:	
General Color:	
Mat1:	09
Most Common Material:	MEDIUM SAND
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	1.0
Formation End Depth:	28.0
Formation End Depth UOM:	ft

Overburden and Bedrock

Materials Interval

Formation ID:	931955511
Layer:	1
Color:	
General Color:	
Mat1:	02
Most Common Material:	TOPSOIL
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	0.0
Formation End Depth:	1.0
Formation End Depth UOM:	ft

Method of Construction & Well

Use

Method Construction ID:	964604132
Method Construction Code:	6
Method Construction:	Boring
Other Method Construction:	

Pipe Information

Pipe ID:	10844044
Casing No:	1

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Comment:</i>					
<i>Alt Name:</i>					
<u>Construction Record - Casing</u>					
<i>Casing ID:</i>			930487712		
<i>Layer:</i>			1		
<i>Material:</i>			3		
<i>Open Hole or Material:</i>			CONCRETE		
<i>Depth From:</i>					
<i>Depth To:</i>			28		
<i>Casing Diameter:</i>			30		
<i>Casing Diameter UOM:</i>			inch		
<i>Casing Depth UOM:</i>			ft		
<u>Results of Well Yield Testing</u>					
<i>Pump Test ID:</i>			994604132		
<i>Pump Set At:</i>					
<i>Static Level:</i>			10.0		
<i>Final Level After Pumping:</i>			18.0		
<i>Recommended Pump Depth:</i>			20.0		
<i>Pumping Rate:</i>					
<i>Flowing Rate:</i>					
<i>Recommended Pump Rate:</i>			1.0		
<i>Levels UOM:</i>			ft		
<i>Rate UOM:</i>			GPM		
<i>Water State After Test Code:</i>			1		
<i>Water State After Test:</i>			CLEAR		
<i>Pumping Test Method:</i>			2		
<i>Pumping Duration HR:</i>			1		
<i>Pumping Duration MIN:</i>			0		
<i>Flowing:</i>			No		
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>			934778609		
<i>Test Type:</i>			Recovery		
<i>Test Duration:</i>			45		
<i>Test Level:</i>			12.0		
<i>Test Level UOM:</i>			ft		
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>			934248748		
<i>Test Type:</i>			Recovery		
<i>Test Duration:</i>			15		
<i>Test Level:</i>			18.0		
<i>Test Level UOM:</i>			ft		
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>			934523096		
<i>Test Type:</i>			Recovery		
<i>Test Duration:</i>			30		
<i>Test Level:</i>			14.0		
<i>Test Level UOM:</i>			ft		
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>			935038565		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Type:		Recovery			
Test Duration:		60			
Test Level:		10.0			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		933766404			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		10.0			
Water Found Depth UOM:		ft			
18	1 of 3	ESE/162.8	134.8 / 4.88	2944 Audley Road Ajax ON L1S 4S7	CA
Certificate #:		2025-4LGPM8			
Application Year:		00			
Issue Date:		7/13/00			
Approval Type:		Municipal & Private sewage			
Status:		Approved			
Application Type:		New Certificate of Approval			
Client Name:		Abdul Majid Khan in Trust			
Client Address:		2944 Audley Road			
Client City:		Ajax			
Client Postal Code:		L1S 4S7			
Project Description:		This is an application for Municipal and Private Sewage Works Certificate of Approval to install a septic system to service a school and a proposed place of worship.			
Contaminants:					
Emission Control:		Ultrafiltration			
18	2 of 3	ESE/162.8	134.8 / 4.88	Jaamiah-Al-Uloom Al-Islamiyyah Ontario 2944 Audley Rd Ajax ON L1S 4S7	ECA
Approval No:		3599-8D4K3F		MOE District:	York-Durham
Approval Date:		2012-02-15		City:	
Status:		Approved		Longitude:	-79.02058
Record Type:		ECA		Latitude:	43.91899
Link Source:		IDS		Geometry X:	
SWP Area Name:		Central Lake Ontario		Geometry Y:	
Approval Type:		ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS			
Project Type:		MUNICIPAL AND PRIVATE SEWAGE WORKS			
Business Name:		Jaamiah-Al-Uloom Al-Islamiyyah Ontario			
Address:		2944 Audley Rd			
Full Address:					
Full PDF Link:		https://www.accessenvironment.ene.gov.on.ca/instruments/3648-8APHAX-14.pdf			
18	3 of 3	ESE/162.8	134.8 / 4.88	Abdul Majid Khan in Trust 2944 Audley Road Ajax ON L1S 4S7	ECA
Approval No:		2025-4LGPM8		MOE District:	York-Durham
Approval Date:		2000-07-13		City:	
Status:		Revoked and/or Replaced		Longitude:	-79.02058
Record Type:		ECA		Latitude:	43.91899
Link Source:		IDS		Geometry X:	
SWP Area Name:		Central Lake Ontario		Geometry Y:	
Approval Type:		ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS			
Project Type:		MUNICIPAL AND PRIVATE SEWAGE WORKS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Business Name:		Abdul Majid Khan in Trust			
Address:		2944 Audley Road			
Full Address:					
Full PDF Link:		https://www.accessenvironment.ene.gov.on.ca/instruments/8176-4KFNLM-14.pdf			

19	1 of 1	WSW/190.3	131.8 / 1.91	lot 7 con 5 PICKERING ON	WWIS
Well ID:	7054352			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Domestic			Date Received:	1/3/2008
Sec. Water Use:				Selected Flag:	True
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	5459
Casing Material:				Form Version:	4
Audit No:	Z61055			Owner:	
Tag:	A061114			Street Name:	
Construction Method:				County:	DURHAM
Elevation (m):				Municipality:	PICKERING TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	007
Well Depth:				Concession:	05
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/705\7054352.pdf				

Additional Detail(s) (Map)

Well Completed Date:	2007/10/30
Year Completed:	2007
Depth (m):	32.3088
Latitude:	43.9184491019995
Longitude:	-79.0308395223997
Path:	705\7054352.pdf

Bore Hole Information

Bore Hole ID:	23054352	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	658096.00
Code OB Desc:		North83:	4864684.00
Open Hole:	Yes	Org CS:	UTM83
Cluster Kind:		UTMRC:	3
Date Completed:	30-Oct-2007 00:00:00	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	gps
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock
Materials Interval**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		1001515233			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		52.0			
Formation End Depth:		65.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1001515232			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		20.0			
Formation End Depth:		52.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1001515235			
Layer:		5			
Color:		6			
General Color:		BROWN			
Mat1:		17			
Most Common Material:		SHALE			
Mat2:					
Mat2 Desc:					
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		88.0			
Formation End Depth:		106.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1001515234			
Layer:		4			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		34			
Mat2 Desc:		TILL			
Mat3:		66			
Mat3 Desc:		DENSE			
Formation Top Depth:		65.0			
Formation End Depth:		88.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1001515231			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Mat2 Desc:					
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		0.0			
Formation End Depth:		20.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1001515237			
Layer:		1			
Plug From:		0			
Plug To:		20			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1001515255			
Method Construction Code:		4			
Method Construction:		Rotary (Air)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1001515229			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Screen</u>					
Screen ID:		1001515240			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:					
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1001515230			
Pump Set At:					
Static Level:		1.0			
Final Level After Pumping:		41.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Recommended Pump Depth:					
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		0			
Water State After Test:					
Pumping Test Method:		0			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1001515251			
Test Type:		Draw Down			
Test Duration:		40			
Test Level:		37.5			
Test Level UOM:		ft			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1001515241			
Test Type:		Draw Down			
Test Duration:		1			
Test Level:		10.300000190734863			
Test Level UOM:		ft			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1001515250			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		32.29999923706055			
Test Level UOM:		ft			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1001515243			
Test Type:		Draw Down			
Test Duration:		3			
Test Level:		12.899999618530273			
Test Level UOM:		ft			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1001515246			
Test Type:		Draw Down			
Test Duration:		10			
Test Level:		21.299999237060547			
Test Level UOM:		ft			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1001515245			
Test Type:		Draw Down			
Test Duration:		5			
Test Level:		16.299999237060547			
Test Level UOM:		ft			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1001515247		
Test Type:			Draw Down		
Test Duration:			15		
Test Level:			25.299999237060547		
Test Level UOM:			ft		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1001515242		
Test Type:			Draw Down		
Test Duration:			2		
Test Level:			12.699999809265137		
Test Level UOM:			ft		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1001515248		
Test Type:			Draw Down		
Test Duration:			20		
Test Level:			28.299999237060547		
Test Level UOM:			ft		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1001515252		
Test Type:			Draw Down		
Test Duration:			50		
Test Level:			37.5		
Test Level UOM:			ft		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1001515253		
Test Type:			Draw Down		
Test Duration:			60		
Test Level:			41.0		
Test Level UOM:			ft		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1001515244		
Test Type:			Draw Down		
Test Duration:			4		
Test Level:			14.399999618530273		
Test Level UOM:			ft		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1001515249		
Test Type:			Draw Down		
Test Duration:			25		
Test Level:			30.600000381469727		
Test Level UOM:			ft		
<u>Water Details</u>					
Water ID:			1001515238		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:			1		
Kind Code:			1		
Kind:			FRESH		
Water Found Depth:			106.0		
Water Found Depth UOM:			ft		
<u>Hole Diameter</u>					
Hole ID:			1001515236		
Diameter:			7.0		
Depth From:					
Depth To:			106.0		
Hole Depth UOM:			ft		
Hole Diameter UOM:			inch		

20	1 of 1	ENE/208.9	137.9 / 8.01	lot 20 con 3 ON	WWIS
Well ID:	1912365			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	3/23/1995
Sec. Water Use:				Selected Flag:	True
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1673
Casing Material:				Form Version:	1
Audit No:	104032			Owner:	
Tag:				Street Name:	
Construction Method:				County:	DURHAM
Elevation (m):				Municipality:	PICKERING TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	020
Well Depth:				Concession:	03
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/191\1912365.pdf

Additional Detail(s) (Map)

Well Completed Date: 1993/06/29
Year Completed: 1993
Depth (m): 29.5656
Latitude: 43.9229342657579
Longitude: -79.0210253214471
Path: 191\1912365.pdf

Bore Hole Information

Bore Hole ID:	10080985	Elevation:	137.253890
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:	o	East83:	658869.00
Code OB Desc:	Overburden	North83:	4865217.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	4
Date Completed:	29-Jun-1993 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	gps
Elevrc Desc:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<i>Location Source Date:</i>					
<i>Improvement Location Source:</i>					
<i>Improvement Location Method:</i>					
<i>Source Revision Comment:</i>					
<i>Supplier Comment:</i>					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931189128			
Layer:		2			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		2.0			
Formation End Depth:		85.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931189129			
Layer:		3			
Color:					
General Color:					
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		85.0			
Formation End Depth:		97.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931189127			
Layer:		1			
Color:					
General Color:					
Mat1:		02			
Most Common Material:		TOPSOIL			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		2.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		933122636			
Layer:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug From:		0			
Plug To:		6			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933122637			
Layer:		2			
Plug From:		6			
Plug To:		15			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961912365			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10629555			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930138974			
Layer:		2			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		94			
Casing Diameter:					
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930138973			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		90			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933333073			
Layer:		1			
Slot:		014			
Screen Top Depth:		94			
Screen End Depth:		97			
Screen Material:					
Screen Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Diameter UOM:		inch			
Screen Diameter:		6			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991912365			
Pump Set At:					
Static Level:		2.0			
Final Level After Pumping:		23.0			
Recommended Pump Depth:		60.0			
Pumping Rate:		20.0			
Flowing Rate:					
Recommended Pump Rate:		20.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		2			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934679415			
Test Type:		Draw Down			
Test Duration:		45			
Test Level:		23.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934931970			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		23.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934410859			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		23.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934131003			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		23.0			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		933522946			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		97.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water Found Depth UOM:		ft			

[21](#) 1 of 1 WNW/210.5 139.3 / 9.40 lot 5 con 5 ON [WWIS](#)

Well ID:	1906685	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:	Domestic	Date Received:	9/21/1983
Sec. Water Use:	0	Selected Flag:	True
Final Well Status:	Water Supply	Abandonment Rec:	
Water Type:		Contractor:	4743
Casing Material:		Form Version:	1
Audit No:		Owner:	
Tag:		Street Name:	
Construction Method:		County:	DURHAM
Elevation (m):		Municipality:	PICKERING TOWN
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	005
Well Depth:		Concession:	05
Overburden/Bedrock:		Concession Name:	CON
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/190\1906685.pdf

Additional Detail(s) (Map)

Well Completed Date: 1983/07/15
Year Completed: 1983
Depth (m): 29.8704
Latitude: 43.9226235166281
Longitude: -79.0311776174331
Path: 190\1906685.pdf

Bore Hole Information

Bore Hole ID:	10075359	Elevation:	139.245727
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:	o	East83:	658054.80
Code OB Desc:	Overburden	North83:	4865163.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	4
Date Completed:	15-Jul-1983 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	p4
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 931162045
Layer: 1
Color: 5
General Color: YELLOW

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:		77			
Mat3 Desc:		LOOSE			
Formation Top Depth:		0.0			
Formation End Depth:		30.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931162048			
Layer:		4			
Color:		2			
General Color:		GREY			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		62			
Mat2 Desc:		CLEAN			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		93.0			
Formation End Depth:		98.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931162046			
Layer:		2			
Color:		3			
General Color:		BLUE			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		86			
Mat2 Desc:		STICKY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		30.0			
Formation End Depth:		75.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931162047			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		34			
Most Common Material:		TILL			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		75.0			
Formation End Depth:		93.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Use</u>					
Method Construction ID:		961906685			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10623929			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930133150			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		95			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933330306			
Layer:		1			
Slot:		016			
Screen Top Depth:		95			
Screen End Depth:		98			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991906685			
Pump Set At:					
Static Level:					
Final Level After Pumping:		20.0			
Recommended Pump Depth:		25.0			
Pumping Rate:		20.0			
Flowing Rate:		2.0			
Recommended Pump Rate:		15.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		2			
Pumping Duration MIN:		0			
Flowing:		Yes			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934402964			
Test Type:		Draw Down			
Test Duration:		30			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Level:		20.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934129818			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		20.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934671173			
Test Type:		Draw Down			
Test Duration:		45			
Test Level:		20.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934923365			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		20.0			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		933517209			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		93.0			
Water Found Depth UOM:		ft			

22	1 of 1	ENE/211.2	137.9 / 7.97	lot 3 con 5 ON	WWIS
Well ID:	1913679			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Commerical			Date Received:	7/21/1998
Sec. Water Use:				Selected Flag:	True
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	2662
Casing Material:				Form Version:	1
Audit No:	188177			Owner:	
Tag:				Street Name:	
Construction Method:				County:	DURHAM
Elevation (m):				Municipality:	PICKERING TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	003
Well Depth:				Concession:	05
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/191\1913679.pdf				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Additional Detail(s) (Map)

Well Completed Date: 1998/05/14
Year Completed: 1998
Depth (m): 26.8224
Latitude: 43.9229246204525
Longitude: -79.0209882719592
Path: 191\1913679.pdf

Bore Hole Information

Bore Hole ID:	10082270	Elevation:	137.190490
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:	o	East83:	658872.00
Code OB Desc:	Overburden	North83:	4865216.00
Open Hole:		Org CS:	4
Cluster Kind:		UTMRC:	4
Date Completed:	14-May-1998 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	gps
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 931194226
Layer: 1
Color: 8
General Color: BLACK
Mat1: 02
Most Common Material: TOPSOIL
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 0.0
Formation End Depth: 1.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931194228
Layer: 3
Color: 2
General Color: GREY
Mat1: 05
Most Common Material: CLAY
Mat2: 12
Mat2 Desc: STONES
Mat3: 73
Mat3 Desc: HARD
Formation Top Depth: 12.0
Formation End Depth: 80.0
Formation End Depth UOM: ft

Overburden and Bedrock

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Materials Interval</u>					
Formation ID:		931194230			
Layer:		5			
Color:		2			
General Color:		GREY			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		91			
Mat2 Desc:		WATER-BEARING			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		83.0			
Formation End Depth:		88.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931194229			
Layer:		4			
Color:		2			
General Color:		GREY			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:		81			
Mat3 Desc:		SANDY			
Formation Top Depth:		80.0			
Formation End Depth:		83.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931194227			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		12			
Mat2 Desc:		STONES			
Mat3:		91			
Mat3 Desc:		WATER-BEARING			
Formation Top Depth:		1.0			
Formation End Depth:		12.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		933124277			
Layer:		1			
Plug From:		0			
Plug To:		12			
Plug Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction ID: 961913679					
Method Construction Code: 4					
Method Construction: Rotary (Air)					
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID: 10630840					
Casing No: 1					
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID: 930140260					
Layer: 1					
Material: 1					
Open Hole or Material: STEEL					
Depth From:					
Depth To: 80					
Casing Diameter: 6					
Casing Diameter UOM: inch					
Casing Depth UOM: ft					
 <u>Construction Record - Screen</u>					
Screen ID: 933333766					
Layer: 1					
Slot: 018					
Screen Top Depth: 77					
Screen End Depth: 81					
Screen Material:					
Screen Depth UOM: ft					
Screen Diameter UOM: inch					
Screen Diameter: 6					
 <u>Results of Well Yield Testing</u>					
Pump Test ID: 991913679					
Pump Set At:					
Static Level: 2.0					
Final Level After Pumping: 25.0					
Recommended Pump Depth: 70.0					
Pumping Rate: 10.0					
Flowing Rate:					
Recommended Pump Rate: 10.0					
Levels UOM: ft					
Rate UOM: GPM					
Water State After Test Code: 1					
Water State After Test: CLEAR					
Pumping Test Method: 1					
Pumping Duration HR: 1					
Pumping Duration MIN: 0					
Flowing: No					
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID: 934935874					
Test Type: Recovery					
Test Duration: 60					
Test Level: 2.0					
Test Level UOM: ft					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Draw Down & Recovery

Pump Test Detail ID: 934133332
Test Type: Recovery
Test Duration: 15
Test Level: 2.0
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934681159
Test Type: Recovery
Test Duration: 45
Test Level: 2.0
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934414157
Test Type: Recovery
Test Duration: 30
Test Level: 2.0
Test Level UOM: ft

Water Details

Water ID: 933524118
Layer: 1
Kind Code: 6
Kind: GAS
Water Found Depth: 84.0
Water Found Depth UOM: ft

23	1 of 1	SW/227.5	127.1 / -2.79	10 BUNHILL COURT AJAX ON L1Z 1X5	HINC
--------------------	--------	----------	---------------	-------------------------------------	------

External File Num: FS INC 0807-03626
Fuel Occurrence Type: Pipeline Strike
Date of Occurrence: 6/21/2008
Fuel Type Involved: Natural Gas
Status Desc: Completed - Causal Analysis(End)
Job Type Desc: Incident/Near-Miss Occurrence (FS)
Oper. Type Involved: Private Dwelling
Service Interruptions: Yes
Property Damage: No
Fuel Life Cycle Stage: Utilization
Root Cause: Root Cause: Equipment/Material/Component:N/A Procedures:Yes Maintenance:N/A Design:N/A Training:
N/A Management:Yes Human Factors:Y

Reported Details:
Fuel Category: Gaseous Fuel
Occurrence Type: Incident
Affiliation: Industry Stakeholder (Licensee/Registration/Certificate Holder, Facility Owner, etc.)
County Name: Durham
Approx. Quant. Rel:
Nearby body of water:
Enter Drainage Syst.:
Approx. Quant. Unit:
Environmental Impact:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
24	1 of 1	E/233.4	133.9 / 4.02	lot 3 con 5 ON	WWIS

Well ID:	1905697	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:	Livestock	Date Received:	4/16/1980
Sec. Water Use:	Domestic	Selected Flag:	True
Final Well Status:	Water Supply	Abandonment Rec:	
Water Type:		Contractor:	2651
Casing Material:		Form Version:	1
Audit No:		Owner:	
Tag:		Street Name:	
Construction Method:		County:	DURHAM
Elevation (m):		Municipality:	PICKERING TOWN
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	003
Well Depth:		Concession:	05
Overburden/Bedrock:		Concession Name:	CON
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/190\1905697.pdf

Additional Detail(s) (Map)

Well Completed Date: 1979/07/17
Year Completed: 1979
Depth (m): 33.528
Latitude: 43.9204329684036
Longitude: -79.0190430717102
Path: 190\1905697.pdf

Bore Hole Information

Bore Hole ID:	10074523	Elevation:	135.156494
DP2BR:	96.00	Elevrc:	
Spatial Status:		Zone:	17
Code OB:	r	East83:	659034.80
Code OB Desc:	Bedrock	North83:	4864943.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	4
Date Completed:	17-Jul-1979 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	p4
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID: 931158160
Layer: 1
Color: 6
General Color: BROWN
Mat1: 05
Most Common Material: CLAY
Mat2: 28

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat2 Desc:		SAND			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		19.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931158162			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:		79			
Mat3 Desc:		PACKED			
Formation Top Depth:		42.0			
Formation End Depth:		88.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931158164			
Layer:		5			
Color:		8			
General Color:		BLACK			
Mat1:		17			
Most Common Material:		SHALE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		96.0			
Formation End Depth:		110.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931158163			
Layer:		4			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		88.0			
Formation End Depth:		96.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931158161			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		85			
Mat2 Desc:		SOFT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		19.0			
Formation End Depth:		42.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961905697			
Method Construction Code:		4			
Method Construction:		Rotary (Air)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10623093			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930132258			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		96			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991905697			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:		105.0			
Pumping Rate:		25.0			
Flowing Rate:		4.0			
Recommended Pump Rate:		25.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		2			
Pumping Duration MIN:		30			
Flowing:		Yes			
<u>Water Details</u>					
Water ID:		933516250			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Layer:</i>		1			
<i>Kind Code:</i>		1			
<i>Kind:</i>		FRESH			
<i>Water Found Depth:</i>		106.0			
<i>Water Found Depth UOM:</i>		ft			

Unplottable Summary

Total: **9** Unplottable sites

DB	Company Name/Site Name	Address	City	Postal
CA	RUNNYMEDE DEVELOPMENT CORPORATION LIMITE	AUDLEY RD/HOLLOWAY DR/HOILE DR	AJAX TOWN ON	
CA	COUGS INVESTMENTS LTD.	BUGGEY LANE	AJAX TOWN ON	L1S 4S7
CA	RUNNYMEDE DEVELOPMENT CORPORATION LIMITE	AUDLEY RD/HOLLOWAY DR/HOILE DR	AJAX TOWN ON	
CA	Ballymore Development (Shoal Point) Corp.	Part of Lot 4	Ajax ON	
PTTW	Deer Creek Golf and Country Estates	Concession 4, Lots 3,4,5, Town of Ajax TOWN OF AJAX	ON	
SPL	407 East Development Group	West of Sideline 4 (Balsam Rd)	Ajax ON	
WWIS		lot 5	ON	
WWIS		lot 5 con 4	ON	
WWIS		BALSAM RD lot 4 con 5	PICKERING ON	

Unplottable Report

Site: RUNNYMEDE DEVELOPMENT CORPORATION LIMITE
AUDLEY RD/HOLLOWAY DR/HOILE DR AJAX TOWN ON

Database:
CA

Certificate #: 3-1187-99-
Application Year: 99
Issue Date: 10/1/1999
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: COUGS INVESTMENTS LTD.
BUGGEY LANE AJAX TOWN ON L1S 4S7

Database:
CA

Certificate #: 7-0694-88-
Application Year: 88
Issue Date: 5/27/1988
Approval Type: Municipal water
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: RUNNYMEDE DEVELOPMENT CORPORATION LIMITE
AUDLEY RD/HOLLOWAY DR/HOILE DR AJAX TOWN ON

Database:
CA

Certificate #: 7-0812-99-
Application Year: 99
Issue Date: 10/1/1999
Approval Type: Municipal water
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: Ballymore Development (Shoal Point) Corp.
Part of Lot 4 Ajax ON

Database:
CA

Certificate #: 2038-66TQC9

Application Year: 2004
Issue Date: 11/18/2004
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: **Deer Creek Golf and Country Estates**
Concession 4, Lots 3,4,5, Town of Ajax TOWN OF AJAX ON

Database:
PTTW

EBR Registry No: IA00E1143
Ministry Ref No: 00-P3045
Notice Type: Instrument Decision
Notice Stage:
Notice Date: May 13, 2003
Proposal Date: July 12, 2000
Year: 2000
Instrument Type: (OWRA s. 34) - Permit to Take Water
Off Instrument Name:
Posted By:
Company Name: Deer Creek Golf and Country Estates
Site Address:
Location Other:
Proponent Name:
Proponent Address: 27 Buggy Lane, Ajax Ontario, L1S 4S7
Comment Period:
URL:

Decision Posted:
Exception Posted:
Section:
Act 1:
Act 2:
Site Location Map:

Site Location Details:

Concession 4, Lots 3,4,5, Town of Ajax TOWN OF AJAX

Site: **407 East Development Group**
West of Sideline 4 (Balsam Rd) Ajax ON

Database:
SPL

Ref No: 7564-9D2J58
Site No:
Incident Dt: 2013/11/01
Year:
Incident Cause: Operator/Human error
Incident Event:
Contaminant Code: 27
Contaminant Name: OIL ADDITIVES
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: Possible
Nature of Impact: Soil Contamination
Receiving Medium:
Receiving Env:
MOE Response: No Field Response
Dt MOE Arvl on Scn:
MOE Reported Dt: 2013/11/01
Dt Document Closed: 2014/01/31
Incident Reason: Operator/Human Error
Site Name: Hwy 407 expansion<UNOFFICIAL>
Site County/District:
Site Geo Ref Meth:
Incident Summary: 407 E Construction - <1L engine oil to soil.

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type: Other
Agency Involved:
Nearest Watercourse:
Site Address: West of Sideline 4 (Balsam Rd)
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: Ajax
Site Lot:
Site Conc:
Northing:
Easting:
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class: Land Spills
Source Type:

Contaminant Qty: 1 L

Site:
lot 5 ON

Database:
WWIS

Well ID: 1915778
Construction Date:
Primary Water Use:
Sec. Water Use:
Final Well Status:
Water Type:
Casing Material:
Audit No: 213189
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src: 1
Date Received: 5/16/2002
Selected Flag: True
Abandonment Rec:
Contractor: 6418
Form Version: 1
Owner:
Street Name:
County: DURHAM
Municipality: PICKERING TOWN
Site Info:
Lot: 005
Concession:
Concession Name:
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10524440
DP2BR:
Spatial Status:
Code OB:
Code OB Desc: No formation data
Open Hole:
Cluster Kind:
Date Completed: 24-Apr-2002 00:00:00
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 17
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

Method of Construction & Well Use

Method Construction ID: 961915778
Method Construction Code: 0
Method Construction: Not Known
Other Method Construction:

Pipe Information

Pipe ID: 11073010
Casing No: 1
Comment:
Alt Name:

Site:
lot 5 con 4 ON

Database:
WWIS

Well ID: 1916626
Construction Date:

Data Entry Status:
Data Src: 1

Primary Water Use: Domestic
Sec. Water Use:
Final Well Status: Water Supply
Water Type:
Casing Material:
Audit No: 255093
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Date Received: 7/9/2003
Selected Flag: True
Abandonment Rec:
Contractor: 7156
Form Version: 1
Owner:
Street Name:
County: DURHAM
Municipality: PICKERING TOWN
Site Info:
Lot: 005
Concession: 04
Concession Name: CON
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10543610
DP2BR:
Spatial Status:
Code OB: o
Code OB Desc: Overburden
Open Hole:
Cluster Kind:
Date Completed: 30-Jun-2003 00:00:00
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 17
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

Overburden and Bedrock

Materials Interval

Formation ID: 932926281
Layer: 5
Color: 6
General Color: BROWN
Mat1: 28
Most Common Material: SAND
Mat2: 11
Mat2 Desc: GRAVEL
Mat3: 73
Mat3 Desc: HARD
Formation Top Depth: 99.0
Formation End Depth: 128.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 932926280
Layer: 4
Color: 2
General Color: GREY
Mat1: 13
Most Common Material: BOULDERS
Mat2: 73
Mat2 Desc: HARD
Mat3:

Mat3 Desc:
Formation Top Depth: 95.0
Formation End Depth: 99.0
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 932926277
Layer: 1
Color: 8
General Color: BLACK
Mat1: 02
Most Common Material: TOPSOIL
Mat2: 85
Mat2 Desc: SOFT
Mat3:
Mat3 Desc:
Formation Top Depth: 0.0
Formation End Depth: 1.0
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 932926278
Layer: 2
Color: 2
General Color: GREY
Mat1: 05
Most Common Material: CLAY
Mat2: 12
Mat2 Desc: STONES
Mat3: 73
Mat3 Desc: HARD
Formation Top Depth: 1.0
Formation End Depth: 55.0
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 932926279
Layer: 3
Color: 2
General Color: GREY
Mat1: 11
Most Common Material: GRAVEL
Mat2: 05
Mat2 Desc: CLAY
Mat3: 73
Mat3 Desc: HARD
Formation Top Depth: 55.0
Formation End Depth: 95.0
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 932926282
Layer: 6
Color: 6
General Color: BROWN
Mat1: 11
Most Common Material: GRAVEL

Mat2: 28
Mat2 Desc: SAND
Mat3: 73
Mat3 Desc: HARD
Formation Top Depth: 128.0
Formation End Depth: 135.0
Formation End Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933241314
Layer: 1
Plug From: 0
Plug To: 10
Plug Depth UOM: ft

**Method of Construction & Well
Use**

Method Construction ID: 961916626
Method Construction Code: 0
Method Construction: Not Known
Other Method Construction:

Pipe Information

Pipe ID: 11092180
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930142970
Layer: 1
Material: 1
Open Hole or Material: STEEL
Depth From:
Depth To:
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 933405902
Layer: 1
Slot: 012
Screen Top Depth: 131
Screen End Depth: 135
Screen Material:
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 5

Results of Well Yield Testing

Pump Test ID: 991916626
Pump Set At:
Static Level: 57.0
Final Level After Pumping: 78.0
Recommended Pump Depth: 120.0
Pumping Rate: 71.0

Flowing Rate:
Recommended Pump Rate: 7.0
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 2
Water State After Test: CLOUDY
Pumping Test Method: 2
Pumping Duration HR: 4
Pumping Duration MIN: 0
Flowing: No

Draw Down & Recovery

Pump Test Detail ID: 934679588
Test Type: Recovery
Test Duration: 45
Test Level: 57.0
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934933882
Test Type: Recovery
Test Duration: 60
Test Level: 57.0
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934411486
Test Type: Recovery
Test Duration: 30
Test Level: 58.0
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934131670
Test Type: Recovery
Test Duration: 15
Test Level: 67.0
Test Level UOM: ft

Water Details

Water ID: 934037467
Layer: 1
Kind Code: 1
Kind: FRESH
Water Found Depth: 135.0
Water Found Depth UOM: ft

Site: **BALSAM RD lot 4 con 5 PICKERING ON**

Database:
WWIS

Well ID: 7054348
Construction Date:
Primary Water Use:
Sec. Water Use:
Final Well Status: Abandoned-Supply
Water Type:
Casing Material:
Audit No: Z61067
Tag: A064958

Data Entry Status:
Data Src:
Date Received: 1/3/2008
Selected Flag: True
Abandonment Rec:
Contractor: 5459
Form Version: 4
Owner:
Street Name: BALSAM RD

Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

County: DURHAM
Municipality: PICKERING TOWN
Site Info:
Lot: 004
Concession: 05
Concession Name:
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 23054348
DP2BR:
Spatial Status:
Code OB:
Code OB Desc:
Open Hole:
Cluster Kind:
Date Completed: 16-Nov-2007 00:00:00
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone:
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

Overburden and Bedrock
Materials Interval

Formation ID: 1001515121
Layer: 1
Color:
General Color:
Mat1:
Most Common Material:
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 0.0
Formation End Depth:
Formation End Depth UOM: m

Annular Space/Abandonment
Sealing Record

Plug ID: 1001515122
Layer: 1
Plug From: 75
Plug To: 0
Plug Depth UOM: m

Method of Construction & Well
Use

Method Construction ID: 1001515125
Method Construction Code:
Method Construction:
Other Method Construction:

Pipe Information

Pipe ID: 1001515119
Casing No: 0
Comment:
Alt Name:

Construction Record - Screen

Screen ID: 1001515124
Layer:
Slot:
Screen Top Depth:
Screen End Depth:
Screen Material:
Screen Depth UOM:
Screen Diameter UOM:
Screen Diameter:

Results of Well Yield Testing

Pump Test ID: 1001515120
Pump Set At:
Static Level:
Final Level After Pumping:
Recommended Pump Depth:
Pumping Rate:
Flowing Rate:
Recommended Pump Rate:
Levels UOM: m
Rate UOM: LPM
Water State After Test Code: 0
Water State After Test:
Pumping Test Method: 0
Pumping Duration HR:
Pumping Duration MIN:
Flowing: No

Water Details

Water ID: 1001515123
Layer: 1
Kind Code:
Kind:
Water Found Depth:
Water Found Depth UOM: m

Appendix: Database Descriptions

Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. **Note:** Databases denoted with " * " indicates that the database will no longer be updated. See the individual database description for more information.

Abandoned Aggregate Inventory:

Provincial [AAGR](#)

The MAAP Program maintains a database of abandoned pits and quarries. Please note that the database is only referenced by lot and concession and city/town location. The database provides information regarding the location, type, size, land use, status and general comments.*

Government Publication Date: Sept 2002*

Aggregate Inventory:

Provincial [AGR](#)

The Ontario Ministry of Natural Resources maintains a database of all active pits and quarries. The database provides information regarding the registered owner/operator, location name, operation type, approval type, and maximum annual tonnage.

Government Publication Date: Up to Sep 2020

Abandoned Mine Information System:

Provincial [AMIS](#)

The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation.

Government Publication Date: 1800-Oct 2018

Anderson's Waste Disposal Sites:

Private [ANDR](#)

The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1860s-Present

Aboveground Storage Tanks:

Provincial [AST](#)

Historical listing of aboveground storage tanks made available by the Department of Natural Resources and Forestry. Includes tanks used to hold water or petroleum. This dataset has been retired as of September 25, 2014 and will no longer be updated.

Government Publication Date: May 31, 2014

Automobile Wrecking & Supplies:

Private [AUWR](#)

This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type.

Government Publication Date: 1999-Dec 31, 2020

Borehole:

Provincial [BORE](#)

A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW.

Government Publication Date: 1875-Jul 2018

Certificates of Approval:

Provincial CA

This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA). Please refer to those individual databases for any information after Oct.31, 2011.

Government Publication Date: 1985-Oct 30, 2011*

Dry Cleaning Facilities:

Federal CDRY

List of dry cleaning facilities made available by Environment and Climate Change Canada. Environment and Climate Change Canada's Tetrachloroethylene (Use in Dry Cleaning and Reporting Requirements) Regulations (SOR/2003-79) are intended to reduce releases of tetrachloroethylene to the environment from dry cleaning facilities.

Government Publication Date: Jan 2004-Dec 2018

Commercial Fuel Oil Tanks:

Provincial CFOT

Locations of commercial underground fuel oil tanks. This is not a comprehensive or complete inventory of commercial fuel tanks in the province; this listing is a copy of records of registered commercial underground fuel oil tanks obtained under Access to Public Information.

Note that the following types of tanks do not require registration: waste oil tanks in apartments, office buildings, residences, etc.; aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Jul 31, 2020

Chemical Manufacturers and Distributors:

Private CHEM

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.).

Government Publication Date: 1999-Jan 31, 2020

Chemical Register:

Private CHM

This database includes a listing of locations of facilities within the Province or Territory that either manufacture and/or distributes chemicals.

Government Publication Date: 1999-Dec 31, 2020

Compressed Natural Gas Stations:

Private CNG

Canada has a network of public access compressed natural gas (CNG) refuelling stations. These stations dispense natural gas in compressed form at 3,000 pounds per square inch (psi), the pressure which is allowed within the current Canadian codes and standards. The majority of natural gas refuelling is located at existing retail gasoline that have a separate refuelling island for natural gas. This list of stations is made available by the Canadian Natural Gas Vehicle Alliance.

Government Publication Date: Dec 2012 -Apr 2021

Inventory of Coal Gasification Plants and Coal Tar Sites:

Provincial COAL

This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.*

Government Publication Date: Apr 1987 and Nov 1988*

Compliance and Convictions:

Provincial CONV

This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law.

Government Publication Date: 1989-Nov 2020

Certificates of Property Use:

Provincial CPU

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all CPU's on the registry such as (EPA s. 168.6) - Certificate of Property Use.

Government Publication Date: 1994-Apr 30, 2021

Drill Hole Database:Provincial [DRL](#)

The Ontario Drill Hole Database contains information on more than 113,000 percussion, overburden, sonic and diamond drill holes from assessment files on record with the department of Mines and Minerals. Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted to the MNDM. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work".

Government Publication Date: 1886 - Sep 2020**Delisted Fuel Tanks:**Provincial [DTNK](#)

List of fuel storage tank sites that were once found in - and have since been removed from - the list of fuel storage tanks made available by the regulatory agency under Access to Public Information.

Government Publication Date: Jul 31, 2020**Environmental Activity and Sector Registry:**Provincial [EASR](#)

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval), Please see our ECA database.

Government Publication Date: Oct 2011-May 31, 2021**Environmental Registry:**Provincial [EBR](#)

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases.

Government Publication Date: 1994-Apr 30, 2021**Environmental Compliance Approval:**Provincial [ECA](#)

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

Government Publication Date: Oct 2011- May 31, 2021**Environmental Effects Monitoring:**Federal [EEM](#)

The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data.

Government Publication Date: 1992-2007***ERIS Historical Searches:**Private [EHS](#)

ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

Government Publication Date: 1999-Jan 31, 2021**Environmental Issues Inventory System:**Federal [EIIS](#)

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed.

Government Publication Date: 1992-2001*

Emergency Management Historical Event:

Provincial **EMHE**

List of locations of historical occurrences of emergency events, including those assigned to the Ministry of Natural Resources by Order-In-Council (OIC) under the Emergency Management and Civil Protection Act, as well as events where MNR provided requested emergency response assistance. Many of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance. EMHE record details are reproduced by ERIS under License with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2017.

Government Publication Date: Dec 31, 2016

Environmental Penalty Annual Report:

Provincial **EPAR**

This database contains data from Ontario's annual environmental penalty report published by the Ministry of the Environment and Climate Change. These reports provide information on environmental penalties for land / water violations issued to companies in one of the nine industrial sectors covered by the Municipal Industrial Strategy for Abatement (MISA) regulations.

Government Publication Date: Jan 1, 2011 - Dec 31, 2020

List of Expired Fuels Safety Facilities:

Provincial **EXP**

List of facilities and tanks for which there was once a fuel registration. This is not a comprehensive or complete inventory of expired tanks/tank facilities in the province; this listing is a copy of previously registered tanks and facilities obtained under Access to Public Information. Includes private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc; includes tanks which have been removed from the ground.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Jul 31, 2020

Federal Convictions:

Federal **FCON**

Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty.

Government Publication Date: 1988-Jun 2007*

Contaminated Sites on Federal Land:

Federal **FCS**

The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government. Includes fire training sites and sites at which Per- and Polyfluoroalkyl Substances (PFAS) are a concern.

Government Publication Date: Jun 2000-Apr 2021

Fisheries & Oceans Fuel Tanks:

Federal **FOFT**

Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation.

Government Publication Date: 1964-Sep 2019

Federal Identification Registry for Storage Tank Systems (FIRSTS):

Federal **FRST**

A list of federally regulated Storage tanks from the Federal Identification Registry for Storage Tank Systems (FIRSTS). FIRSTS is Environment and Climate Change Canada's database of storage tank systems subject to the Storage Tank for Petroleum Products and Allied Petroleum Products Regulations. The main objective of the Regulations is to prevent soil and groundwater contamination from storage tank systems located on federal and aboriginal lands. Storage tank systems that do not have a valid identification number displayed in a readily visible location on or near the storage tank system may be refused product delivery.

Government Publication Date: May 31, 2018

Fuel Storage Tank:

Provincial **FST**

List of registered private and retail fuel storage tanks. This is not a comprehensive or complete inventory of private and retail fuel storage tanks in the province; this listing is a copy of registered private and retail fuel storage tanks, obtained under Access to Public Information.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Jul 31, 2020

Fuel Storage Tank - Historic:

Provincial

[FSTH](#)

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks. Public records of private fuel storage tanks are only available since the registration became effective in September 1989. This information is now collected by the Technical Standards and Safety Authority.

Government Publication Date: Pre-Jan 2010*

Ontario Regulation 347 Waste Generators Summary:

Provincial

[GEN](#)

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

Government Publication Date: 1986-Apr 30, 2021

Greenhouse Gas Emissions from Large Facilities:

Federal

[GHG](#)

List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon dioxide equivalents (kt CO₂ eq).

Government Publication Date: 2013-Dec 2019

TSSA Historic Incidents:

Provincial

[HINC](#)

List of historic incidences of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen recorded by the TSSA in their previous incident tracking system. The TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of historical fuel spills and leaks in the province. This listing is a copy of the data captured at one moment in time and is hence limited by the record date provided here.

Government Publication Date: 2006-June 2009*

Indian & Northern Affairs Fuel Tanks:

Federal

[IAFT](#)

The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

Government Publication Date: 1950-Aug 2003*

Fuel Oil Spills and Leaks:

Provincial

[INC](#)

Listing of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen reported to the Spills Action Centre (SAC). This is not a comprehensive or complete inventory of fuel-related leaks, spills, and incidents in the province; this listing is a copy of incidents reported to the SAC, obtained under Access to Public Information. Includes incidents from fuel-related hazards such as spills, fires, and explosions. Records are not verified for accuracy or completeness.

Government Publication Date: Jul 31, 2020

Landfill Inventory Management Ontario:

Provincial

[LIMO](#)

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the Ministry of the Environment, Conservation and Parks compiles new and updated information. Includes small and large landfills currently operating as well as those which are closed and historic. Operators of larger landfills provide landfill information for the previous operating year to the ministry for LIMO including: estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills include information such as site owner, site location and certificate of approval # and status.

Government Publication Date: Feb 28, 2019

Canadian Mine Locations:

Private

[MINE](#)

This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database.

Government Publication Date: 1998-2009*

Mineral Occurrences:

Provincial

[MNR](#)

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

Government Publication Date: 1846-Dec 2020

National Analysis of Trends in Emergencies System (NATES):

Federal

[NATE](#)

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released.

Government Publication Date: 1974-1994*

Non-Compliance Reports:

Provincial

[NCPL](#)

The Ministry of the Environment provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act.

Government Publication Date: Dec 31, 2019

National Defense & Canadian Forces Fuel Tanks:

Federal

[NDFT](#)

The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database.

Government Publication Date: Up to May 2001*

National Defense & Canadian Forces Spills:

Federal

[NDSP](#)

The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered.

Government Publication Date: Mar 1999-Apr 2018

National Defence & Canadian Forces Waste Disposal Sites:

Federal

[NDWD](#)

The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status.

Government Publication Date: 2001-Apr 2007*

National Energy Board Pipeline Incidents:

Federal

[NEBI](#)

Locations of pipeline incidents from 2008 to present, made available by the Canada Energy Regulator (CER) - previously the National Energy Board (NEB). Includes incidents reported under the Onshore Pipeline Regulations and the Processing Plant Regulations related to pipelines under federal jurisdiction, does not include incident data related to pipelines under provincial or territorial jurisdiction.

Government Publication Date: 2008-Mar 31, 2021

National Energy Board Wells:

Federal

[NEBP](#)

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release date.

Government Publication Date: 1920-Feb 2003*

National Environmental Emergencies System (NEES):

Federal

NEES

In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets ' or Trends ' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December 2004.

Government Publication Date: 1974-2003*

National PCB Inventory:

Federal

NPCB

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored.

Government Publication Date: 1988-2008*

National Pollutant Release Inventory:

Federal

NPRI

Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances.

Government Publication Date: 1993-May 2017

Oil and Gas Wells:

Private

OGWE

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at www.nickles.com.

Government Publication Date: 1988-Feb 28, 2021

Ontario Oil and Gas Wells:

Provincial

OOGW

In 1998, the MNR handed over to the Ontario Oil, Gas and Salt Resources Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database include well owner/operator, location, permit issue date, and well cap date, license No., status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provide for each well record.

Government Publication Date: 1800-Jun 2020

Inventory of PCB Storage Sites:

Provincial

OPCB

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

Government Publication Date: 1987-Oct 2004; 2012-Dec 2013

Orders:

Provincial

ORD

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all Orders on the registry such as (EPA s. 17) - Order for remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures.

Government Publication Date: 1994-Apr 30, 2021

Canadian Pulp and Paper:

Private

PAP

This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce.

Government Publication Date: 1999, 2002, 2004, 2005, 2009-2014

Parks Canada Fuel Storage Tanks:

Federal

PCFT

Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator.

Government Publication Date: 1920-Jan 2005*

Pesticide Register:

Provincial PES

The Ontario Ministry of the Environment and Climate Change maintains a database of licensed operators and vendors of registered pesticides.

Government Publication Date: Oct 2011-May 31, 2021

Pipeline Incidents:

Provincial PINC

List of pipeline incidents (strikes, leaks, spills). This is not a comprehensive or complete inventory of pipeline incidents in the province; this listing in an historical copy of records previously obtained under Access to Public Information. Records are not verified for accuracy or completeness.

Government Publication Date: Oct 31, 2020

Private and Retail Fuel Storage Tanks:

Provincial PRT

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

Government Publication Date: 1989-1996*

Permit to Take Water:

Provincial PTTW

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all PTTW's on the registry such as OWRA s. 34 - Permit to take water.

Government Publication Date: 1994-Apr 30, 2021

Ontario Regulation 347 Waste Receivers Summary:

Provincial REC

Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data.

Government Publication Date: 1986-1990, 1992-2018

Record of Site Condition:

Provincial RSC

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up.

RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09).

Government Publication Date: 1997-Sept 2001, Oct 2004-May 2021

Retail Fuel Storage Tanks:

Private RST

This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and / or propane storage tanks.

Government Publication Date: 1999-Dec 31, 2020

Scott's Manufacturing Directory:

Private SCT

Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database.

Government Publication Date: 1992-Mar 2011*

Ontario Spills:

Provincial SPL

List of spills and incidents made available the Ministry of the Environment, Conservation and Parks. This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X.

Government Publication Date: 1988-Aug 2020

Wastewater Discharger Registration Database:

Provincial [SRDS](#)

Information under this heading is combination of the following 2 programs. The Municipal/Industrial Strategy for Abatement (MISA) division of the Ontario Ministry of Environment maintained a database of all direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation; Mining; Petroleum Refining; Organic Chemicals; Inorganic Chemicals; Pulp & Paper; Metal Casting; Iron & Steel; and Quarries. All sampling information is now collected and stored within the Sample Result Data Store (SRDS).

Government Publication Date: 1990-Dec 31, 2018

Anderson's Storage Tanks:

Private [TANK](#)

The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1915-1953*

Transport Canada Fuel Storage Tanks:

Federal [TCFT](#)

List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type.

Government Publication Date: 1970 - Dec 2020

Variations for Abandonment of Underground Storage Tanks:

Provincial [VAR](#)

Listing of variances granted for storage tank abandonment. This is not a comprehensive or complete inventory of tank abandonment variances in the province; this listing is a copy of tank abandonment variance records previously obtained under Access to Public Information. In Ontario, registered underground storage tanks must be removed within two years of disuse; if removal of a tank is not feasible, an application may be sought for a variance from this code requirement.

Records are not verified for accuracy or completeness.

Government Publication Date: Jul 31, 2020

Waste Disposal Sites - MOE CA Inventory:

Provincial [WDS](#)

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.

Government Publication Date: Oct 2011-May 31, 2021

Waste Disposal Sites - MOE 1991 Historical Approval Inventory:

Provincial [WDSH](#)

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30th, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number.

Government Publication Date: Up to Oct 1990*

Water Well Information System:

Provincial [WWIS](#)

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

Government Publication Date: Apr 30, 2021

Definitions

Database Descriptions: This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

Detail Report: This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

Distance: The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

Direction: The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

Elevation: The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

Executive Summary: This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

Map Key: The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

Unplottables: These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.



GeoPro Consulting Limited

Geotechnical-Hydrogeology-Environmental-Materials-Inspection

APPENDIX E

Ministry of the Environment
 Freedom of Information and Protection of Privacy Office
 40 St. Clair Avenue West, 12th Floor
 Toronto, ON M4V 1M2
 Tel: 416-314-4075
 Fax: 416-314-4285



Use this form to request records that are in the Ministry's files on environmental concerns related to properties.
 Please refer to the guide on the completion and use of this form. Our fax no. is 416- 314-4285.

Requester Data		For Ministry Use Only	
Name, Title, Company Name and Mailing Address of Requester Talent Huang GeoPro Consulting Limited 40 Vogell Road, Richmond Hill, ON L4B 3N6 Email Address:talent@geoproconsulting.ca		FOI Request No.	Date Request Received
		Fee Paid <input type="checkbox"/> CHQ <input checked="" type="checkbox"/> VISA/MC/AMEX <input type="checkbox"/> CASH/MONEY ORDER	
Tel:905-237-8336 Fax: 905-248-3699	Your Project/ Reference No. 17-1780GHE	Signature of Requester	<input type="checkbox"/> CNR <input type="checkbox"/> ER <input type="checkbox"/> NOR <input type="checkbox"/> SWR <input type="checkbox"/> WCR <input type="checkbox"/> IEB <input type="checkbox"/> EAA <input type="checkbox"/> EMR <input type="checkbox"/> SCB <input type="checkbox"/> SDW
Request Parameters			
Municipal Address/Lot, Concession, Geographic Township (Municipal address mandatory for cities, towns or regions) Part of Lots 3 and 4 Concession 5, Pickering (3225 Balsam Road, Locust Hill)			
Present Property Owner(s) and Date(s) of Ownership 869547 Ontario Inc.			
Previous Property Owner(s) and Date(s) of Ownership			
Present/Previous Tenant(s) (if applicable)			
Search Parameters			Specify Year(s) Requested
Files older than 2 years may require \$60.00 retrieval cost. There is no guarantee that records responsive to your request will be located.			
Environmental concerns (General correspondence, occurrence reports, abatement)			All years
Orders			All years
Spills			All years
Investigations/prosecutions ▶ Owner and tenant information must be provided			All years
Waste Generator number/classes			All years
Certificates of Approval ▶ Proponent information must be provided and Certificates of Approval number(s) (if known). 1985 and prior records are searched manually. Search fees in excess of \$300.00 may be incurred, depending on the types and years of records to be searched. If supporting documents are also required, mark SD box.			
		SD	Specify Year(s) Requested
Air - emissions		X	All years
Renewable Energy		X	All years
Water - mains, treatment, ground level, standpipes & elevated storage, pumping stations (local & booster)		X	All years
Sewage - sanitary, storm, treatment, stormwater, leachate & leachate treatment & sewage pump stations		X	All years
Waste water - industrial discharge		X	All years
Waste sites - disposal, landfill sites, transfer stations, processing sites, incinerator sites		X	All years
Waste systems	- haulers: sewage, non-hazardous & hazardous waste, mobile waste processing units, PCB destruction	X	All years

Ministry of the Environment
and Climate Change

Freedom of Information and
Protection of Privacy Office

12th Floor
40 St. Clair Avenue West
Toronto ON M4V 1M2
Tel: (416) 314-4075
Fax: (416) 314-4285

Ministère de l'Environnement et de
l'Action en matière de changement
climatique

Bureau de l'accès à l'information et
de la protection de la vie privée

12^e étage
40, avenue St. Clair ouest
Toronto ON M4V 1M2
Tél.: (416) 314-4075
Télééc.: (416) 314-4285



March 29, 2017

Talent Huang
GeoPro Consulting Limited
40 Vogell Road, Unit 57
Richmond Hill, ON L4B 3N6

Dear Talent Huang:

RE: ***Freedom of Information and Protection of Privacy Act Request***
Our File # A-2017-02168, Your Reference 17-1780GHE

The Ministry is in receipt of your request made pursuant to the *Freedom of Information and Protection of Privacy Act* and has received your payment in the amount of \$5.00 (non-refundable application fee), along with your \$30.00 deposit.

The search is being conducted on the following: 3225 Balsam Rd, Locust Hill (Lots 3 & 4, Con 5, Pickering). If there is any discrepancy please contact us immediately.

You may expect a reply or additional communication as your request is processed. For your information, the Ministry charges for search, copying and preparation time.

If you have any questions regarding this matter, please contact Jeneska Abano at jeneska.abano@ontario.ca.

Yours truly,

Janet
Janet Dadufalza
FOI Manager

Ministry of the Environment
and Climate Change


Freedom of Information and
Protection of Privacy Office

12th Floor
40 St. Clair Avenue West
Toronto ON M4V 1M2
Tel: (416) 314-4075
Fax: (416) 314-4285

Ministère de l'Environnement et de
l'Action en matière de changement
climatique

Bureau de l'accès à l'information et
de la protection de la vie privée

12^e étage
40, avenue St. Clair ouest
Toronto ON M4V 1M2
Tél. : (416) 314-4075
Télééc. : (416) 314-4285



April 18, 2017

Talent Huang
GeoPro Consulting Limited
40 Vogell Road, Unit 57
Richmond Hill, ON L4B 3N6

Dear Talent Huang:

RE: ***Freedom of Information and Protection of Privacy Act Request***
Our File # A-2017-02168, Your Reference 17-1780GHE

This letter is in response to your request made pursuant to the *Freedom of Information and Protection of Privacy Act* relating to 3225 Balsam Rd, Locust Hill (Lots 3 & 4, Con 5, Pickering).

After a thorough search through the files of the Ministry's York-Durham District Office, Investigations and Enforcement Branch, Environmental Monitoring and Reporting Branch, Sector Compliance Branch and Safe Drinking Water Branch, **no records were located responsive to your request.** To provide you with this response and in accordance with Section 57 of the *Freedom of Information and Protection of Privacy Act*, the fee owed is \$30.00 for 1 hour of search time @ \$30.00 per hour. **We have applied the \$30.00 for this request from your initial payment.**

To conduct a search through the files of the Environmental Approvals Branch requires an additional 8 hours. If you would like us to search for Environmental Compliance Approvals/Certificates of Approval at the Environmental Approvals Branch (EAB), please forward to me at the above address payment by money order or cheque (made payable to the "Minister of Finance (FOI)") or by credit card in the amount of \$240.00. Please note that there is no guarantee any records will be located responsive to your request. Credit card forms are available on the Ministry's website <http://www.ontario.ca/environment-and-energy/freedom-information-request-form-credit-card-form>. Please note, a request for records must usually be answered within 30 calendar days, however Section 27 allows for time extensions under certain circumstances. If you choose to have the search conducted at the Environmental Approvals Branch, the time for answering your request will be extended for an additional 30 days.

When remitting payment please quote our file number or attach a copy of this letter.

You may request a review of my decision by contacting the Information and Privacy Commissioner/Ontario, 2 Bloor Street East, Suite 1400, Toronto, ON M4W 1A8 (800-387-0073 or 416-326-3333). Please note that there is a \$25.00 fee and you only have 30 days from receipt of this letter to request a review.

If you have any questions regarding this matter, please contact Kaitlyne Low at kaitlyne.low@ontario.ca.

Yours truly,


Janet Dadufalza
FOI Manager



Michelle Yu <michelley@geoproconsulting.ca>

TSSA record search for ten (10) properties around 3225 Concession Road 5, Pickering, ON (GeoPro Project No.: 17-1780E3)

Public Information Services <publicinformationsservices@tssa.org> Mon, Jul 5, 2021 at 9:51 AM
To: Michelle Yu <michelley@geoproconsulting.ca>, Viktor Csath <viktorc@geoproconsulting.ca>, "env@geoproconsulting.ca" <env@geoproconsulting.ca>, Sinclair Kenrick <sinclairk@geoproconsulting.ca>, David Liu <david@geoproconsulting.ca>

Please refrain from sending documents to head office and only submit your requests electronically via email along with credit card payment. We are all working remotely and mailing in applications with cheques will lengthen the overall processing time.

NO RECORD FOUND

Hello Michelle,

Thank you for your request for confirmation of public information.

- We confirm that there are no records in our database of any fuel storage tanks at the subject addresses:

For a further search in our archives please complete our release of public information form found at https://www.tssa.org/en/about-tssa/release-of-public-information.aspx?_mid_=392 and email the completed form to publicinformationsservices@tssa.org along with a fee of \$56.50 (including HST) per location. The fee is payable with credit card (Visa or MasterCard).

Although TSSA believes the information provided pursuant to your request is accurate, please note that TSSA does not warrant this information in any way whatsoever.

Kind regards,

Saara

Public Information Agent

Facilities and Business Services

345 Carlingview Drive

Toronto, Ontario M9W 6N9

Tel: +1-416-734-6222 | Fax: +1-416-734-3568 | E-Mail: publicinformationsservices@tssa.org

www.tssa.org



From: Michelle Yu <michelley@geoproconsulting.ca>
Sent: July 2, 2021 1:54 PM

To: Public Information Services <publicinformationsservices@tssa.org>; Viktor Csath <viktorc@geoproconsulting.ca>; env@geoproconsulting.ca; Sinclair Kenrick <sinclairk@geoproconsulting.ca>; David Liu <david@geoproconsulting.ca>
Subject: [POSITIVE SPAM]TSSA record search for ten (10) properties around [3225 Concession Road 5, Pickering, ON](#) (GeoPro Project No.: 17-1780E3)

[CAUTION]: This email originated outside the organisation.
Please do not click links or open attachments unless you recognise the source of this email and know the content is safe.

Hello,

Can you please conduct a search for fuel tank record(s) for:

- [3225 Concession Road 5, Pickering, ON](#)
- [3225 Sideline 4, Locust Hill, ON](#)
- [3330 Balsam Rd, Pickering, ON L1X 2W4](#)
- [2944 Audley Rd, Ajax, ON L1S 4S7](#)
- [10 Bunhill Court, Ajax, ON L1Z 1X5](#)

Thank you.

Regards,

Michelle Yu
Environmental and Hydrogeological Group

Error! Filename not specified.

Geotechnical - Hydrogeology - Geo-Environmental - Materials Testing – Inspection

[40 Vogell Road, Unit 57, Richmond Hill, Ontario, Canada L4B 3N6](#)
T: (905) 237 8336 F: (905) 248 3699 C: (416) 843 7128
Michelley@geoproconsulting.ca www.geoproconsulting.ca

Request Proposals for Investigations, please email RFP@geoproconsulting.ca

Request Material Testing and Inspection Services, please email RFT@geoproconsulting.ca

This e-mail transmission is confidential and may contain proprietary information for the exclusive use of the intended recipient. Any use, distribution or copying of this transmission, other than by the intended recipient, is strictly prohibited. If you are not the intended recipient, please notify the

sender and delete all copies. Electronic media is susceptible to unauthorized modification, deterioration, and incompatibility. Accordingly, the electronic media version of any work product may not be relied upon

This electronic message and any attached documents are intended only for the named recipients. This communication from the Technical Standards and Safety Authority may contain information that is privileged, confidential or otherwise protected from disclosure and it must not be disclosed, copied, forwarded or distributed without authorization. If you have received this message in error, please notify the sender immediately and delete the original message.



GeoPro Consulting Limited

Geotechnical-Hydrogeology-Environmental-Materials-Inspection

APPENDIX F

Water Well Records

July 7, 2021

12:28:03 AM

TOWNSHIP CON LOT	UTM	DATE CNTR	CASING DIA	WATER	PUMP TEST	WELL USE	SCREEN	WELL	FORMATION
AJAX TOWN	17 658610 4865004 W	2017-04 7360	2	UT 0005		MO	0010 10	7291772 (Z265888) A224740	BRWN FILL SOFT 0005 GREY SILT SAND HARD 0020
AJAX TOWN	17 658604 4864905 W	2017-04 7360	2	UT 0004		MO	0010 10	7291771 (Z265890) A224693	BRWN FILL SOFT 0005 GREY SILT SAND HARD 0020
AJAX TOWN	17 658752 4864880 W	2017-04 7360	2	UT 0004		MO	0010 10	7291770 (Z265889) A224690	BRWN FILL SOFT 0005 GREY SILT SAND HARD 0020
AJAX TOWN CON 02 003	17 658953 4864779 W	1994-12 5459	6	UK 0090	/90/8/3:0	DO	0090 3	1912286 (141574)	BRWN CLAY STNS 0023 GREY CLAY STNS 0089 GREY SAND STNS 0093 BLCK SHLE 0095
PICKERING TOWN	17 658252 4864907 W	2017-04 7472	2			MO	0092 5	7287366 (Z259465) A222970	BLUE CLAY SAND LOOS 0030 BLUE CLAY GRVL PCKD 0040 GREY CLAY SAND GRVL 0079 GREY SAND DNSE 0097
PICKERING TOWN 05 007	17 658093 4864700 W	2007-10 5459	6.61	FR 0106	1/41/5/1:0	DO		7054352 (Z61055) A061114	BRWN SAND SOFT 0020 GREY CLAY SOFT 0052 BRWN SAND SILT SOFT 0065 GREY CLAY TILL DNSE 0088 BRWN SHLE SOFT 0106
PICKERING TOWN CON 03 020	17 658869 4865217 W	1993-06 1673	6	FR 0097	2/23/20/2:0	DO	0094 3	1912365 (104032)	LOAM 0002 CLAY GRVL 0085 SAND GRVL 0097
PICKERING TOWN CON 05 003	17 659015 4865023 W	1969-10 5420	34	FR 0012	12///:	DO		4604340 ()	LOAM 0001 BRWN MSND STNS 0008 BRWN CLAY STNS 0012 BLUE CLAY STNS 0040
PICKERING TOWN CON 05 003	17 659035 4864943 W	1979-07 2651	6	FR 0106	//25/2:30	ST DO		1905697 ()	BRWN CLAY SAND 0019 GREY CLAY SOFT 0042 GREY CLAY GRVL PCKD 0088 BRWN SAND 0096 BLCK SHLE 0110
PICKERING TOWN CON 05 003	17 658872 4865216 W	1998-05 2662	6	GS 0084	2/25/10/1:0	CO	0077 4	1913679 (188177)	BLCK LOAM 0001 BRWN CLAY STNS WBRG 0012 GREY CLAY STNS HARD 0080 GREY SILT CLAY SNDY 0083 GREY SAND WBRG 0088
PICKERING TOWN CON 05 003	17 659015 4865023 W	1970-09 4713	6	FR 0081	/0/45/2:30	DO		4604637 ()	PRDG 0045 BLUE CLAY STNS 0075 BRWN MSND SILT 0080 BLUE GRVL MSND 0081
PICKERING TOWN CON 05 004	17 658358 4864922 W	1967-09 1413	5	FR 0096	///:	DO		4601460 ()	MSND 0020 CLAY GRVL BLDR 0096
PICKERING TOWN CON 05 004	17 658261 4865125 W	1965-08 2306	6	FR 0071	///:	PS		4601459 ()	PRDG 0015 BLUE CLAY 0025 CLAY 0060 CLAY MSND GRVL 0071
PICKERING TOWN CON 05 004	17 658221 4865061 W	2015-10 5459	6	0095	-2//10/1:0	DO	0084 11	7251326 (Z210517) A102850	BRWN SAND SOFT 0030 GREY CLAY LYRD SOFT 0081 BRWN SAND STNS LOOS 0095
PICKERING TOWN CON 05 004	17 658361 4864897 W	2017-04 7360	2	UT 0005		MO	0010 5	7292847 (Z265884) A203304	LOAM 0002 SAND 0010

TOWNSHIP CON LOT	UTM	DATE CNTR	CASING DIA	WATER	PUMP TEST	WELL USE	SCREEN	WELL	FORMATION
PICKERING TOWN CON 05 004	17 658331 4864863 W	2017-04 7360	2	UT 0007		MO	0018 5	7292854 (Z265886) A224705	LOAM 0002 BRWN SAND 0007 SAND WBRG 0025
PICKERING TOWN CON 05 004	17 658305 4864827 W	2017-04 7360	2	UT 0007		MO	0005 5	7292855 (Z265885) A203302	LOAM 0002 BRWN SAND 0007 SAND 0025
PICKERING TOWN CON 05 005	17 658182 4864634 W	2000-05 1413	6	FR 0097	/70/20/1:	IR		1914543 (214730)	BRWN SAND PCKD 0017 GREY CLAY SOFT 0037 GREY CLAY STNS SOFT 0077 BLCK SHLE PORS FOSS 0097
PICKERING TOWN CON 05 005	17 658055 4865163 W	1983-07 4743	6	FR 0093	/20/20/2:0	DO	0095 3	1906685 ()	YLLW CLAY SAND LOOS 0030 BLUE CLAY STKY 0075 GREY TILL CLAY 0093 GREY SAND CLN 0098
PICKERING TOWN CON 05 005	17 658165 4864723 W	1978-08 4743	6	FR 0079	/40/10/1:0	DO		1905108 ()	BLUE CLAY 0030 BLUE CLAY GRVL 0040 BLUE CLAY SAND 0079 BLCK SHLE 0080
PICKERING TOWN CON 05 005	17 658115 4864723 W	1969-07 3102	30	FR 0010	10/18//1:0	DO		4604132 ()	LOAM 0001 MSND 0028
PICKERING TOWN CON 05 006	17 658182 4864634 W	1996-07 6874	30	FR	5/24/20/1:30	DO		1912924 (165215)	

Notes:
 UTM: UTM in Zone, Easting, Northing and Datum is NAD83; L: UTM estimated from Centroid of Lot; W: UTM not from Lot Centroid
 DATE CNTR: Date Work Completed and Well Contractor Licence Number
 CASING DIA: Casing diameter in inches
 WATER: Unit of Depth in Feet. See Table 4 for Meaning of Code

PUMP TEST: Static Water Level in Feet / Water Level After Pumping in Feet / Pump Test Rate in GPM / Pump Test Duration in Hour : Minutes
 WELL USE: See Table 3 for Meaning of Code
 SCREEN: Screen Depth and Length in feet
 WELL: WEL (AUDIT #) Well Tag . A: Abandonment; P: Partial Data Entry Only
 FORMATION: See Table 1 and 2 for Meaning of Code

1. Core Material and Descriptive terms

Code	Description	Code	Description	Code	Description	Code	Description	Code	Description
BDR	BOULDERS	FCRD	FRACTURED	IRFM	IRON FORMATION	PORS	POROUS	SOFT	SOFT
BSLT	BASALT	FGRD	FINE-GRAINED	LIMY	LIMY	PRDG	PREVIOUSLY DUG	SPST	SOAPSTONE
CGRD	COARSE-GRAINED	FGVL	FINE GRAVEL	LMSN	LIMESTONE	PRDR	PREV. DRILLED	STKY	STICKY
CGVL	COARSE GRAVEL	FILL	FILL	LOAM	TOPSOIL	QRTZ	QUARTZITE	STNS	STONES
CHRT	CHERT	FLDS	FELDSPAR	LOOS	LOOSE	QSND	QUICKSAND	STNY	STONEY
CLAY	CLAY	FLNT	FLINT	LTCL	LIGHT-COLOURED	QTZ	QUARTZ	THIK	THICK
CLN	CLEAN	FOSS	FOSILIFEROUS	LYRD	LAYERED	ROCK	ROCK	THIN	THIN
CLYY	CLAYEY	FSND	FINE SAND	MARL	MARL	SAND	SAND	TILL	TILL
CMTD	CEMENTED	GNIS	GNEISS	MGRD	MEDIUM-GRAINED	SHLE	SHALE	UNKN	UNKNOWN TYPE
CONG	CONGLOMERATE	GRNT	GRANITE	MGVL	MEDIUM GRAVEL	SHLY	SHALY	VERY	VERY
CRYS	CRYSTALLINE	GRSN	GREENSTONE	MRBL	MARBLE	SHRP	SHARP	WBRG	WATER-BEARING
CSND	COARSE SAND	GRVL	GRAVEL	MSND	MEDIUM SAND	SHST	SCHIST	WDFR	WOOD FRAGMENTS
DKCL	DARK-COLOURED	GRWK	GREYWACKE	MUCK	MUCK	SILT	SILT	WTHD	WEATHERED
DLMT	DOLOMITE	GVLY	GRAVELLY	OBDN	OVERBURDEN	SLTE	SLATE		
DNSE	DENSE	GYPG	GYPG	PCKD	PACKED	SLTY	SILTY		
DRTY	DIRTY	HARD	HARD	PEAT	PEAT	SNDS	SANDSTONE		
DRY	DRY	HPAN	HARDPAN	PGVL	PEA GRAVEL	SNDY	SANDYAPSTONE		

2. Core Color

Code	Description
WHIT	WHITE
GREY	GREY
BLUE	BLUE
GRN	GREEN
YLLW	YELLOW
BRWN	BROWN
RED	RED
BLCK	BLACK
BLGY	BLUE-GREY

3. Well Use

Code	Description	Code	Description
DO	Domestic	OT	Other
ST	Livestock	TH	Test Hole
IR	Irrigation	DE	Dewatering
IN	Industrial	MO	Monitoring
CO	Commercial	MT	Monitoring TestHole
MN	Municipal		
PS	Public		
AC	Cooling And A/C		
NU	Not Used		

4. Water Detail

Code	Description	Code	Description
FR	Fresh	GS	Gas
SA	Salty	IR	Iron
SU	Sulphur		
MN	Mineral		
UK	Unknown		



GeoPro Consulting Limited

Geotechnical-Hydrogeology-Environmental-Materials-Inspection

APPENDIX G



**PHASE ONE ENVIRONMENTAL SITE ASSESSMENT
INTERVIEW QUESTIONNAIRE**

Date: June 23 2021

Site Location/Address:

Paul Bigioni

Personnel Interviewed:

Contact Information

Email: paul@grandhomescanada.com

Phone Number:647-892-1640

- What is the main purpose of this Phase One ESA? Development

Record of Site Condition (RSC) ___ Due Diligence ___ Other _____

- Years of working/living on the site: 4

- Briefly describe the Site and site operations:

Size of the Property: 17.9 Hectares

Size of Footing Area:

Year of Building(s) constructed: 1960 - building demolished

Nature of the business: vacant

Current Property Owner, and date of ownership: 869547 Ontario Inc.

Previous Property Owner: Frisque

Current/Previous occupants: none



PIN:

Assessment Roll Number:

Legal Description: Concession 5 S Lot 3,4 City of Pickering, Regional Municipality of Durham, also known as 3225 Concession Road.

- What is the property land use?

Current: vacant

Future/Proposed: residential lots

- Any chemicals were used or stored on site? Where? none

- Do you know any chemical spills that occurred on the property? If yes, what chemicals were involved? where and when did it (they) happen? How were they cleaned up? none

- How is waste water handled/stored/disposed on site? through city sanitary sewer system? no

- Were there any landfills/dumps/soil fill on site? no

- How are the solid wastes disposed of and where? none

- Are/were there any underground or above ground storage tanks on the property? If yes, where? were many years ago for the single residential unit.



- Are/were there any fluid-filled transformers or other electrical equipment on the property? Where? Any reports available for PCB content tested? no

- Are/were there any water wells located on site? where? yes

- What is the source of drinking water? none

- What is the heating/air conditioning system for the building(s)? none

- Are you aware of any lead paint, asbestos or urea foam insulation using for the building(s)?

- Are/were there any equipment maintenance/manufacturing/processing activities occurring on site? no

- Are /were there any hazardous wastes generated on site? Do you have a waste generator number? no



- Are you aware of any fires that happened on the property? no

- Are/were there any environmental issues/problems relating to the site, such as civic, criminal, or administrative proceedings or fines? no

- Have there been any occupational health and safety inspections conducted by regulatory agencies? Any findings? no

- Are there any building /site drawings available for review? no

- Do you know any geotechnical or environmental investigations taking place on the site? any reports available for review? no

- Do you have other contacts who you think can provide more information on the property?

Maurizio Rogato - planner



GeoPro Consulting Limited

Geotechnical-Hydrogeology-Environmental-Materials-Inspection

APPENDIX H

Phase One Property

Date: April 3, 2017



Photo 1 – View of the entrance to the West Portion of Phase One Property (looking east). The Site has an address number of 3225 Balsam Road/Sideline 4.



Photo 2 – View of the West Portion of the Phase One Property (looking north).



Photo 3 - View of the approximate area of the former residential house (looking northeast).



Photo 4 – View of the south end of the West Portion of the Phase One Study Area (looking south).



Photo 5 – View of the Carruthers Creek and the outlying floodplains noted near the center of the Phase One Property.



Photo 6 – View of the floodplains of the Carruther Creek in the foreground and the east facing berm in the background in the West Portion of the Site (looking west).



Photo 7 – View of the temporary entrance to the East Portion of the Phase One Property from a new public roadway (namely Dexshire Drive) (looking south).



Photo 8 – View of the south property boundary of the East Portion of the Site with Dexshire Drive (looking west). A ditch and piles of the soil, fill, and could be seen near the boundary area.



Photo 9 – View of the East Portion of the Phase One Property (looking north). Water puddles were noted.



Photo 10 – View of stockpiles of gravel, sand and soil materials noted near the entrance of the West Portion of the Phase One Property (looking northeast).



Photo 11 – View of a pre-cast concrete cylinder object noted near the entrance of the West Portion of the Phase One Property (looking southeast)



Photo 12 – View of a water well noted in the northwest corner of the West Portion of the Phase One Property (looking southeast)



Photo 13 – View of a recreational vehicle parked near the location of the former residential house (looking southwest)



Photo 14 – View of a pool heater and filter storage area near the east edge of the West Portion of the Phase One Property (looking west)



Photo 15 – View of poorly drained area(s) noted in the West Portion of the Site



Photo 16 – View of soil stockpiles generated from two (2) excavated pits in the West Portion of the Site. A plastic storage tank was noted.

Phase One Property

Date: July 28, 2021



Site Photo 1. Dirt Roadway in the Western portion of the Site. Photo taken facing east.



Site Photo 2. South western portion of the Site. Vacant land and wooded area noted. Photo taken facing south.



Site Photo 3. Northern Portion of the Site. Vacant land and wooded area noted. Photo taken facing northwest.



Site Photo 4. Eastern Portion of the Site. Vacant land and wooded area noted. Photo taken facing north.



Site Photo 5. Central portion of the Site. Heavily wooded area present. Photo taken facing east.



Site Photo 6. Area of formal residential house located in the western portion of the Site. Gravel present, no evidence of building structures or basements.



Site Photo 7. Piles of fill material and debris were noted in the western portion of the Site



Site Photo 8. Monitoring wells noted throughout the Site



Site Photo 9. Transformer located on a telephone pole in the western portion of the Site. No spills, staining, discoloration or leaks observed.



Site Photo 10. Underground water utilities present in the eastern portion of the Site

Phase One Study Area

Date: July 28, 2021



Study Area Photo 1. Industrial Storage at 3330 Balsam Road. Photo taken facing west.



Study Area Photo 2. Alternative views of the Industrial Storage at 3330 Balsam Road.





Study Area Photo 3. Golf Course observed at 2700 Audley Road North. Photo taken facing west.



Study Area Photo 4. Ditches observed running along Balsam Road.



Study Area Photo 5. Wooded areas noted throughout the Study Area

LIMITATIONS TO THE REPORT

This report has been prepared in accordance with local generally accepted professional practices and procedures at the time of the assessment within the scope of Phase One Environmental Site Assessments under O. Reg. 153/04 as amended and is subject to the terms, conditions and limitations set out in our approved proposal prepared based on our understanding of the project requirements. As such, the assessment does not include any sampling or testing for potential contaminants such as asbestos, PCBs, radon gas, or airborne pollutants, etc.

This report utilizes scientific principles, professional judgement and subjective interpretations. This report herein comprises a statement of professional opinion based on visual observations, interviews and readily available documents only and the reader is advised that not all conditions that affect environmental compliance can be revealed by visual observations, interviews and readily searched documents.

Moreover, in the event that GeoPro has been granted authorization to use data and/or information obtained from previous third party investigation reports prepared by other consultants we make no warranty as to its accuracy or completeness and understand it to be factual and correct. As such, GeoPro does not guarantee the accuracy of said data prepared by others.

This report has been prepared for the exclusive use of the client and may not be relied upon by any third party without GeoPro's express written authorization. Unless otherwise agreed in writing by GeoPro Consulting Limited, it shall not be used to express or imply warranty as to any other purposes. No portion of this report shall be used as a separate entity, it is written to be read in its entirety.

The material in this report reflects our best judgment based on the information readily available to GeoPro Consulting Limited at the time of preparing this report. Any uses which a third party makes of this report, or any reliance on or decisions to be made based on it, are the responsibility of such third parties. GeoPro accepts no responsibility for damages, if any, suffered by any third party as a result of decisions made or actions based on this report unless we are specifically advised of and participate in such action, in which case our responsibility will be as agreed to at that time.

The information provided in this report may not be sufficient to obtain approval for disposal of excess soil or materials generated during construction. Occupancy use, codes, rules, and procedures change rapidly with time in the environmental engineering field and the reader is advised to update the findings and recommendations on a regular basis.